

# **SAFETY DATA SHEET**

Creation Date 10-Sep-2014 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name Chromium (III) Chloride Hexahydrate

Cat No.: C325-500

Synonyms Chromic chloride hexahydrate; Chromium chloride, hexahydrate; Chromium sesquichloride

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Category 1
Acute oral toxicity Category 4
Skin Sensitization Category 1

## Label Elements

# Signal Word

Warning

#### **Hazard Statements**

May be corrosive to metals Harmful if swallowed May cause an allergic skin reaction



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep only in original container

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Spills

Absorb spillage to prevent material damage

#### Storage

Store in corrosive resistant polypropylene container with a resistant inliner

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Chromium (III) Chloride Hexahydrate	10060-12-5	90 - 100

## 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling,

trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing Treat symptomatically

**Notes to Physician** 

# 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None known.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Ensure

adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid dust formation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chromium (III) Chloride		(Vacated) TWA: 0.5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Hexahvdrate			TWA: 0.5 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StatePowder SolidAppearanceReddish violetOdorOdorless

Odor Threshold No information available

pH2.45% aq solutionMelting Point/Range83 °C / 181.4 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific Gravity 1.760

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

ViscosityNot applicableMolecular FormulaCrCl3.6H2OMolecular Weight266.4354

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chromium (III) Chloride	LD50 = 1790 mg/kg (Rat)	>2000 mg/kg (Rat)	Not listed
Hexahydrate			

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Chromium (III)	10060-12-5	Not listed				
Chloride Hexahydrate						

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** 

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chromium (III) Chloride	Not listed	Not listed	Not listed	EC50: 187 mg/L/24h
Hexahydrate				

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. Mobility

## 13. Disposal considerations

#### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3260

Proper Shipping Name
Corrosive solid, acidic, inorganic, n.o.s.
Technical Name
Chromium (III) Chloride Hexahydrate

Hazard Class 8
Packing Group III

TDG

UN-No UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

**UN-No** UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

IMDG/IMO

**UN-No** UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

## 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Chromium (III) Chloride Hexahydrate	10060-12-5	-	-	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chromium (III) Chloride	10060-12-5	-	-	-	Х	-		Х	Х	-
Hexahydrate										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

OAKA 010			
Component	CAS No	Weight %	SARA 313 - Threshold
-			Values %
Chromium (III) Chloride Hexahydrate	10060-12-5	90 - 100	1.0

#### SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chromium (III) Chloride Hexahydrate	-	-	Х	-

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Chromium (III) Chloride Hexahydrate	X		-

**OSHA** - Occupational Safety and

Not applicable

Health Administration

CERCLA Not applicable

**California Proposition 65**This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chromium (III) Chloride	-	X	X	X	X
Hexahydrate					

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chromium (III) Chloride Hexahydrate	10060-12-5	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chromium (III) Chloride Hexahydrate	10060-12-5	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

## **Chromium (III) Chloride Hexahydrate**

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Sep-2014

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**