

Page 1/10 Creation Date 23-Dec-2009 Revision Date 23-Mar-2025

Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Chromerge cleaning solution **Product Description:** Chromerge cleaning solution Cat No.: C577-12; C577-12A; S799641

Synonyms None Molecular Formula CrO3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. No Information available Uses advised against

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

> Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square. No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

| Oxidizing liquids | Category 1 (H271) |
|--|---------------------|
| Acute oral toxicity | Category 3 (H301) |
| Acute dermal toxicity | Category 1 (H310) |
| Acute Inhalation Toxicity - Vapors | Category 2 (H330) |
| Skin Corrosion/Irritation | Category 1 A (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318) |
| Respiratory Sensitization | Category 1 (H334) |
| Skin Sensitization | Category 1 (H317) |
| Germ Cell Mutagenicity | Category 1B (H340) |
| Carcinogenicity | Category 1A (H350) |
| Reproductive Toxicity | Category 2 (H361f) |
| Specific target organ toxicity - (single exposure) | Category 3 (H335) |
| Specific target organ toxicity - (repeated exposure) | Category 1 (H372) |
| Acute aquatic toxicity | Category 1 (H400) |
| Chronic aquatic toxicity | Category 1 (H410) |

Label Elements

FSH04919



Signal Word

Danger

Hazard Statements

- H271 May cause fire or explosion; strong oxidizer
- H301 Toxic if swallowed
- H310 Fatal in contact with skin
- H330 Fatal if inhaled
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H340 May cause genetic defects
- H350 May cause cancer
- H361f Suspected of damaging fertility
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P221 Take any precaution to avoid mixing with combustibles
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P220 Keep away from clothing and other combustible materials
- P262 Do not get in eyes, on skin, or on clothing
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P283 Wear fire resistant or flame retardant clothing
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 In case of inadequate ventilation wear respiratory protection

Response

- P331 Do NOT induce vomiting
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P353 Rinse skin with water or shower
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion
- P362 + P364 Take off contaminated clothing and wash it before reuse
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Revision Date 23-Mar-2025

Other Hazards

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|--------------------------|-----------|----------|
| Water | 7732-18-5 | 50 |
| Chromium trioxide (CrO3) | 1333-82-0 | 50 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use

of gastric lavage or emesis is contraindicated. Possible perforation of stomach or

esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Chromerge cleaning solution

Revision Date 23-Mar-2025

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chromerge cleaning solution

Revision Date 23-Mar-2025

| Control | Parameters |
|---------|------------|
| | |

| Component | Malaysia | ACGIH TLV | OSHA PEL |
|--------------------------|----------|---|--|
| Chromium trioxide (CrO3) | | TWA: 0.0002 mg/m³ STEL: 0.0005 mg/m³ Skin | (Vacated) Ceiling: 0.1 mg/m³ Ceiling: 0.1 mg/m³ |

| Component | European Union | The United Kingdom | Germany |
|--------------------------|----------------|--------------------------------------|---------|
| Chromium trioxide (CrO3) | | STEL: 0.03 mg/m ³ 15 min | Haut |
| | | STEL: 0.065 mg/m ³ 15 min | |
| | | TWA: 0.01 mg/m ³ 8 hr | |
| | | TWA: 0.025 mg/m ³ 8 hr | |
| | | Carc. as Cr | |
| | | Resp. Sens. | |

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to

EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Red brown
Physical State Liquid
Odor Odorless

Odor Threshold No data available

pH 2.0 Acidic

Chromerge cleaning solution

Liquid

(Air = 1.0)

Liquid

> 0 °C / 32 °F **Melting Point/Range** No data available **Softening Point Boiling Point/Range** > 100 °C / 212 °F Flash Point

Not applicable Method - No information available

Evaporation Rate 1 (Ether = 1.0)Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure No information available

No information available **Vapor Density** 1.5

Specific Gravity / Density **Bulk Density** Not applicable

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature Decomposition Temperature

Viscosity

Explosive Properties

Oxidizing Properties

No data available No data available No data available

No information available

Oxidizer

Molecular Formula CrO3 **Molecular Weight** 99.99

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Yes.

Chemical Stability

Oxidizer: Contact with combustible/organic material may cause fire.

Possibility of Hazardous Reactions

Hazardous Polymerization No information available. **Hazardous Reactions** None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat. Combustible material.

Incompatible Materials

Reducing Agent. Strong bases. Alcohols. Metals. Strong reducing agents. Combustible

material.

FSH04919

Revision Date 23-Mar-2025

Revision Date 23-Mar-2025

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Category 3 Oral Dermal Category 1 Inhalation Category 2

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | |
|--------------------------|-----------------------|--------------------------|--|--|
| Water | - | - | - | |
| Chromium trioxide (CrO3) | LD50 = 80 mg/kg (Rat) | LD50 = 57 mg/kg (Rabbit) | LC50 = 217 mg/m ³ (Rat) 4 h | |

(b) skin corrosion/irritation; Category 1 A

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Category 1 Respiratory Skin Category 1

No information available

(e) germ cell mutagenicity; Category 1B

Mutagenic effects have occurred in humans

(f) carcinogenicity; Category 1A

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component EU | | UK | Germany | IARC |
|--------------------------|--------------|----|---------|---------|
| Chromium trioxide (CrO3) | Carc Cat. 1A | | | Group 1 |

(g) reproductive toxicity; Category 2

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects Developmental effects have occurred in experimental animals. Teratogenicity Teratogenic effects have occurred in experimental animals.

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 1

Revision Date 23-Mar-2025 Chromerge cleaning solution

Respiratory system. Eves. Skin. Gastrointestinal tract (GI). Central nervous system (CNS). **Target Organs**

Blood. Liver.

(i) aspiration hazard; No data available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|--------------------------|---------------------------|------------|------------------|----------|
| Chromium trioxide (CrO3) | LC50: = 40 mg/L, 96h | | | |
| | static (Colisa fasciatus) | | | |
| | | | | |

Persistence and degradability

Persistence

Degradation in sewage

treatment plant

Soluble in water. Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in

accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

> application for which the product was used Do not empty into drains Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized

Chromerge cleaning solution

before discharge Do not let this chemical enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN1755
Hazard Class 8
Packing Group II

Proper Shipping Name CHROMIC ACID SOLUTION

Road and Rail Transport

UN-No UN1755
Hazard Class 8
Packing Group II

Proper Shipping Name CHROMIC ACID SOLUTION

<u>IATA</u>

UN-No UN1755
Hazard Class 8
Packing Group II

Proper Shipping Name CHROMIC ACID SOLUTION

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL |
|--------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Water | 231-791-2 | Х | Х | Х | Χ | | Χ | Χ | KE-35400 |
| Chromium trioxide (CrO3) | 215-607-8 | Х | Х | Х | Х | Х | Х | Х | KE-06020 |

| Component | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------|--|---|-------------------------------|---------------------------------------|
| Chromium trioxide (CrO3) | | | | Annex I - Y21 |

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

Revision Date 23-Mar-2025

Chromerge cleaning solution

POW - Partition coefficient Octanol:Water

Revision Date 23-Mar-2025

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

IMO/IMDG - International Maritime Organization/International Maritime
Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 23-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

FSH04919