

# **SAFETY DATA SHEET**

Revision Date 01-Apr-2024 Revision Number 6

### 1. Identification

Product Name Lead, plasma standard solution, Specpure®, Pb 10µg/ml

Cat No.: 45257

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metalsCategory 1Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 2

### Label Elements

### Signal Word

Warning

### **Hazard Statements**

May be corrosive to metals Causes skin irritation Causes serious eye irritation



### **Precautionary Statements**

### Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Spills

Absorb spillage to prevent material damage

#### Storage

Store in corrosive resistant polypropylene container with a resistant inliner

### Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	97.999
Nitric acid% [C ≤ 70 %]	7697-37-2	2.00
Lead	7439-92-1	0.001

### 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Not combustible.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). lead oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	-

### 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required.

Should not be released into the environment. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

_ /	Н	ıar	าต	lın	q	ar	1a	St	or	aq	le

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Strong bases.

### 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Nitric acid% [C ≤ 70 %]	ric acid% [C ≤ 70 %] TWA: 2 ppm		IDLH: 25 ppm	TWA: 2 ppm
	STEL: 4 ppm	(Vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 2 ppm	STEL: 4 ppm
		(Vacated) STEL: 4 ppm	TWA: 5 mg/m <sup>3</sup>	1
		(Vacated) STEL: 10 mg/m <sup>3</sup>	STEL: 4 ppm	
		TWA: 2 ppm	STEL: 10 mg/m <sup>3</sup>	
		TWA: 5 mg/m <sup>3</sup>	_	
Lead	TWA: 0.05 mg/m <sup>3</sup>	TWA: 50 μg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
	-		TWA: 0.050 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment** 

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Acid gases filter.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Liquid

AppearanceNo information availableOdorNo information available

Odor Threshold
pH

No information available
No information available

Melting Point/Range No data available

Boiling Point/Range
No information available
Flash Point
No information available
Evaporation Rate
No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available

Vapor PressureNo information availableVapor DensityNo information availableSpecific GravityNo information availableSolubilityNo information available

Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular Formula Pb in 2% HN O3

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong bases

Hazardous Decomposition Products Nitrogen oxides (NOx), lead oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]	Not listed	Not listed	LC50 = 2500 ppm. (Rat) 1h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Nitric acid% [C ≤ 70 %]	7697-37-2	Not listed	Not listed	Not listed	Not listed	Not listed
Lead	7439-92-1	Group 2A	Reasonably Anticipated	A3	X	A3

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Lead	Not listed	LC50: = 1.32 mg/L, 96h	Not listed	EC50: = 600 μg/L, 48h
		static (Oncorhynchus		(water flea)
		mykiss)		
		LC50: = 1.17 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50: = 0.44 mg/L, 96h		
		semi-static (Cyprinus carpio)		

Persistence and Degradability based on information available. May persist

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Nitric acid% [C ≤ 70 %]	-2.3

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Name (NITRIC ACID)

Hazard Class 8
Packing Group III

TDG

UN-No UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

**UN-No** UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

## 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Χ	ACTIVE	-
Nitric acid% [C ≤ 70 %]	7697-37-2	X	ACTIVE	-
Lead	7439-92-1	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

Component	CAS No	TSCA 12(b) - Notices of Export
Lead	7439-92-1	Section 6

### **International Inventories**

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Nitric acid% [C ≤ 70 %]	7697-37-2	Χ	-	231-714-2	Χ	Χ	Х	Х	Х	KE-25911
Lead	7439-92-1	Х	-	231-100-4	Х	Х		Х	Х	KE-21887

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note that PBT chemicals are not eligible for the de minimis exemption. For these chemicals, supplier notification limits are provided.

> 0 % = no low concentration cut-off set, supplier notification limit applies.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Nitric acid% [C ≤ 70 %]	7697-37-2	2.00	1.0 %	-
Lead	7439-92-1	0.001	> 0 %	RT = 100 lb

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nitric acid% [C ≤ 70 %]	X	1000 lb	-	-
Lead	-	-	X	X

#### Clean Air Act

OSHA - Occupational Safety and

Not applicable

Health Administration

Component	Component Specifically Regulated Chemicals	
Nitric acid% [C ≤ 70 %]	-	TQ: 500 lb
Lead	30 µg/m³ Action Level	-
	50 μg/m³ TWA	

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Nitric acid% [C ≤ 70 %]	1000 lb	1000 lb	1000 lb 454 kg
Lead	10 lb	-	10 lb 4.54 kg

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Lead	7439-92-1	Carcinogen	15 μg/day	Developmental
		Developmental		Carcinogen
		Female Reproductive		_
		Male Reproductive		

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Nitric acid …% [C ≤ 70	Х	Х	Х	Х	Х
%]					
Lead	Χ	X	X	Χ	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard	
Nitric acid% [C ≤ 70 %]	Release STQs - 15000lb	
	Theft STQs - 400lb	

### Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of

		Substance	Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-
Nitric acid% [C ≤ 70 %]	7697-37-2	- Use restricted. S	ee item -
		75.	
		(see link for rest	riction
		details)	
Lead	7439-92-1	- Use restricted. S	<b>I</b>
		72.	231-100-4 - Toxic for
		(see link for rest	riction reproduction (Article 57c)
		details)	
		Use restricted. S	ee item
		30.	
		(see link for rest	riction
		details)	
		Use restricted. S	ee item
		63.	
		(see link for rest	riction
		details)	
		Use restricted. S	ee item
		75.	[
		(see link for rest	riction
		details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

### **REACH links**

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Lead	7439-92-1	Listed	Not applicable	Not applicable	0.1% (Max. Conc.)

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Not applicable	Not applicable	Not applicable	Annex I - Y34
Lead	7439-92-1	Not applicable	Not applicable	Not applicable	Annex I - Y31

### 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

. -

www.thermofisher.com

Revision Date 01-Apr-2024 Print Date 01-Apr-2024

**Revision Summary** New emergency telephone response service provider.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**