Thermo Fisher S C I E N T I F I C

SAFETY DATA SHEET

Page 1/9 Creation Date 20-Jul-2009 Revision Date 07-Apr-2024 Version 6

ACR22261

Zinc, granular, 20 mesh

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 铒

Product Description: Zinc, granular, 20 mesh

Cat No.: 222610000; 222610025; 222611000; 222615000

CAS No 7440-66-6

Molecular Formula Zn

Supplier UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorPowder SolidGreyOdorless

Emergency Overview

Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously.

Very toxic to aquatic life with long lasting effects. Air sensitive. May form combustible dust concentrations in air. Moisture sensitive.

Classification of the substance or mixture

Substances/mixtures which, in contact with water, emit flammable gases	Category 1
Pyrophoric solids	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label Elements



Page 2/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Signal Word

Danger

Hazard Statements

H260 - In contact with water releases flammable gases which may ignite spontaneously

H250 - Catches fire spontaneously if exposed to air

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P222 - Do not allow contact with air

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages

Storage

P402 + P404 - Store in a dry place. Store in a closed container

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Catches fire spontaneously if exposed to air. Reacts violently with water, liberating extremely flammable gases. Water reactive. Dust can form an explosive mixture with air.

Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

Environmental hazards

Very toxic to aquatic life with long lasting effects. Is not likely mobile in the environment. Spillage unlikely to penetrate soil.

Other Hazards

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component		CAS No	Weight %
Zinc powder - zinc dust (p	yrophoric)	7440-66-6	>95

SECTION 4. FIRST AID MEASURES

Eve Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

Ingestion

Do NOT induce vomiting. Get medical attention.

Most important symptoms and effects

No information available.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Page 3/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry sand, clay, approved class D extinguishers.

Extinguishing media which must not be used for safety reasons

Water.

Specific Hazards Arising from the Chemical

Flammable. Fine dust dispersed in air may ignite. Pyrophoric: Spontaneously flammable in air. Water reactive. Contact with water liberates extremely flammable gases. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment as required. Remove all sources of ignition. Avoid dust formation. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Up

Remove all sources of ignition. Do not expose spill to water. Sweep up and shovel into suitable containers for disposal. Use spark-proof tools and explosion-proof equipment. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Handle under an inert atmosphere. Do not allow contact with air. Do not allow contact with water. Wear personal protective equipment/face protection. Avoid dust formation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Keep away from heat, sparks and flame. Keep away from water or moist air.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Page 4/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
---	---	-----------------	-----------------------	---

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Grey

Physical State Powder Solid

Odor Odorless

Odor Threshold No data available PH No information available

Page 5/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Melting Point/Range420 °C / 788 °FSoftening PointNo data availableBoiling Point/Range907 °C / 1664.6 °F

Flash Point No information available

Evaporation Rate

No information available

Not applicable

Solid

Evaporation Rate Not applicable Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure 1.3 mbar @ 478 °C

Vapor Density Not applicable Solid

Specific Gravity / Density 7.14

Bulk Density No data available

Water Solubility Reacts with water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Autoignition Temperature

Decomposition Temperature

Viscosity

460 °C / 860 °F

No data available

Not applicable

Explosive Properties

Oxidizing Properties

No information available
No information available

Molecular FormulaZnMolecular Weight65.36

SECTION 10. STABILITY AND REACTIVITY

Stability Water reactive. Moisture sensitive. Air sensitive. Pyrophoric: Spontaneously flammable in

air.

Hazardous Reactions Contact with water liberates extremely flammable gases. Pyrophoric: Spontaneously

flammable in air.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Avoid dust formation. Incompatible products. Exposure to air. Exposure to moist air or

water. Keep away from open flames, hot surfaces and sources of ignition.

Solid

Materials to avoid Strong oxidizing agents. Strong acids. Strong bases. Amines.

Hazardous Decomposition Products Heavy metal oxides. Hydrogen.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc powder - zinc dust (pyrophoric)	LD50 > 2000 mg/kg bw (Rat)		LC50 > 5.41 g Zn/m ³ air (rat)
	OECD 401		OECD 403 (highest attainable
			concentration)

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

RespiratoryBased on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

Page 6/9 SAFETY DATA SHEET Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs**

Not applicable (j) aspiration hazard;

Solid

Symptoms / effects,both acute and No information available delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Zinc powder - zinc dust (pyrophoric)	LC50: = 0.41 mg/L, 96h		EC50: 0.09 - 0.125	
	static (Oncorhynchus	mg/L, 48h Static	mg/L, 72h static	
	mykiss)	(Daphnia magna)	(Pseudokirchneriella	
	LC50: = 0.59 mg/L, 96h		subcapitata)	
	semi-static		EC50: 0.11 - 0.271	
	(Oncorhynchus mykiss)		mg/L, 96h static	
	LC50: 2.16 - 3.05 mg/L,		(Pseudokirchneriella	
	96h flow-through		subcapitata)	
	(Pimephales promelas)			
	LC50: 0.211 - 0.269			
	mg/L, 96h semi-static			
	(Pimephales promelas)			
	LC50: = 2.66 mg/L, 96h			
	static (Pimephales			
	promelas)			
	LC50: = 30 mg/L, 96h			
	(Cyprinus carpio)			
	LC50: = 0.45 mg/L, 96h			
	semi-static (Cyprinus			
	carpio)			
	LC50: = 7.8 mg/L, 96h			
	static (Cyprinus carpio)			
	LC50: = 0.24 mg/L, 96h			
	flow-through (Oncorhynchus mykiss)			
	LC50: = 3.5 mg/L, 96h			
	macrocinius)			
	static (Lepomis macrochirus)			

Persistence and Degradability

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary

Page 7/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Persistence May persist, based on information available.

Degradability Not relevant for inorganic substances, Reacts with water.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants. Water reactive.

Bioaccumulative Potential Product has a high potential to bioconcentrate

Mobility in soil Spillage unlikely to penetrate soil. Is not likely mobile in the environment

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Waste is classified as hazardous. Dispose of in accordance with the European Directives **Products** on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Empty containers **Contaminated Packaging**

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Do not flush to sewer. Waste codes should be assigned by the user based on the Other Information

> application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

empty into drains.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN1436

ZINC POWDER **Proper Shipping Name**

Hazard Class 4.3 **Subsidiary Hazard Class** 4.2 Ш **Packing Group**

IMDG/IMO

UN1436 **UN-No**

ZINC POWDER **Proper Shipping Name**

Hazard Class 4.3 **Subsidiary Hazard Class** 4.2 **Packing Group** Ш

IATA

UN-No UN1436

Proper Shipping Name ZINC POWDER

Hazard Class 4.3 **Subsidiary Hazard Class** 4.2 Ш **Packing Group**

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

Zinc, granular, 20 mesh

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	goods GB	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Zinc powder - zinc dust (pyrophoric)	X	Х	X	X	231-175-3	Х	Χ	X	Х		Х	KE-35518

National Regulations

SECTION 16. OTHER INFORMATION

Creation Date 20-Jul-2009 **Revision Date** 07-Apr-2024 Not applicable. **Revision Summary**

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

IMO/IMDG - International Maritime Organization/International Maritime

MARPOL - International Convention for the Prevention of Pollution from

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

Dangerous Goods Code

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ACR22261

SAFETY DATA SHEET

Page 9/9 Revision Date 07-Apr-2024

Zinc, granular, 20 mesh

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet