

SAFETY DATA SHEET

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name Styrene

Molecular FormulaC8 H8Molecular Weight104.15

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code AJA473

Address

Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR001221

GHS Classification

Physical hazards

Flammable liquids Category 3

Health hazards

Aspiration Toxicity Category 1 **Acute Oral Toxicity** Category 4 Acute Inhalation Toxicity - Vapors Category 3 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Germ Cell Mutagenicity Category 2 Carcinogenicity Category 2 Reproductive Toxicity Category 2 Specific target organ toxicity - (single exposure) Category 3 Specific target organ toxicity - (repeated exposure) Category 1

Environmental hazards

NZ-000609 Version 3 12-Mar-2025 Page 1/11

Acute aquatic toxicity Chronic aquatic toxicity Category 1 Category 1

Label Elements



Signal Word

Danger

Hazard Statements

- H226 Flammable liquid and vapor
- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H331 Toxic if inhaled
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H341 Suspected of causing genetic defects if inhaled
- H351 Suspected of causing cancer
- H361 Suspected of damaging fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H335 May cause respiratory irritation
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground and bond container and receiving equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear eye protection/ face protection
- P273 Avoid release to the environment

Response

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P331 Do NOT induce vomiting
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P391 Collect spillage

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

NZ-000609 Version 3 12-Mar-2025 Page 2/11

Other hazards which do not result in classification

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Styrene	100-42-5	>95
4-tert-Butyl catechol	98-29-3	0.001-0.002

Section 4 - First Aid Measures

Description of first aid measures

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Risk of serious damage to the lungs (by aspiration).

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting

occurs naturally, have victim lean forward.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

None under normal use conditions.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NZ-000609 Version 3 12-Mar-2025 Page 3 / 11

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. Collect spillage.

Methods for Containment and Clean Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Incompatible Materials

None known.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

L	Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Γ	Styrene	TWA: 20 ppm	STEL: 100 ppm	TWA: 10 ppm	STEL: 250 ppm 15 min
	·	TWA: 85 mg/m ³	STEL: 426 mg/m ³	STEL: 20 ppm	STEL: 1080 mg/m ³ 15 min

NZ-000609 Version 3 12-Mar-2025 Page 4/11

STEL: 40 ppm	TWA: 50 ppm	TWA: 100 ppm 8 hr
STEL: 170 mg/m ³	TWA: 213 mg/m ³	TWA: 430 mg/m ³ 8 hr

Biological limit values

NZ - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

Component	New Zealand	Australia	ACGIH - Biological Exposure Indices	United Kingdom
Styrene	400 mg/g creatinine (urine) end of shift (Mandelic acid plus phenylglyoxylic acid) 40 μg/L (urine) end of shift (Styrene)		150 mg/g creatinine Medium: urine Time: end of shift Determinant: Mandelic acid plus phenylglyoxylic acid 20 μg/L Medium: urine Time: end of shift Determinant: Styrene	

Appropriate engineering controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection	Goggles	(Australian/New Zea	aland Standard AS	S/NZS 1337 - E	ye protectors for Industrial
----------------	---------	---------------------	-------------------	----------------	------------------------------

applications)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
-	Nitrile rubber, Neoprene,	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	Natural rubber, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Section 9 - Physical and Chemical Properties

NZ-000609 Version 3 12-Mar-2025 Page 5/11

Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless

Odor
Odor No information available
No data available
Not applicable
Melting Point/Range -31 °C / -23.8 °F
Softening Point
Boiling Point/Range 145 °C / 293 °F

Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 31 °C / 87.8 °F Method - No information available

Autoignition Temperature
Decomposition Temperature
Viscosity
Water Solubility
Solubility in other solvents

No data available
No data available
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Componentlog PowStyrene2.964-tert-Butyl catechol1.98

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Molecular Formula C8 H8 Molecular Weight 104.15

Explosive Properties explosive air/vapour mixtures possible

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization No information available.

Hazardous Reactions No information available.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Section 11 - Toxicological Information

Acute Effects

NZ-000609 Version 3 12-Mar-2025 Page 6 / 11

Information on likely routes of exposure

Product Information

InhalationNot an expected route of exposure.EyesNot an expected route of exposure.

Skin No known effect based on information supplied.

Ingestion Harmful if swallowed. Potential for aspiration if swallowed.

Numerical measures of toxicity

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Styrene	-	LD50 > 2000 mg/kg (Rat)	LC50 = 11.7 mg/L (Rat) 4 h
4-tert-Butyl catechol	815 mg/kg (Rat)	1331 mg/kg (Rat)	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	New Zealand	Australia	New South Wales	Western Australia	IARC	EU	UK	Germany
Styrene	Suspected				Group 2A			
	carcinogen							

(g) reproductive toxicity; Category 2

(h) STOT-single exposure; Category 3

(i) STOT-repeated exposure; Category 1

Target Organs No information available.

(j) aspiration hazard; Category 1

Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Section 12 - Ecological Information

NZ-000609 Version 3 12-Mar-2025 Page 7/11

Ecotoxicity

Aquatic ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Styrene	LC50: 19.03 - 33.53	EC50: 3.3 - 7.4 mg/L,	EC50: 0.15 - 3.2 mg/L,	= 5.4 mg/L EC50
	mg/L, 96h static	48h (Daphnia magna)	96h static	Photobacterium
	(Lepomis macrochirus)		(Pseudokirchneriella	phosphoreum 5 min
	LC50: 58.75 - 95.32		subcapitata)	
	mg/L, 96h static		EC50: 0.46 - 4.3 mg/L,	
	(Poecilia reticulata)		72h static	
	LC50: 6.75 - 14.5 mg/L,		(Pseudokirchneriella	
	96h static (Pimephales		subcapitata)	
	promelas)		EC50: = 0.72 mg/L, 96h	
	LC50: 3.24 - 4.99 mg/L,		(Pseudokirchneriella	
	96h flow-through		subcapitata)	
	(Pimephales promelas)		EC50: = 1.4 mg/L, 72h	
			(Pseudokirchneriella	
			subcapitata)	
4-tert-Butyl catechol	LC50 = 0.12 mg/L 96h	EC50=0.48 mg/L 48h		

Terrestrial ecotoxicity

Component	Earthworm	Avian	Honeybees
Styrene	Acute toxicity: LC50 = 120 mg/kg		
	(Eisenia foetida, 14 Days, soil		
	dry weight)		

Persistence and Degradability No information available

Persistence Persistence is unlikely.

Degradation in sewage treatment

Bioaccumulative Potential

plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Styrene	2.96	13.5 dimensionless
4-tert-Butyl catechol	1.98	No data available

Mobility No information available.

Other adverse effects

Endocrine Disruptor Information

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Styrene	Group I Chemical	High Exposure Concern	

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused Do not allow into drains or watercourses or dispose of where ground or surface waters may

NZ-000609 Version 3 12-Mar-2025 Page 8 / 11

SAFETY DATA SHEET

Products be affected. Wastes, including emptied containers, are controlled wastes and should be

disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be

landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

Component	Hazchem Code			
Styrene	3Y			
100-42-5 (>95)				

NZS 5433:2020

UN-No UN2055

Proper Shipping Name STYRENE MONOMER, STABILIZED

Technical Shipping Name
Hazard Class
Packing Group
Styrene
3

IATA

UN-No UN2055

Proper Shipping Name STYRENE MONOMER, STABILIZED

Technical Shipping Name
Hazard Class
Packing Group
Styrene
3

IMDG/IMO

UN-No UN2055

Proper Shipping Name STYRENE MONOMER, STABILIZED

Technical Shipping Name
Hazard Class
Packing Group
Styrene
3

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Not applicable, packaged goods

Special PrecautionsNo special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR001221

National Regulations

NZ-000609 Version 3 12-Mar-2025 Page 9/11

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

Component	New Zealand		
Styrene	Suspected carcinogen		

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High
			Concern (SVHC)
Styrene	-	Use restricted. See entry 75.	-
-		(see link for restriction details)	
4-tert-Butyl catechol	-	Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Styrene	100-42-5	Х	Х	202-851-5	-	-	KE-35342	X	Х
4-tert-Butyl catechol	98-29-3	Х	Х	202-653-9	-	-	KE-11368	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Styrene	100-42-5	X	ACTIVE	X	ı	X	X	X
4-tert-Butyl catechol	98-29-3	X	ACTIVE	Х	-	X	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZ-000609 Version 3 12-Mar-2025 Page 10 / 11

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration **BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 12-Mar-2025

Revision Summary Update to GHS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

NZ-000609 Version 3 12-Mar-2025 Page 11 / 11