

# SAFETY DATA SHEET

Creation Date 02-August-2002 Revision Date 24-December-2021 **Revision Number** 5

1. Identification

**Product Name** N,N-Diethylhydroxylamine

AC114420000; AC114420050; AC114421000; AC114425000 Cat No.:

**CAS-No** 

**Synonyms** Ethanamine, N-Ethyl-N-Hydroxy-; N,N-Diethylhydroxylamine; Diethylhydroxylamine

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road. One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 3 Acute dermal toxicity Category 4 Acute Inhalation Toxicity Category 4 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word Warning

**Hazard Statements** 

Flammable liquid and vapor

Harmful in contact with skin or if inhaled

May cause respiratory irritation Harmful if inhaled



#### **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER/ doctor if you feel unwell

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Ethanamine, N-ethyl-N-hydroxy-	3710-84-7	>95

## 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects

Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Notes to Physician

Treat symptomatically

## Fire-fighting measures

Suitable Extinguishing Media Water spray, Carbon dioxide (CO2). Dry chemical, Chemical foam, Water mist may be used

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 45 °C / 113 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper 10.00% 1.90% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Vapors may form explosive mixture with air. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	2	1	N/A

## Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Metals. copper. Butyl rubber.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanamine, N-ethyl-N-hydroxy-			TWA: 2 ppm		TWA: 2 ppm		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical State Liquid

AppearanceNo information availableOdorAmine compoundsOdor ThresholdNo information available

pH No information available

Melting Point/Range -26 - -25 °C / -14.8 - -13 °F

Boiling Point/Range 125 - 130 °C / 257 - 266 °F @ 760 mmHg

Flash Point 45 °C / 113 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

### N,N-Diethylhydroxylamine

Flammability or explosive limits

 Upper
 10.00%

 Lower
 1.90%

Vapor Pressure 4 mmHg @ 20 °C

Vapor Density 3.1 Specific Gravity 0.867

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information available

**Decomposition Temperature** > 120°C

Viscosity No information available

Molecular Formula C4 H11 N O Molecular Weight 89.14

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Hygroscopic.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong acids, Metals, copper, Butyl rubber

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

### **Acute Toxicity**

## **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Ethanamine, N-ethyl-N-hydroxy-	2190 mg/kg (rat)	1300 mg/kg (rat)	11.4 mg/L/4h (rat)		

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to respiratory system

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	Component CAS-No IARC		IARC NTP ACGII		OSHA	Mexico	
Ethanamine,	3710-84-7	Not listed	Not listed	Not listed	Not listed	Not listed	
N-ethyl-N-hydroxy-							

Mutagenic Effects Animal experiments showed mutagenic and teratogenic effects

Reproductive EffectsNo information available.Developmental EffectsNo information available.TeratogenicityNo information available.

STOT - single exposure Respiratory system

### N,N-Diethylhydroxylamine

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

## 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

**Persistence and Degradability**Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Ethanamine, N-ethyl-N-hydroxy-	-0.17

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

**Technical Name** Ethanamine, N-ethyl-N-hydroxy-

Hazard Class 3
Packing Group III

**TDG** 

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group III

<u>IATA</u>

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3 Packing Group III

IMDG/IMO

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group III

## 15. Regulatory information

## **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory	EINECS	ELINCS	NLP

### N,N-Diethylhydroxylamine

					notification - Active-Inactive			
Ethanamine, N-ethyl-N-hydroxy-	3710-84-7	X	-	X	ACTIVE	223-055-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Ethanamine, N-ethyl-N-hydroxy-	3710-84-7	X	KE-13827	X	X	X	X	X	X

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### **Other International Regulations**

#### Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethanamine, N-ethyl-N-hydroxy-	3710-84-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethanamine, N-ethyl-N-hydroxy-	3710-84-7	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date02-August-2002Revision Date24-December-2021Print Date24-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**