

according to Regulation (EC) No. 1907/2006

Creation Date 25-Aug-2010 Revision Date 04-Mar-2025 Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Cyclohexanone, AR

Cat No. : W00328

Synonyms Ketohexamethylene; Pimelic ketone.

 Index No
 606-010-00-7

 CAS No
 108-94-1

 EC No
 203-631-1

 Molecular Formula
 C6 H10 O

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Section 2: HAZARDS IDENTIFICATION

Cyclohexanone, AR Revision Date 04-Mar-2025

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute oral toxicity	Category 4 (H302)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Vapors	Category 4 (H332)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H226 Flammable liquid and vapor
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxicity to Soil Dwelling Organisms

Cyclohexanone, AR Revision Date 04-Mar-2025

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Section 3: Composition/information on ingredients

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Cyclohexanone	108-94-1	EEC No. 203-631-1	>95	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment neededNotes to PhysicianTreat symptomatically. Symptoms may be delayed.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Cyclohexanone, AR Revision Date 04-Mar-2025

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances Storage class - SC 3

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Cyclohexanone	TWA: 10 ppm (8h)	STEL: 20 ppm 15 min	TWA / VME: 10 ppm (8	TWA: 10 ppm 8 uren	STEL / VLA-EC: 20 ppm
	TWA: 40.8 mg/m ³ (8h)	STEL: 82 mg/m ³ 15 min	heures). restrictive limit	TWA: 40.8 mg/m ³ 8	(15 minutos).
	STEL: 20 ppm (15min)	TWA: 10 ppm 8 hr	TWA / VME: 40.8 mg/m ³	uren	STEL / VLA-EC: 82
	STEL: 81.6 mg/m ³	TWA: 41 mg/m ³ 8 hr	(8 heures). restrictive	STEL: 20 ppm 15	mg/m³ (15 minutos).
	(15min)	Skin	limit	minuten	TWA / VLA-ED: 10 ppm
	Skin		STEL / VLCT: 20 ppm.	STEL: 81.6 mg/m ³ 15	(8 horas)
			restrictive limit	minuten	TWA / VLA-ED: 41
			STEL / VLCT: 81.6	Huid	mg/m³ (8 horas)
			mg/m ³ . restrictive limit		Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
Cyclohexanone	TWA: 10 ppm 8 ore.	TWA: 20 ppm (8	STEL: 20 ppm 15		TWA: 10 ppm 8 tunteina
	Time Weighted Average	Stunden). AGW -	minutos	STEL: 12.3 ppm 15	TWA: 41 mg/m ³ 8
	TWA: 40.8 mg/m ³ 8 ore.	exposure factor 1	STEL: 81.6 mg/m ³ 15	minuten	tunteina
	Time Weighted Average	TWA: 80 mg/m ³ (8	minutos	STEL: 50 mg/m ³ 15	STEL: 20 ppm 15
	STEL: 20 ppm 15	Stunden). AGW -	TWA: 10 ppm 8 horas	minuten	minuutteina
	minuti. Short-term	exposure factor 1	TWA: 40.8 mg/m ³ 8		STEL: 82 mg/m ³ 15
	STEL: 81.6 mg/m ³ 15	Haut	horas		minuutteina
	minuti. Short-term		Pele		lho
	Pelle				

Component	Austria	Denmark	Switzerland	Poland	Norway
Cyclohexanone	Haut	TWA: 10 ppm 8 timer	Haut/Peau	STEL: 80 mg/m ³ 15	TWA: 10 ppm 8 timer
	MAK-KZGW: 20 ppm 15	TWA: 41 mg/m ³ 8 timer	STEL: 50 ppm 15	minutach	TWA: 40 mg/m ³ 8 timer
	Minuten	STEL: 81.6 mg/m ³ 15	Minuten	TWA: 40 mg/m ³ 8	STEL: 20 ppm 15
	MAK-KZGW: 80 mg/m ³	minutter	STEL: 200 mg/m ³ 15	godzinach	minutter. value from the
	15 Minuten	STEL: 20 ppm 15	Minuten	-	regulation
	MAK-TMW: 5 ppm 8	minutter	TWA: 25 ppm 8		STEL: 80 mg/m ³ 15
	Stunden	Hud	Stunden		minutter. value from the
	MAK-TMW: 20 mg/m ³ 8		TWA: 100 mg/m ³ 8		regulation
	Stunden		Stunden		Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Cyclohexanone	TWA: 10 ppm	kože	TWA: 10 ppm 8 hr.	STEL: 20 ppm	TWA: 40 mg/m ³ 8
	TWA: 40.8 mg/m ³	TWA-GVI: 10 ppm 8	TWA: 40.8 mg/m ³ 8 hr.	STEL: 81.6 mg/m ³	hodinách.
	STEL: 20 ppm	satima.	STEL: 20 ppm 15 min	TWA: 10 ppm	Potential for cutaneous
	STEL: 81.6 mg/m ³	TWA-GVI: 40.8 mg/m ³ 8	STEL: 81.6 mg/m ³ 15	TWA: 40.8 mg/m ³	absorption
	Skin notation	satima.	min		Ceiling: 80 mg/m ³
		STEL-KGVI: 20 ppm 15	Skin		
		minutama.			
		STEL-KGVI: 81.6 mg/m ³			
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Cyclohexanone	Nahk	Skin notation	skin - potential for	STEL: 20 ppm 15	STEL: 20 ppm
	TWA: 10 ppm 8	TWA: 10 ppm 8 hr	cutaneous absorption	percekben. CK	STEL: 81.6 mg/m ³
	tundides.	TWA: 40.8 mg/m ³ 8 hr	STEL: 100 ppm	STEL: 81.6 mg/m ³ 15	TWA: 10 ppm 8
	TWA: 40.8 mg/m ³ 8	STEL: 20 ppm 15 min	STEL: 400 mg/m ³	percekben. CK	klukkustundum.

Cyclohexanone, AR

Revision Date 04-Mar-2025

keresztüli felszívódás		tundides. STEL: 20 ppm 15 minutites. STEL: 81.6 mg/m³ 15 minutites.	STEL: 81.6 mg/m³ 15 min	TWA: 50 ppm TWA: 200 mg/m ³	TWA: 10 ppm 8 órában. AK TWA: 40.8 mg/m³ 8 órában. AK lehetséges borön keresztűli felsztívódás	TWA: 40 mg/m³ 8 klukkustundum. Skin notation
------------------------	--	---	----------------------------	---	---	--

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Cyclohexanone	skin - potential for	TWA: 10 ppm IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	TWA: 40.8 mg/m ³ IPRD	uptake through the skin	uptake through the skin	TWA: 10 ppm 8 ore
	STEL: 20 ppm	Oda	TWA: 10 ppm 8	TWA: 10 ppm	TWA: 40.8 mg/m ³ 8 ore
	STEL: 81.6 mg/m ³	STEL: 20 ppm	Stunden	TWA: 40.8 mg/m ³	STEL: 20 ppm 15
	TWA: 10 ppm	STEL: 81.6 mg/m ³	TWA: 40.8 mg/m ³ 8	STEL: 20 ppm 15 minuti	minute
	TWA: 40.8 mg/m ³		Stunden	STEL: 81.6 mg/m ³ 15	STEL: 81.6 mg/m ³ 15
	_		STEL: 20 ppm 15	minuti	minute
			Minuten		
			STEL: 81.6 mg/m ³ 15		
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Cyclohexanone	TWA: 10 mg/m ³ 2318	Ceiling: 82 mg/m ³	TWA: 10 ppm 8 urah	Binding STEL: 20 ppm	Deri
	MAC: 30 mg/m ³	Potential for cutaneous	TWA: 40.8 mg/m ³ 8	15 minuter	TWA: 10 ppm 8 saat
		absorption	urah	Binding STEL: 81	TWA: 40.8 mg/m ³ 8 saat
		TWA: 10 ppm	Koža	mg/m ³ 15 minuter	STEL: 20 ppm 15
		TWA: 41 mg/m ³	STEL: 20 ppm 15	TLV: 10 ppm 8 timmar.	dakika
		_	minutah	NGV	STEL: 81.6 mg/m ³ 15
			STEL: 81.6 mg/m ³ 15	TLV: 41 mg/m ³ 8	dakika
			minutah	timmar. NGV	
				Hud	

Biological limit values

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

Component	European Union	United Kingdom	France	Spain	Germany
Cyclohexanone		Cyclohexanol: 2		1,2-Cyclohexanodiol	
		mmol/mol creatinine		(with hydrolysis): 80	
		urine post shift		mg/L urine end of	
				workweek	
				Cyclohexanol (with	
				hydrolysis): 8 mg/L urine	
				end of shift	

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Cyclohexanone 108-94-1 (>95)		DNEL = 4mg/kg bw/day		DNEL = 4mg/kg bw/day

Cyclohexanone, AR

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)	
Cyclohexanone 108-94-1 (>95)	DNEL = 80mg/m ³	DNEL = 80mg/m ³	DNEL = 40mg/m ³	DNEL = 40mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Cyclohexanone	PNEC =	PNEC =	PNEC = 0.329mg/L	PNEC = 10mg/L	PNEC =
108-94-1 (>95)	0.0329mg/L	0.249mg/kg			0.0304mg/kg soil
		sediment dw			dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Cyclohexanone	PNEC =	PNEC =			
108-94-1 (>95)	0.00329mg/L	0.0249mg/kg			
		sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	> 480 minutes	0.35 mm	Level 6	As tested under EN374-3 Determination of
Viton (R)	> 480 minutes	0.70 mm	EN 374	Resistance to Permeation by Chemicals
Nitrile rubber				•
Neoprene	< 100 minutes	0.45 mm		
Nitrile rubber	< 60 minutes	0.38 mm		

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
arge scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

ALFAAW00328

Revision Date 04-Mar-2025

Cyclohexanone, AR Revision Date 04-Mar-2025

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless
Odor Mint-like
Odor Threshold 0.12 ppm

Melting Point/Range -47 °C / -52.6 °F Softening Point No data available Boiling Point/Range 155 °C / 311 °F

Boiling Point/Range155 °C / 311 °F@ 760 mmHgFlammability (liquid)FlammableOn basis of test dataFlammability (solid,gas)Not applicableLiquid

Explosion Limits Lower 1.1 vol%

Upper 8.1 vol%

Flash Point 46 °C / 114.8 °F Method - CC (closed cup)

Autoignition Temperature

Decomposition Temperature
pH

Viscosity

520 - °C / 968 - °F
No data available
No information available
2.2 mPas @ 20°C

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowCyclohexanone0.86

Vapor Pressure 4.5 mbar @ 20 °C

Density / Specific Gravity 0.947

Bulk DensityNot applicableLiquidVapor Density3.4(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula C6 H10 O Molecular Weight 98.14

Explosive Properties explosive air/vapour mixtures possible

Section 10: Stability and reactivity

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Cyclohexanone, AR Revision Date 04-Mar-2025

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. . Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 4InhalationCategory 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Cyclohexanone	LD50 = 1544 mg/kg (Rat)	LD50 = 947 mg/kg (Rabbit)	LC50 > 6.2 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

Cyclohexanone, AR Revision Date 04-Mar-2025

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Cyclohexanone	Leusiscus idus: LC50>500mg/L		
	48h		

Component	Microtox	M-Factor
Cyclohexanone	EC50 = 18.5 mg/L 5 min	
·	EC50 = 21.3 mg/L 10 min	
	EC50 = 25 mg/L 5 min	

12.2. Persistence and degradability Readily biodegradable

Persistence

Degradation in sewage

treatment plant

based on information available, May persist. Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Contains substances known to be hazardous to the

environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)		
Cyclohexanone	0.86	No data available		

12.4. Mobility in soil

The product is insoluble and floats on water The product is water soluble, and may spread in water systems The product evaporates slowly Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility. Disperses rapidly in air: Highly mobile in soils: Spillage unlikely to penetrate soil

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused

Waste is classified as hazardous. Dispose of in accordance with the European Directives

Cyclohexanone, AR Revision Date 04-Mar-2025

Products on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in

compliance with local regulations. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

Section 14: Transport information

IMDG/IMO

14.1. UN number UN1915

14.2. UN proper shipping name CYCLOHEXANONE

14.3. Transport hazard class(es) 3 14.4. Packing group III

ADR

14.1. UN number UN1915

14.2. UN proper shipping name CYCLOHEXANONE

14.3. Transport hazard class(es) 3 14.4. Packing group III

IATA

14.1. UN number UN1915

14.2. UN proper shipping name CYCLOHEXANONE

14.3. Transport hazard class(es) 3 14.4. Packing group III

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL	
--	-----------	--------	--------	--------	-----	-------	------	------	------	------	--

Cyclohexanone, AR

Revision Date 04-Mar-2025

Cyclohexanone	108-94-1	203-631-1	-	-	Χ	Χ	KE-09188	Χ	X
Component	CAS No	TSCA	TSCA TSCA Inventory notification - Active-Inactive		DSL	NDSL	AICS	NZIoC	PICCS
Cyclohexanone	108-94-1	X	ACT	IVE	X	=	X	Χ	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
-	Cyclohexanone	108-94-1	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/I	
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Cyclohexanone	108-94-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class	
Cyclohexanone	WGK1		

Component	Component France - INRS (Tables of occupational diseases)	
Cyclohexanone	Tableaux des maladies professionnelles (TMP) - RG 84	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent
	substances preparation (SR 814.81)		Procedure

Cyclohexanone, AR Revision Date 04-Mar-2025

Cyclohexanone	Group I	
108-94-1 (>95)		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H332 - Harmful if inhaled

Leaend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Prepared By Health, Safety and Environmental Department

25-Aug-2010 **Creation Date** 04-Mar-2025 **Revision Date** Initial Release. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No

Revision Date 04-Mar-2025

1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet