

Creation Date 15-Jan-2014 Revision Date 03-Jan-2021 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: 2% SDS Buffer Cat No.: SP/2618/24

Unique Formula Identifier (UFI) 323Y-C3HM-CX07-YEDF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against Laboratory chemicals.
No Information available

1.3. Details of the supplier of the safety data sheet

Company EU entity/business name

Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

Poison Centre - Emergency

information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Substances/mixtures corrosive to metal

Category 1 (H290)

2% SDS Buffer Revision Date 03-Jan-2021

Health hazards

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H290 - May be corrosive to metals

H319 - Causes serious eye irritation

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P234 - Keep only in original packaging

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Sodium lauryl sulfate	151-21-3	EEC No. 205-788-1	< 2	Flam. Sol. 2 (H228) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 1 (H318) Aquatic Chronic 3 (H412)
Hydrochloric acid	7647-01-0	231-595-7	<1	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)
Water	7732-18-5	231-791-2	> 97	-

Component	Concentration limits	M-Factor	Component notes

2% SDS Buffer Revision Date 03-Jan-2021

Sodium lauryl sulfate	Eye Irrit. 1:: C>=20% Eye Irrit. 2 :: 10%<=C<20%	-	-
Hydrochloric acid	Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 10%<=C<25% Eye Irrit. 2 :: 10%<=C<25% STOT SE 3 :: C>=10% Met. Corr. 1 :: C>=0.1%	-	-

Components	Reach Registration Number	
Sodium dodecyl sulphate	01-2119489461-32	
Hydrochloric acid	01-2119484862-27	

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

Component	European Union	The United Kingdom	France	Belgium	Spain
Hydrochloric acid	TWA: 5 ppm 8 hr	STEL: 5 ppm 15 min	STEL / VLCT: 5 ppm.	TWA: 5 ppm 8 uren	STEL / VLA-EC: 10 ppm
	TWA: 8 mg/m ³ 8 hr	STEL: 8 mg/m ³ 15 min	restrictive limit	TWA: 8 mg/m ³ 8 uren	(15 minutos).
	STEL: 10 ppm 15 min	TWA: 1 ppm 8 hr	STEL / VLCT: 7.6	STEL: 10 ppm 15	STÉL / VLA-EC: 15
	STEL: 15 mg/m ³ 15 min	TWA: 2 mg/m ³ 8 hr	mg/m ³ . restrictive limit	minuten	mg/m³ (15 minutos).
		_		STEL: 15 mg/m ³ 15	TWA / VLA-ED: 5 ppm

Revision Date 03-Jan-2021

	<u> </u>				(0 h)
				minuten	(8 horas) TWA / VLA-ED: 7.6 mg/m³ (8 horas)
					g, (0.1.0100)
Component	Italy	Germany	Portugal	The Netherlands	Finland
Hydrochloric acid	TWA: 5 ppm 8 ore. Media Ponderata nel	TWA: 2 ppm (8 Stunden). AGW -	STEL: 10 ppm 15 minutos	STEL: 15 mg/m³ 15 minuten	STEL: 5 ppm 15 minuutteina
	Tempo TWA: 8 mg/m³ 8 ore. Media Ponderata nel Tempo	exposure factor 2 TWA: 3 mg/m³ (8 Stunden). AGW - exposure factor 2	STEL: 15 mg/m³ 15 minutos Ceiling: 2 ppm TWA: 5 ppm 8 horas	TWA: 8 mg/m³ 8 uren	STEL: 7.6 mg/m³ 15 minuutteina
	STEL: 10 ppm 15 minuti. Breve termine STEL: 15 mg/m³ 15 minuti. Breve termine	TWA: 2 ppm (8 Stunden). MAK TWA: 3.0 mg/m³ (8 Stunden). MAK Höhepunkt: 4 ppm	TWA: 8 mg/m³ 8 horas		
		Höhepunkt: 6 mg/m ³			
Component	Austria	Denmark	Switzerland	Poland	Norway
Hydrochloric acid	MAK-KZW: 10 ppm 15 Minuten MAK-KZW: 15 mg/m³ 15	Ceiling: 5 ppm Ceiling: 8 mg/m³	STEL: 4 ppm 15 Minuten STEL: 6 mg/m³ 15	STEL: 10 mg/m³ 15 minutach TWA: 5 mg/m³ 8	Ceiling: 5 ppm Ceiling: 7 mg/m ³
	Minuten MAK-TMW: 5 ppm 8 Stunden		Minuten TWA: 2 ppm 8 Stunden TWA: 3 mg/m³ 8	godzinach	
	MAK-TMW: 8 mg/m³ 8 Stunden		Stunden		
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Hydrochloric acid	TWA: 5 ppm	TWA-GVI: 5 ppm 8	TWA: 8 mg/m ³ 8 hr. F	STEL: 10 ppm	TWA: 8 mg/m ³ 8
,	TWA: 8.0 mg/m³ STEL : 10 ppm STEL : 15.0 mg/m³	satima. TWA-GVI: 8 mg/m³ 8 satima. STEL-KGVI: 10 ppm 15 minutama. STEL-KGVI: 15 mg/m³ 15 minutama.	TWA: 5 ppm 8 hr. STEL: 10 ppm 15 min STEL: 15 mg/m³ 15 min	STEL: 15 mg/m³ TWA: 5 ppm TWA: 8 mg/m³	hodinách. Ceiling: 15 mg/m³
		0'' ''			
Component	Estonia	Gibraltar	Greece	Hungary STEL: 16 mg/m ³ 15	Iceland
Hydrochloric acid	TWA: 5 ppm 8 tundides. TWA: 8 mg/m³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 15 mg/m³ 15 minutites.	TWA: 5 ppm 8 hr TWA: 8 mg/m³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m³ 15 min	STEL: 5 ppm STEL: 7 mg/m³ TWA: 5 ppm TWA: 7 mg/m³	percekben. CK TWA: 8 mg/m³ 8 órában. AK	STEL: 5 ppm STEL: 8 mg/m³
Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Hydrochloric acid	STEL: 10 ppm STEL: 15 mg/m³ TWA: 5 ppm TWA: 8 mg/m³	TWA: 5 ppm IPRD TWA: 8 mg/m³ IPRD STEL: 10 ppm STEL: 15 mg/m³	TWA: 5 ppm 8 Stunden TWA: 8 mg/m³ 8 Stunden STEL: 10 ppm 15 Minuten	TWA: 5 ppm TWA: 8 mg/m ³ STEL: 10 ppm 15 minuti STEL: 15 mg/m ³ 15 minuti	TWA: 5 ppm 8 ore TWA: 8 mg/m³ 8 ore STEL: 10 ppm 15 minute STEL: 15 mg/m³ 15
			STEL: 15 mg/m³ 15 Minuten		minute
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Hydrochloric acid	MAC: 5 mg/m ³	Ceiling: 15 mg/m³ TWA: 5 ppm TWA: 8.0 mg/m³		Binding STEL: 4 ppm 15 minuter Binding STEL: 6 mg/m³	TWA: 5 ppm 8 saat TWA: 8 mg/m³ 8 saat STEL: 10 ppm 15
		Ŭ	anhydrous	15 minuter TLV: 2 ppm 8 timmar.	dakika STEL: 15 mg/m³ 15
			STEL: 10 ppm 15 minutah anhydrous STEL: 15 mg/m³ 15	NGV TLV: 3 mg/m³ 8 timmar.	dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) No information available

	Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
İ	Oral		(-)	(/	(-)
	Dermal				
	Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

FSUSP2618

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless
Odor Slight chlorine
Odor Threshold No data available
Melting Point/Range -5 °C / 23 °F

Melting Point/Range -5 °C / 23 °F Estimated

Softening Point No data available
Boiling Point/Range 100 °C / 212 °F

Boiling Point/Range 100 °C / 212 °F Estimated

Flammability (liquid)

No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

pH 1.2

Viscosity No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowSodium lauryl sulfate-2.03

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

FSUSP2618

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium lauryl sulfate	LD50 = 1288 mg/kg (Rat)	> 2000 mg/kg	3900 mg/m³(Rat)1 h
Hydrochloric acid	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h
Water	-	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
Sodium lauryl sulfate 151-21-3 (< 2)	OECD Test Guideline 471 AMES test	Bacteria	negative
	OECD Test Guideline 474 Mouse micronucleus assay	mouse	negative

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium lauryl sulfate	1.31 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia	EC50: = 53 mg/L, 72h
	9.9-20.1 mg/L LC50 96 h	magna)	(Desmodesmus subspicatus)
	4.5 mg/L LC50 96 h		EC50: 3.59 - 15.6 mg/L, 96h
	4.62 mg/L LC50 96 h		static (Pseudokirchneriella
	7.97 mg/L LC50 96 h		subcapitata)
	10.2-22.5 mg/L LC50 96 h		EC50: = 117 mg/L, 96h
	10.8-16.6 mg/L LC50 96 h		(Pseudokirchneriella subcapitata)
	13.5-18.3 mg/L LC50 96 h		EC50: 30 - 100 mg/L, 96h
	15-18.9 mg/L LC50 96 h		(Desmodesmus subspicatus)
	22.1-22.8 mg/L LC50 96 h		
	4.06-5.75 mg/L LC50 96 h		
	4.2-4.8 mg/L LC50 96 h		
	4.3-8.5 mg/L LC50 96 h		
	5.8-7.5 mg/L LC50 96 h		
	6.2-9.6 mg/L LC50 96 h		
	8-12.5 mg/L LC50 96 h		
	4.2 mg/L LC50 96 h		
Hydrochloric acid	282 mg/L LC50 96 h Gambusia	56mg/L EC50 72h Daphnia	-
	affinis		
	mg/L LC50 48 h Leucscus idus		

Component	Microtox	M-Factor
Sodium lauryl sulfate	= 0.46 mg/L EC50 Photobacterium phosphoreum	
	30 min	
	= 0.72 mg/L EC50 Photobacterium phosphoreum	
	15 min	
	= 1.19 mg/L EC50 Photobacterium phosphoreum 5	
	min	
Hydrochloric acid	-	

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)		
Sodium lauryl sulfate	-2.03	1.6		

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

2% SDS Buffer Revision Date 03-Jan-2021

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with low pH-value must be neutralized before

discharge.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID SOLUTION

14.3. Transport hazard class(es) 8
14.4. Packing group III

ADR

14.1. UN number UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID SOLUTION

14.3. Transport hazard class(es) 8 14.4. Packing group III

<u>IATA</u>

14.1. UN number UN1789

14.2. UN proper shipping name HYDROCHLORIC ACID SOLUTION

14.3. Transport hazard class(es) 8 14.4. Packing group 8

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Sodium lauryl sulfate	205-788-1	-		Х	Х	-	Χ	Χ	Х	Х	KE-2188
											4
Hydrochloric acid	231-595-7	-		Х	Х	-	Х	Х	Х	Х	KE-2018
											9
Water	231-791-2	-		X	Х	-	Х	Х	Х	Х	KE-3540
											0

Component	Seveso III Directive (2012/18/EC) - Qualifying	Seveso III Directive (2012/18/EC) - Qualifying Quantities			
	Quantities for Major Accident Notification	for Safety Report Requirements			
Hydrochloric acid	25 tonne	250 tonne			

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sodium lauryl sulfate	WGK2	
Hydrochloric acid	WGK1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H318 - Causes serious eye damage

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

2% SDS Buffer Revision Date 03-Jan-2021

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

BCF - Bioconcentration factor

ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

15-Jan-2014 **Creation Date Revision Date** 03-Jan-2021

Revision Summary Update to CLP Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

FSUSP2618