

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihalan Produk: **Molybdenum wire**  
 Product Description: **Molybdenum wire**  
 Cat No. : 43996  
 CAS No 7439-98-7

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company** Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

**E-mail address** Enquiry.my@thermofisher.com

**Emergency Telephone Number** Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**
**Label Elements**
**Hazard Statements**
**Storage**

P403 - Store in a well-ventilated place

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other Hazards**

This product does not contain any known or suspected endocrine disruptors

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Molybdenum	7439-98-7	<=100

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

### Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

approved class D extinguishers. Do not use water or foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Molybdenum oxides.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

## Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

## Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

## Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Avoid dust formation. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Molybdenum		TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	(Vacated) TWA: 10 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Molybdenum		STEL: 20 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr	

### Exposure Controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles)

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

## Recommended Filter type:

Particle filter

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

Grey

#### Physical State

Solid disc Bar Foil Plate Rod Wire

#### Odor

Odorless

#### Odor Threshold

No data available

#### pH

No information available

#### Melting Point/Range

2610 °C / 4730 °F

#### Softening Point

No data available

#### Boiling Point/Range

5560 °C / 10040 °F

#### Flash Point

No information available

Method - No information available

#### Evaporation Rate

Not applicable

Solid

#### Flammability (solid,gas)

No information available

#### Explosion Limits

No data available

#### Vapor Pressure

23 hPa @ 20 °C

#### Vapor Density

Not applicable

Solid

#### Specific Gravity / Density

10.22 g/cm3

@ 20 °C

#### Bulk Density

No data available

#### Water Solubility

Insoluble in water

#### Solubility in other solvents

No information available

### Partition Coefficient (n-octanol/water)

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

#### Viscosity

Not applicable

Solid

#### Explosive Properties

No information available

#### Oxidizing Properties

No information available

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

### Conditions to Avoid

None known.

### Incompatible Materials

Acids. Oxidizing agent.

### Hazardous Decomposition Products

Molybdenum oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

(a) acute toxicity;  
Oral No data available  
Dermal No data available  
Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Molybdenum	-	LD50 > 2000 mg/kg ( Rat )	LC50 > 5.84 mg/L ( Rat ) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;  
Respiratory No data available  
Skin No data available

(e) germ cell mutagenicity; No data available

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

(f) carcinogenicity;	No data available There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	No data available
(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	Not applicable Solid
Symptoms / effects, both acute and delayed	No information available.
Endocrine Disrupting Properties	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

<u>Ecotoxicity effects</u>	May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.
<u>Persistence and degradability</u>	Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
Persistence	Insoluble in water, May persist.
Degradation in sewage treatment plant	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
<u>Bioaccumulative potential</u>	May have some potential to bioaccumulate; Product has a high potential to bioconcentrate
<u>Mobility in soil</u>	Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility.
<u>Endocrine Disruptor Information</u>	This product does not contain any known or suspected endocrine disruptors
<u>Other adverse effects</u>	No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u>	
Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

disposal

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

**Road and Rail Transport** Not regulated

**IATA** Not regulated

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Inventories** X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Molybdenum	231-107-2	X	X	X	X		X	X	KE-25427

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

ALFAA43996

# SAFETY DATA SHEET

Molybdenum wire

Revision Date 29-Mar-2025

OECD - Organisation for Economic Co-operation and Development  
BCF - Bioconcentration factor

ATE - Acute Toxicity Estimate  
VOC - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By	Health, Safety and Environmental Department
Revision Date	29-Mar-2025
Revision Summary	Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**