Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1 / 8 Revision Date 09-May-2024 Version 3

ALFAA41735

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 重质油中硫标准溶液, Specpure®, 25μg/g (0.0025%)

Product Description: Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

Cat No.: 41735

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorLiquidNo information availableOdorless

Emergency Overview

May be fatal if swallowed and enters airways.

Classification of the substance or mixture

Aspiration Toxicity Category 1

Label Elements



Signal Word Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways

Precautionary Statements

Response

Page 2/8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

None identified.

Health Hazards

Aspiration hazard if swallowed - can enter lungs and cause damage.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %		
White mineral oil	8042-47-5	100		
Butane, 1,1'-thiobis-	544-40-1	0.00		

SECTION 4. FIRST AID MEASURES

General Advice

If symptoms persist, call a physician.

Eve Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

Most important symptoms and effects

None reasonably foreseeable.

Self-Protection of the First Aider

No special precautions required.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Extinguishing media which must not be used for safety reasons

Page 3/8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Storage

Keep container tightly closed in a dry and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Controls

Engineering Measures

None under normal use conditions. .

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Γ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
l	Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
ı		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

Page 4 / 8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Method - No information available

(Air = 1.0)

Liquid

Appearance

Physical State Liquid

Odor Odorless

Odor Threshold No data available PH No information available

Melting Point/Range No data available

Softening Point No data available
No data available

Boiling Point/Range No information available

Flash Point > 110 °C / > 230 °F

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure23 hPa @ 20 °CVapor DensityNo data available

Specific Gravity / Density No data available

Bulk Density
Water Solubility
Not applicable
Immiscible

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Component log Pow

White mineral oil 6

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
No data available
No data available

Explosive Properties

Oxidizing Properties

No information available
No information available

SECTION 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Hazardous ReactionsNone under normal processing.Hazardous PolymerizationNo information available.

Page 5 / 8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

Conditions to Avoid None known.

Materials to avoid Oxidizing agent.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil	LD50 > 5000 mg/kg (Rat)		
Butane, 1,1'-thiobis-	LD50 = 2220 mg/kg (Rat)		

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Category 1

Symptoms / effects,both acute and No information available

delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
İ	White mineral oil	LC50: > 10000			
		mg/L/96h (Lepomis			

Page 6/8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

	macrochirus)		
Butane, 1,1'-thiobis-	LC50: = 3.58 mg/L, 96h flow-through (Pimephales promelas)		

Persistence and Degradability

Persistence

May persist.

Bioaccumulative Potential

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil	6	No data available

Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility Is not likely mobile in the environment due its low water solubility and propensity

to bind to soil particles

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information

Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

Not Regulated

IMDG/IMO

Not regulated

IATA

Not regulated

Special Precautions for User

No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

ſ	Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
-		Inventory of	dangerous										
		Hazardous	goods GB										
		Chemicals	12268 -										
		(2015	2012										

ALFAA41735

SAFETY DATA SHEET

Page 7/8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

	Edition)											
White mineral oil	=	=	Х	Х	232-455-8	Χ	Χ	Χ	Х	Х	Χ	KE-35412
Butane, 1,1'-thiobis-	-	-	Х	Х	208-870-5	X	Х	X	X	Х	X	-

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Revision Date 09-May-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

TWA - Time Weighted Average

Dangerous Goods Code

Ships

IMO/IMDG - International Maritime Organization/International Maritime

MARPOL - International Convention for the Prevention of Pollution from

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances Substances List

ENCS - Japanese Existing and New Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water PBT - Persistent, Bioaccumulative, Toxic vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate **BCF** - Bioconcentration factor **VOC** - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

On basis of test data Physical hazards **Health Hazards** Calculation method Calculation method **Environmental hazards**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

ALFAA41735

SAFETY DATA SHEET

Page 8 / 8 Revision Date 09-May-2024

Sulfur in Heavy Mineral Oil standard solution, Specpure®, 25myg/g (0.0025%)

End of Safety Data Sheet

Davis 0