

## SAFETY DATA SHEET

### Section 1 - Identification

Product Name <u>Nickel</u>

Product Code THI842315550021, THI430122821401

,

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of

Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as not hazardous according to criteria of Safe Work Australia.

Physical hazards

No hazards identified

**Health hazards** 

No hazards identified

**Environmental hazards** 

No hazards identified

<u>Label Elements</u> None required

#### Other information

No information available

This product does not contain any known or suspected endocrine disruptors

AUS-003477B Version 2 14-Jul-2023 Page 1/12

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	99.7
Nitric acid% [C ≤ 70 %]	7697-37-2	0.2
Potassium	7440-09-7	0.001
Phosphorus	7723-14-0	0.001
Nickel	7440-02-0	0.001
Zinc powder - zinc dust (pyrophoric)	7440-66-6	0.0001
Manganese	7439-96-5	0.0001
Magnesium	7439-95-4	0.0001
Copper	7440-50-8	0.0001
Calcium	7440-70-2	0.0001
Barium	7440-39-3	0.0001
Aluminum	7429-90-5	0.0001

### Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**General Advice** If symptoms persist, call a physician.

**Self-Protection of the First Aider** No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

None reasonably foreseeable.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

AUS-003477B Version 2 14-Jul-2023 Page 2 / 12

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required.

#### **Environmental Precautions**

Should not be released into the environment.

#### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### Clean-up methods - large spillage

Not applicable, packaged goods.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

### Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Nitric acid% [C ≤	STEL: 4 ppm	TWA: 2 ppm	TWA: 2 ppm	STEL: 1 ppm 15 min	TWA: 1 ppm (8
70 %]	STEL: 10 mg/m <sup>3</sup>	TWA: 5.2 mg/m <sup>3</sup>	STEL: 4 ppm	STEL: 2.6 mg/m <sup>3</sup> 15 min	Stunden). AGW -
	TWA: 2 ppm	STEL: 4 ppm			TWA: 2.6 mg/m <sup>3</sup> (8
	TWA: 5.2 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>			Stunden). AGW -
Phosphorus	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>			TWA: 0.01 mg/m <sup>3</sup> (8
					Stunden). MAK
					Höhepunkt: 0.02 mg/m <sup>3</sup>
Nickel	TWA: 1 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	STEL: 1.5 mg/m <sup>3</sup> 15 min	TWA: 0.03 mg/m <sup>3</sup> (8
				TWA: 0.5 mg/m <sup>3</sup> 8 hr	Stunden). AGW -
				Skin	exposure factor 8
					TWA: 0.006 mg/m³ (8
					Stunden). AGW -
					exposure factor 8
Zinc powder - zinc					TWA: 0.1 mg/m <sup>3</sup> (8
dust (pyrophoric)					Stunden). MAK
					TWA: 2 mg/m³ (8
					Stunden). MAK

AUS-003477B Version 2 14-Jul-2023 Page 3 / 12

					Höhepunkt: 0.4 mg/m <sup>3</sup> Höhepunkt: 4 mg/m <sup>3</sup>
Manganese	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m³ TWA: 0.02 mg/m³	TWA: 0.02 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	STEL: 0.6 mg/m³ 15 min STEL: 0.15 mg/m³ 15 min TWA: 0.2 mg/m³ 8 hr TWA: 0.05 mg/m³ 8 hr	TWA: 0.2 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.02 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.2 mg/m³ (8 Stunden). MAK TWA: 0.02 mg/m³ (8 Stunden). MAK Höhepunkt: 1.6 mg/m³ Höhepunkt: 0.16 mg/m³
Copper	TWA: 1 mg/m³ TWA: 0.2 mg/m³	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	STEL: 0.6 mg/m <sup>3</sup> 15 min STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr TWA: 0.2 mg/m <sup>3</sup> 8 hr	
Barium	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>		
Aluminum	TWA: 10 mg/m³ TWA: 5 mg/m³	TWA: 10 mg/m³	TWA: 1 mg/m³	STEL: 30 mg/m³ 15 min STEL: 12 mg/m³ 15 min TWA: 10 mg/m³ 8 hr TWA: 4 mg/m³ 8 hr	TWA: 1.25 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 10 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 4 mg/m³ (8 Stunden). MAK TWA: 1.5 mg/m³ (8 Stunden). MAK

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Aluminum					Aluminum: 50 μg/g
					Creatinine urine (for
					long-term exposures: at
					the end of the shift after
					several shifts)

# **Exposure Controls Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

AUS-003477B Version 2 14-Jul-2023 Page 4/12

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Method - No information available

Liquid

(Air = 1.0)

Liquid

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance Clear, colorless solution

Physical State Liquid

Odor No information available
Odor Threshold No data available

Odor Threshold
pH
Not applicable
Melting Point/Range
O °C / 32 °F
Softening Point
No data available
No data available
No data available
100 °C / 212 °F

Flash Point Not applicable Evaporation Rate No data available

Flammability (solid,gas)

Not applicable

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density

No data available

Bulk Density

Not applicable

Water Solubility
Solubility in other solvents
No information available
No information available

Partition Coefficient (n-octanol/water)

Component  $[C \le 70 \%]$  log Pow -2.3

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

No data available

No information ava

**Explosive Properties**Oxidizing Properties
No information available
No information available

Other information

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials None known.

AUS-003477B Version 2 14-Jul-2023 Page 5/12

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization** No information available.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]			LC50 = 2500 ppm. (Rat) 1h
Phosphorus	>15000 mg/kg (Rat Female)		LC50 = 4.3 mg/L (Rat) 1 h
Nickel	LD50 > 9000 mg/kg (Rat)		LC50 > 10.2 mg/L (Rat) 1 h
Zinc powder - zinc dust (pyrophoric)	LD50 > 2000 mg/kg bw (Rat) OECD 401		LC50 > 5.41 g Zn/m³ air (rat) OECD 403 (highest attainable concentration)
Manganese	LD50 = 9 g/kg ( Rat )		LC50 > 5.14 mg/L (Rat) 4 h
Magnesium	LD50 = 230 mg/kg (Rat)		
Copper			LC50 > 5.11 mg/L (Rat) 4 h
Barium	LD50 = 132 mg/kg ( Rat )		
Aluminum			LC50 > 0.888 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

	Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Ī	Nickel		Suspected			Group 2B			Cat. 1
Į			carcinogen						

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

AUS-003477B Version 2 14-Jul-2023 Page 6/12

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

# Section 12 - Ecological Information

**Ecotoxicity effects**Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Phosphorus	LC50: 33.2 mg/L/96h (Danio rerio)	EC50: 10.5 mg/L/48h		
Nickel	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	EC50 = 510 μg/L 96h	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	
Zinc powder - zinc dust (pyrophoric)	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)	
Manganese	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)			
Copper	Onchorhynchys mykiss: LC50=0.15 mg/L 96h Cuprinus carpio: LC50=0.8 mg/L 96h	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	0.0426-0.0535 mg/L EC50 72 h 0.031-0.054 mg/L EC50 96 h	
Barium	LC50: > 500 mg/L/96h (Cyprinodon variegatus)			

Persistence and Degradability Bioaccumulative Potential

No information available No information available

AUS-003477B Version 2 14-Jul-2023 Page 7/12

Nitric acid% [C ≤ 70 %	-2.3	No data available
Phosphorus		<200 dimensionless
Mobility Endoring Digruptor Informs	No information available.	

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not This produ

This product does not contain any known or suspected endocrine disruptors. This product does not contain any known or suspected substance. This product does not contain any known or suspected substance.

## Section 13 - Disposal Considerations

Waste from Residues/Unused

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be

be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Waste codes should be assigned by the user based on the application for which

the product was used. Do not empty into drains.

## Section 14 - Transport Information

IMDG/IMO Not regulated

Component	IMDG Marine Pollutant
Copper	IMDG regulated marine pollutant (Listed in the index, listed under
7440-50-8 ( 0.0001 )	Copper metal powder)

### ADG Not regulated

Component	Hazchem Code
Nitric acid% [C ≤ 70 %]	2R
7697-37-2 ( 0.2 )	2P
	2PE
Potassium	4W
7440-09-7 ( 0.001 )	
Phosphorus	1WE
7723-14-0 ( 0.001 )	1Z
Zinc powder - zinc dust (pyrophoric)	4Y
7440-66-6 ( 0.0001 )	4W
Magnesium	1Z
7439-95-4 ( 0.0001 )	4Y
	4W
Calcium	4W
7440-70-2 ( 0.0001 )	
Barium	4W
7440-39-3 ( 0.0001 )	
Aluminum	4Y
7429-90-5 ( 0.0001 )	4W

IATA Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

AUS-003477B Version 2 14-Jul-2023 Page 8/12

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Schedule 5 listed - except its salts and derivatives; in preparations except in preparations containing
	<=0.5% of Nitric acid
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, or in
	preparations containing <=0.5% of Nitric acid

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Present	-
Potassium - 7440-09-7	Present	-
Phosphorus - 7723-14-0	Present	-
Nickel - 7440-02-0	Present	-
Zinc powder - zinc dust (pyrophoric) - 7440-66-6	Present	-
Manganese - 7439-96-5	Present	-
Magnesium - 7439-95-4	Present	-
Copper - 7440-50-8	Present	-
Calcium - 7440-70-2 Present		-
Barium - 7440-39-3	Present	-
Aluminum - 7429-90-5	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

### **Chemicals of Security Concern**

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Nitric acid% [C ≤ 70 %] - 7697-37-2		Listed in Appendix A Precursors to homemade explosives - concentration >=30%
Potassium - 7440-09-7	Category 2	
Phosphorus - 7723-14-0	Category 1	Listed in Appendix A
Magnesium - 7439-95-4	Category 2	
Calcium - 7440-70-2	Category 2	

#### Legend

Category 1 - Chemicals that require an End User Declaration with each purchase and may only be sold to 'account customers' or customers that are prepared to open an account. Supply of these chemicals to End Users or Distributors must be delayed for a period of not less than 24 hours Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

AUS-003477B Version 2 14-Jul-2023 Page 9/12

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Nitric acid …% [C ≤ 70 %] - 7697-37-2	10 tonne/yr. Threshold category 1
Phosphorus - 7723-14-0	3 tonne/yr. Threshold category 3 total
Nickel - 7440-02-0	10 tonne/yr. Threshold category 1 2000 tonne/yr. Threshold category 2b 60000 MWH. Threshold category 2b 20 MW. Threshold category 2b
Zinc powder - zinc dust (pyrophoric) - 7440-66-6	10 tonne/yr. Threshold category 1
Manganese - 7439-96-5	10 tonne/yr. Threshold category 1
Copper - 7440-50-8	10 tonne/yr. Threshold category 1 2000 tonne/yr. Threshold category 2b 60000 MWH. Threshold category 2b 20 MW. Threshold category 2b

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Component	Australia	New South Wales	Western Australia	New Zealand
Nickel - 7440-02-0				Suspected carcinogen

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Nitric acid% [C ≤ 70 %]	Х	Х	231-714-2	-	Х	Х	-	Х	Х	Х	Х	KE-25911
Potassium	Х	Х	231-119-8	-	Х	Х	-	Х	Х		Х	KE-29068
Phosphorus	Х	Х	231-768-7	-	Х	Х	-	Х	Х		Х	KE-28713
Nickel	Х	Х	231-111-4	-	Х	Х	-	Х	Х		Х	KE-25818
Zinc powder - zinc dust (pyrophoric)	Х	Х	231-175-3	-	Х	Х	-	Х	Х		Х	KE-35518
Manganese	Х	Х	231-105-1	-	Х	Х	-	Х	Х		Х	KE-22999
Magnesium	Х	Х	231-104-6	-	Х	Х	-	Х	Х		Х	KE-22673
Copper	Х	Х	231-159-6	-	Х	Х	-	Х	Х		Х	KE-08896
Calcium	Х	Х	231-179-5	-	Х	Х	-	Х	Х		Х	KE-04462
Barium	Х	Х	231-149-1	-	Х	Х	-	Х	Х		Х	KE-02022
Aluminum	Х	Х	231-072-3	-	Х	Х	-	Х	Х		Х	KE-00881

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

MARPOL - International Convention for the

Prevention of Pollution from Ships

Tevention of Foliation from Chipo					
Component	IMDG Marine Pollutant				
Copper - 7440-50-8	IMDG regulated marine pollutant (Listed in the index, listed under Copper metal powder)				

AUS-003477B Version 2 14-Jul-2023 Page 10 / 12

\_\_\_\_\_

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Potassium	7440-09-7	Not applicable	Not applicable	Not applicable	Not applicable
Phosphorus	7723-14-0	Listed	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Zinc powder - zinc dust (pyrophoric)	7440-66-6	Listed	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Listed	Not applicable	Not applicable	Not applicable
Magnesium	7439-95-4	Listed	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
Calcium	7440-70-2	Listed	Not applicable	Not applicable	Not applicable
Barium	7440-39-3	Not applicable	Not applicable	Not applicable	Not applicable
Aluminum	7429-90-5	Listed	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitric acid% [C ≤ 70 %]	-	Use restricted. See item 75. (see link for restriction details)	-
Potassium	-	Use restricted. See item 75. (see link for restriction details)	-
Phosphorus	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Zinc powder - zinc dust (pyrophoric)	-	Use restricted. See item 75. (see link for restriction details)	-
Copper	-	Use restricted. See item 75. (see link for restriction details)	-
Barium	-	Use restricted. See item 75. (see link for restriction details)	-
Aluminum	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**NZIoC** - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AUS-003477B Version 2 14-Jul-2023 Page 11 / 12

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

 $\ensuremath{\mathsf{MARPOL}}$  - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 14-Jul-2023

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

AUS-003477B Version 2 14-Jul-2023 Page 12 / 12