

Page 1/8 Creation Date 16-Nov-2010 Revision Date 07-Feb-2020 Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

Nama Produk
Product Description:

o-Phenylenediamine
o-Phenylenediamine

**Cat No. :** BP2537-1; BP2537-5; BP2537-250

**Synonyms** 1,2-Diaminobenzene

CAS-No 95-54-5 Molecular Formula 95-54-5 C6 H8 N2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Fisher Scientific (M) Sdn Bhd No. 3, Jalan Sepadu 25/123,

Taman Perindustrian Axis, Seksyen 25,

40400 Shah Alam, Selangor Darul Ehsan, Malaysia.

Supplier

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number** 

(603) 5122 8888

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Dusts and Mists	Category 4 (H332)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 2 (H341)
Carcinogenicity	Category 2 (H351)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)

#### Label Elements



Signal Word Danger

o-Phenylenediamine Revision Date 07-Feb-2020

#### **Hazard Statements**

H301 - Toxic if swallowed

H351 - Suspected of causing cancer

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H341 - Suspected of causing genetic defects

H410 - Very toxic to aquatic life with long lasting effects

H312 + H332 - Harmful in contact with skin or if inhaled

#### **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Other Hazards

May form combustible dust concentrations in air

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No	Weight %
o-Phenylenediamine	95-54-5	>95

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing.

#### Indication of any immediate medical attention and special treatment needed

o-Phenylenediamine Revision Date 07-Feb-2020

**Notes to Physician** 

Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

Dust can form an explosive mixture with air. Fine dust dispersed in air may ignite. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

# Precautions for Safe Handling

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not ingest. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas).

#### Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool and well-ventilated place. Refer product specification and/or product label for specific storage temperature requirement. Keep container tightly closed. Keep under nitrogen.

#### Specific End Uses

Use in laboratories.

o-Phenylenediamine Revision Date 07-Feb-2020

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL		
o-Phenylenediamine		TWA: 0.1 mg/m <sup>3</sup>			

#### **Exposure Controls**

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

### Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

Appearance Light cream Physical State Solid

Odor No information available
Odor Threshold No data available
pH No information available

o-Phenylenediamine Revision Date 07-Feb-2020

Melting Point/Range 100 - 103 °C / 212 - 217.4 °F

Softening Point No data available

**Boiling Point/Range** 256 - 258 °C / 492.8 - 496.4 °F

Flash Point 136 °C / 276.8 °F Method - No information available

**Evaporation Rate** Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits Lower 1.5

Vapor Pressure .13 mbar @ 20 °C

Vapor Density Not applicable Solid

Specific Gravity / Density

Bulk Density

Water Solubility

No data available
No data available
54 g/l (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog Powo-Phenylenediamine0.2

Autoignition Temperature 540 °C / 1004 °F

**Decomposition Temperature** > 500°C

Viscosity Not applicable Solid

**Explosive Properties**Oxidizing Properties
No information available
No information available

Molecular FormulaC6 H8 N2Molecular Weight108.14

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions. Air sensitive.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid

Exposure to air. Incompatible products.

Incompatible Materials

Acids. Strong oxidizing agents.

o-Phenylenediamine Revision Date 07-Feb-2020

Hazardous Decomposition Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

**Acute Toxicity** 

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
ſ	o-Phenylenediamine	LD50 = 510 mg/kg (Rat)	LD50 > 5000 mg/kg (Rat)	LC50 = 0.15 mg/L (Rat) 4 h		
-1						

**Chronic Toxicity** 

Carcinogenicity Limited evidence of a carcinogenic effect The table below indicates whether each agency

has listed any ingredient as a carcinogen

Component	IARC	UK
o-Phenylenediamine	Group 2B	

Sensitization No information available

Mutagenic Effects Possible risk of irreversible effects

Reproductive EffectsNo information availableDevelopmental EffectsNo information availableTarget OrgansNo information available.

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

o-Phenylenediamine  LC50: = 44 mg/L, 96h static (Pimephales promelas) LC50: = 24 mg/L, 96h static (Brachydanio)  LC50: = 24 mg/L, 96h static (Brachydanio)  LC50: = 24 mg/L, 96h static (Brachydanio)  LC50: = 44 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 4 mg/L, 72h (Desmodesmus)	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
rerio) subspicatus)		LC50: = 44 mg/L, 96h static (Pimephales promelas) LC50: = 24 mg/L, 96h static (Brachydanio	EC50: = 0.87 mg/L, 48h	EC50: = 0.16 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 4 mg/L, 72h (Desmodesmus	

Persistence and degradability

Persistence

Degradation in sewage treatment plant

Expected to be biodegradable

Persistence is unlikely.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

o-Phenylenediamine Revision Date 07-Feb-2020

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
o-Phenylenediamine	0.2	No data available

Mobility in soil The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in

accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not dispose of waste into sewer Waste codes should be assigned by the user based on

the application for which the product was used Do not empty into drains Do not let this

chemical enter the environment

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1673 Hazard Class 6.1 Packing Group III

Proper Shipping Name PHENYLENEDIAMINES

Road and Rail Transport

UN-No UN1673 Hazard Class 6.1 Packing Group III

Proper Shipping Name PHENYLENEDIAMINES

<u>IATA</u>

UN-No UN1673 Hazard Class 6.1 Packing Group III

Proper Shipping Name PHENYLENEDIAMINES

Special Precautions for User No special precautions required

### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

#### o-Phenylenediamine

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
o-Phenylenediamine	202-430-6	-		Х	Х	-	Χ	Χ	Χ	Χ	KE-0217
											4

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 07-Feb-2020

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate VOC (volatile organic compound)

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 07-Feb-2020

**Revision Summary** SDS sections updated.

# In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**