

Page 1/9 Creation Date 12-Nov-2010 Revision Date 24-Mar-2025

Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: **SULFURIC ACID ICP-OES Product Description:** SULFURIC ACID ICP-OES Cat No.: T003110500; T003112500

**Synonyms** Hydrogen sulfate; Vitriol brown oil; Oil of vitriol

Molecular Formula H2SO4

Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals. No Information available Uses advised against

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

> Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square. No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Enquiry.my@thermofisher.com E-mail address

**Emergency Telephone Number** Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

## Label Elements



Signal Word **Danger** 

**Hazard Statements** 

H314 - Causes severe skin burns and eye damage

FSHT00311

## SULFURIC ACID ICP-OES Revision Date 24-Mar-2025

#### **Precautionary Statements**

#### Prevention

P271 - Use only outdoors or in a well-ventilated area

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Sulfuric acid	7664-93-9	90 - 98
Water	7732-18-5	2 - 10

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

FSHT00311

#### **SULFURIC ACID ICP-OES**

Revision Date 24-Mar-2025

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Sulfur oxides, Hydrogen.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental precautions**

Should not be released into the environment.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

SULFURIC ACID ICP-OES Revision Date 24-Mar-2025

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from water or moist air, Corrosives area.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Sulfuric acid		TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>
			TWA: 1 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup> (8h)	STEL: 0.15 mg/m <sup>3</sup> 15 min	TWA: 0.1 mg/m³ (8 Stunden). AGW
		TWA: 0.05 mg/m <sup>3</sup> 8 hr	- exposure factor 1
		_	TWA: 0.1 mg/m³ (8 Stunden). MAK
			Höhepunkt: 0.1 mg/m <sup>3</sup>

#### **Exposure Controls**

### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

## Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to

EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

SULFURIC ACID ICP-OES Revision Date 24-Mar-2025

Liquid

Information on basic physical and chemical properties

Appearance Clear, Colorless to brown

Physical State Liquid Odor Odorless

Odor Threshold No data available

**pH** 0.3 (1N)

Melting Point/Range10 °C / 50 °FSoftening PointNo data available

**Boiling Point/Range** 290 - 338 °C / 554 - 640.4 °F

Flash Point Not applicable Method - No information available

**Evaporation Rate** Slower than ether **Flammability (solid,gas)** Not applicable

Explosion Limits No data available

Vapor Pressure < 0.001 mmHg @ 20 °C

**Vapor Density** 3.38 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 1.84

Bulk Density Not applicable Liquid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available

**Decomposition Temperature** 340°C

ViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Molecular FormulaH2SO4Molecular Weight98.08

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Yes.

Chemical Stability

Reacts violently with water. Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

**Conditions to Avoid** 

SULFURIC ACID ICP-OES Revision Date 24-Mar-2025

Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials

Water. Organic materials. Strong acids. Strong bases. Metals. Alcohols. Cyanides. Sulfides.

#### **Hazardous Decomposition Products**

Sulfur oxides. Hydrogen.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid	2140 mg/kg (Rat)	-	LC50 = 0.375  mg/L  (Rat) 4  h
Water	-	-	-

**(b) skin corrosion/irritation**; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen Exposure to strong inorganic mists containing sulfuric acid may cause cancer by inhalation

Component	EU	UK	Germany	IARC
Sulfuric acid				Group 1

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**SULFURIC ACID ICP-OES** Revision Date 24-Mar-2025

**Target Organs** 

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

This product contains the following substance(s) which are hazardous for the environment. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sulfuric acid	LC50: > 500 mg/L, 96h	EC50: 29 mg/L/24h	-	-
	static (Brachydanio			
	rerio)			
	,			

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods Waste from Residues/Unused

**Products** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification Waste is classified as hazardous Dispose of in accordance with the European Directives on waste

and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized before discharge

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN1830 UN-No

**SULFURIC ACID ICP-OES** Revision Date 24-Mar-2025

**Hazard Class Packing Group** 

SULFURIC ACID **Proper Shipping Name** 

**Road and Rail Transport** 

UN1830 **UN-No Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** SULPHURIC ACID

IATA

UN1830 UN-No **Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** SULFURIC ACID

**Special Precautions for User** No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Sulfuric acid	231-639-5	Х	Х	Х	Х	X	Χ	Χ	KE-32570
Water	231-791-2	Х	X	Х	Х		Х	Χ	KE-35400

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Sulfuric acid		-		Annex I - Y34

### **National Regulations**

**Persistent Organic Pollutant** This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

**ACGIH** - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

FSHT00311

#### **SULFURIC ACID ICP-OES**

Revision Date 24-Mar-2025

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 24-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**