

## SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

**Product Name** 2-Methylbutane

78-78-4 **CAS No** 

Isopentane; 2-Methylbutane; Butane, 2-methyl; 1,1-Dimethylpropane; **Synonyms** 

Dimethylethylmethane; 1,1,2-Trimethylethane

**Product Code** C39722

**Address** ThermoFisher Scientific Australia Pty Ltd

> 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

**Emergency Tel. CHEMTREC®** 

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. Uses advised against

> This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 1

**Health hazards** 

**Aspiration Toxicity** Category 1 Specific target organ toxicity - (single exposure) Category 3

**Environmental hazards** 

Chronic aquatic toxicity Category 2

**Label Elements** 

ALFAAC39722 Version 2 20-Nov-2022 Page 1/10









### Signal Word Danger

#### **Hazard Statements**

H224 - Extremely flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

AUH066 - Repeated exposure may cause skin dryness or cracking

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Isopentane	78-78-4	>95

## Section 4 - First Aid Measures

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. Risk of serious

damage to the lungs (by aspiration). If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting

occurs naturally, have victim lean forward.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

ALFAAC39722 Version 2 20-Nov-2022 Page 2 / 10

### SAFETY DATA SHEET

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

### Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

#### **Hazardous Decomposition Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

#### **Specific Hazards Arising from the Chemical**

Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment as required. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

ALFAAC39722 Version 2 20-Nov-2022 Page 3/10

#### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Refrigerator/flammables. Flammables area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

### Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Isopentane			TWA: 1000 ppm	STEL: 1800 ppm 15 min	TWA: 1000 ppm (8
·				STEL: 5400 mg/m <sup>3</sup> 15	Stunden). AGW -
				min	exposure factor 2
				TWA: 600 ppm 8 hr	TWA: 3000 mg/m <sup>3</sup> (8
				TWA: 1800 mg/m <sup>3</sup> 8 hr	Stunden). AGW -
					exposure factor 2
					TWA: 1000 ppm (8
					Stunden). MAK
					TWA: 3000 mg/m <sup>3</sup> (8
					Stunden). MAK
					Höhepunkt: 2000 ppm
					Höhepunkt: 6000 mg/m <sup>3</sup>

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** 

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

I	Glove material	Breakthrough time	Glove thickness	<b>AUS/NZ Standard</b>	Glove comments
	Nitrile rubber	> 480 minutes	0.38 mm	AS/NZS 2161	As tested under EN374-3 Determination of
	Viton (R)	> 480 minutes	0.3 mm		Resistance to Permeation by Chemicals
Į	Neoprene gloves	< 85 minutes	0.45 mm		-

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

ALFAAC39722 Version 2 20-Nov-2022 Page 4/10

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion

Remove gloves with care avoiding skin contamination.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Liquid

Vapors may form explosive mixtures with air

and maintenance of repiratory protective devices

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 (or AUS/NZ equivalent) Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor
Odor Threshold
Petroleum distillates
No data available
Not applicable
Melting Point/Range
Melting Point
No data available
Boiling Point/Range
30 °C / 86 °F

**Boiling Point/Range**30 °C / 86 °F **Q** 760 mmHg **Flash Point**-51 °C / -59.8 °F **Method -** No information available

Evaporation Rate No information available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits Lower 1.4 vol%

Upper 7.6 vol%

Vapor Pressure 990 mbar @ 20 °C

**Vapor Density** 2.48 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 0.620

Bulk Density Not applicable

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Isopentane 4

Autoignition Temperature 420 °C / 788 °F Decomposition Temperature No data available Viscosity No data available

**Explosive Properties** 

Oxidizing Properties No information available

Other information

Molecular FormulaC5 H12Molecular Weight72.15

# Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

ALFAAC39722 Version 2 20-Nov-2022 Page 5 / 10

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat, Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous Polymerization Hazardous polymerization does not occur.

# Section 11 - Toxicological Information

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Skin

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Central nervous system (CNS)

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Category 1

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

## Section 12 - Ecological Information

**Ecotoxicity effects**Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the

3

ALFAAC39722 Version 2 20-Nov-2022 Page 6 / 10

		environment.			
Com	nponent	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Isop	pentane	Oncorhynchus mykiss: LC50: 3.1 mg/L/96h	EC50: = 2.3 mg/L, 48h (Daphnia magna)		

**Persistence and Degradability** 

Persistence

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)				
Isopentane	4	No data available				
Mobility		product contains volatile organic compounds (VOC) which will evaporate easily from all aces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in				
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors					
Persistent Organic Pollutant	This product does not contain any known or suspected substance					
Ozone Depletion Potential This product does not contain any known or suspected substance						

# Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information** 

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## Section 14 - Transport Information

#### IMDG/IMO

UN-No UN1265
Proper Shipping Name UN1265
PENTANES

Hazard Class
Packing Group

<u>ADG</u>

UN-No UN1265
Proper Shipping Name UN1265
PENTANES

Hazard Class 3
Packing Group

<u>IATA</u>

UN-No UN1265
Proper Shipping Name PENTANES

Hazard Class 3 Packing Group 1

ALFAAC39722 Version 2 20-Nov-2022 Page 7/10

### SAFETY DATA SHEET

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

#### Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Isopentane - 78-78-4	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Isopentane	X	X	201-142-8	-	X	Χ	-	Х	Χ	Χ	Х	KE-23537

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

ALFAAC39722 Version 2 20-Nov-2022 Page 8/10

**Rotterdam Convention (PIC)** Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of	Seveso III Directive	Seveso III Directive
			Hazardous	(2012/18/EC) -	(2012/18/EC) -
			Substances (RoHS)	Qualifying Quantities	Qualifying Quantities
				for Major Accident	for Safety Report
				Notification	Requirements
Isopentane	78-78-4	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road

and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

20-Nov-2022 **Revision Date Revision Summary** Initial Release.

ALFAAC39722 Version 2 20-Nov-2022 Page 9/10 This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ALFAAC39722 Version 2 20-Nov-2022 Page 10 / 10