

according to Regulation (EC) No. 1907/2006

Revision Date 20-Mar-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Cat No. : 14209

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

**Swiss distributor -** Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Based on available data, the classification criteria are not met

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

#### **Health hazards**

Based on available data, the classification criteria are not met

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements

None required

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
White mineral oil, petroleum	8042-47-5	EEC No. 232-455-8	99.90	-
Silicon	7440-21-3	EEC No. 231-130-8	0.1	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

\_\_\_\_\_

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class (LGK) (Germany)

Storage Class/LGK 10

Switzerland - Storage of hazardous substances Storage class - SC 10/12

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Silicon		STEL: 30 ppm 15 min	TWA / VME: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> 8 uren	
		STEL: 12 mg/m <sup>3</sup> 15 min	(8 heures).		
		TWA: 10 mg/m <sup>3</sup> 8 hr			
		TWA: 4 mg/m <sup>3</sup> 8 hr			

Component	Italy	Germany	Portugal	The Netherlands	Finland
White mineral oil,		TWA: 5 mg/m <sup>3</sup> (8			
petroleum		Stunden). AGW -			
•		exposure factor 4			
		TWA: 5 mg/m <sup>3</sup> (8			
		Stunden). MAK			
		Höhepunkt: 20 mg/m <sup>3</sup>			

Component	Austria	Denmark	Switzerland	Poland	Norway
White mineral oil, petroleum			TWA: 5 mg/m <sup>3</sup> 8 Stunden		
Silicon		TWA: 10 mg/m³ 8 timer STEL: 20 mg/m³ 15 minutter	TWA: 3 mg/m <sup>3</sup> 8 Stunden		TWA: 10 mg/m³ 8 timer STEL: 20 mg/m³ 15 minutter. set equal to the limit value for Nuisance dust;value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Silicon		TWA-GVI: 10 mg/m <sup>3</sup> 8	TWA: 4 mg/m <sup>3</sup> 8 hr.		
		satima. total dust,	respirable dust		
		inhalable particles	TWA: 10 mg/m <sup>3</sup> 8 hr. Si		
		TWA-GVI: 4 mg/m <sup>3</sup> 8	total inhalable dust		
		satima. respirable dust	STEL: 30 mg/m <sup>3</sup> 15 min		
			STEL: 12 mg/m <sup>3</sup> 15 min		

## Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
White mineral oil,				TWA: 5 mg/m <sup>3</sup> 8	
petroleum				órában. AK	
Silicon	TWA: 10 mg/m³ 8 tundides. TWA: 5 mg/m³ 8 tundides. respirable dust		TWA: 10 mg/m³ TWA: 5 mg/m³		TWA: 10 mg/m <sup>3</sup> 8 klukkustundum. Ceiling: 20 mg/m <sup>3</sup>

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
White mineral oil,	TWA: 5 mg/m <sup>3</sup>				
petroleum					

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
White mineral oil,	Skin notation		TWA: 5 mg/m <sup>3</sup> 8 urah		
petroleum	MAC: 5 mg/m <sup>3</sup>		respirable fraction		
	_		STEL: 20 mg/m <sup>3</sup> 15		
			minutah respirable		
			fraction		

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
White mineral oil, petroleum 8042-47-5 ( 99.90 )				DNEL = 217.05mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
White mineral oil, petroleum 8042-47-5 ( 99.90 )				DNEL = 164.56mg/m <sup>3</sup>

## **Predicted No Effect Concentration (PNEC)**

No information available.

## 8.2. Exposure controls

#### **Engineering Measures**

None under normal use conditions.

#### Personal protective equipment Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Revision Date 20-Mar-2024

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

**Hand Protection** 

Revision Date 20-Mar-2024

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Long sleeved clothing. Skin and body protection

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

No protective equipment is needed under normal use conditions. **Respiratory Protection** 

Protective aloves

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

**Environmental exposure controls** No information available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Amber

Petroleum distillates Odor No data available **Odor Threshold Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** > 315 °C / 599 °F Flammability (liquid) No data available Not applicable

Flammability (solid,gas) Liquid

**Explosion Limits** No data available

> 232 °C / > 449.6 °F Method - No information available **Flash Point** 

338 °C / 640.4 °F **Autoignition Temperature Decomposition Temperature** No data available No information available рΗ No data available **Viscosity** Water Solubility Immiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

White mineral oil, petroleum

**Vapor Pressure** No data available **Density / Specific Gravity** 0.75 g/cm3

@ 20 °C **Bulk Density** Not applicable Liquid Vapor Density No data available (Air = 1.0)

Particle characteristics Not applicable (liquid)

#### 9.2. Other information

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available. **Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil, petroleum	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	-
Silicon	LD50 = 3160 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
White mineral oil, petroleum	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)		

12.2. Persistence and degradability

Persistence May persist.

**12.3. Bioaccumulative potential** Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)		
White mineral oil, petroleum	6	No data available		

12.4. Mobility in soil Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely

mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

12.5. Results of PBT and vPvB Substance

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant This product does not contain any known or suspected substance

Revision Date 20-Mar-2024

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

Page 9/12

Ozone Depletion Potential This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
White mineral oil, petroleum	8042-47-5	232-455-8	ı	-	Х	X	KE-35412	X	X
Silicon	7440-21-3	231-130-8	-	-	Х	X	KE-31029	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
White mineral oil, petroleum	8042-47-5	X	ACTIVE	X	Ī	X	X	Х
Silicon	7440-21-3	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
White mineral oil, petroleum	8042-47-5	-	-	-
Silicon	7440-21-3	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
White mineral oil, petroleum	8042-47-5	Not applicable	Not applicable
Silicon	7440-21-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
White mineral oil, petroleum	WGK1	
Silicon	nwa	

Component	France - INRS (Tables of occupational diseases)
•	

**ALFAA14209** 

Revision Date 20-Mar-2024

Silicon, Oil based standard solution, Specpure®, Si 1000µg/g

Revision Date 20-Mar-2024

White mineral oil, petroleum Tableaux des maladies professionnelles (TMP) - RG 36bis

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent. Bioaccumulative. Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

**OECD** - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 20-Mar-2024

**Revision Summary** New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No

Revision Date 20-Mar-2024

## 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**