

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)  
**Cat No. :** 40553

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

#### Poison Centre - Emergency information services

**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## Physical hazards

Based on available data, the classification criteria are not met

## Health hazards

Aspiration Toxicity

Category 1 (H304)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H304 - May be fatal if swallowed and enters airways

## Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
White mineral oil, petroleum	8042-47-5	EEC No. 232-455-8	99.85	Asp. Tox. 1 (H304)
Ammonium chloride	12125-02-9	235-186-4	0.15	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)

Full text of Hazard Statements: see section 16

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## Section 4: First aid measures

### 4.1. Description of first aid measures

<b>General Advice</b>	If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).
<b>Self-Protection of the First Aider</b>	No special precautions required.

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## Section 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### Hazardous Combustion Products

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 10

**Switzerland - Storage of hazardous substances**

Storage class - SC 10/12  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** -

The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Ammonium chloride		STEL: 20 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr	TWA / VME: 10 mg/m <sup>3</sup> (8 heures).	TWA: 10 mg/m <sup>3</sup> 8 uren STEL: 20 mg/m <sup>3</sup> 15 minuten	STEL / VLA-EC: 20 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 10 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
White mineral oil,		TWA: 5 mg/m <sup>3</sup> (8			

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

petroleum		Stunden). AGW - exposure factor 4 TWA: 5 mg/m³ (8 Stunden). MAK Höhepunkt: 20 mg/m³			
Ammonium chloride			STEL: 20 mg/m³ 15 minutos TWA: 10 mg/m³ 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
White mineral oil, petroleum			TWA: 5 mg/m³ 8 Stunden		
Ammonium chloride		TWA: 10 mg/m³ 8 timer STEL: 20 mg/m³ 15 minutter	TWA: 3 mg/m³ 8 Stunden	STEL: 20 mg/m³ 15 minutach TWA: 10 mg/m³ 8 godzinach	TWA: 10 mg/m³ 8 timer STEL: 20 mg/m³ 15 minutter. set equal to the limit value for Nuisance dust;value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Ammonium chloride	TWA: 10.0 mg/m³	TWA-GVI: 10 mg/m³ 8 satima. STEL-KGVI: 20 mg/m³ 15 minutama.	TWA: 10 mg/m³ 8 hr. fume STEL: 20 mg/m³ 15 min		TWA: 5 mg/m³ 8 hodinách. fume Ceiling: 10 mg/m³ fume

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
White mineral oil, petroleum				TWA: 5 mg/m³ 8 órában. AK	
Ammonium chloride			STEL: 20 mg/m³ TWA: 10 mg/m³		TWA: 10 mg/m³ 8 klukkustundum. fume Ceiling: 20 mg/m³ fume

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
White mineral oil, petroleum	TWA: 5 mg/m³				
Ammonium chloride	TWA: 10 mg/m³	TWA: 10 mg/m³ IPRD			TWA: 5 mg/m³ 8 ore STEL: 10 mg/m³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
White mineral oil, petroleum	Skin notation MAC: 5 mg/m³		TWA: 5 mg/m³ 8 urah respirable fraction STEL: 20 mg/m³ 15 minutah respirable fraction		
Ammonium chloride	MAC: 10 mg/m³				

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
-----------	---------------------	---------------	-----------------------	-----------------

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
White mineral oil, petroleum 8042-47-5 ( 99.85 )				DNEL = 217.05mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
White mineral oil, petroleum 8042-47-5 ( 99.85 )				DNEL = 164.56mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### Respiratory Protection

No protective equipment is needed under normal use conditions.

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particle filter

#### Small scale/Laboratory use

Maintain adequate ventilation

#### Environmental exposure controls

No information available.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Unpleasant
Odor Threshold	No data available
Melting Point/Range	No data available
Softening Point	No data available

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

Boiling Point/Range	> 315 °C / 599 °F	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Immiscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
White mineral oil, petroleum	>6	
Ammonium chloride	-4.38	
Vapor Pressure	No data available	
Density / Specific Gravity	0.75 g/cm3	@ 20 °C
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

## 9.2. Other information

## Section 10: Stability and reactivity

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization

No information available.

#### Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

None under normal use conditions.

## Section 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## Inhalation

Based on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil, petroleum	LD50 > 5000 mg/kg ( Rat )	-	-
Ammonium chloride	1650 mg/kg ( Rat )	> 2000 mg/kg	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available  
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Category 1

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
White mineral oil, petroleum	LC50: > 10000 mg/L/96h (Lepomis macrochirus)		
Ammonium chloride	Cyprinus carpio: LC50 = 209 mg/L	EC50 = 202 mg/L/24h	-



# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

Component	Microtox	M-Factor
Ammonium chloride	-	

## 12.2. Persistence and degradability

### Persistence

May persist.

## 12.3. Bioaccumulative potential

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil, petroleum	>6	No data available
Ammonium chloride	-4.38	No data available

## 12.4. Mobility in soil

Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant

### Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

#### Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## Section 14: Transport information

### IMDG/IMO

Not regulated

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

ALFAA40553

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## 14.4. Packing group

**ADR** Not regulated

**14.1. UN number**

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**IATA** Not regulated

**14.1. UN number**

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
White mineral oil, petroleum	8042-47-5	232-455-8	-	-	X	X	KE-35412	X	X
Ammonium chloride	12125-02-9	235-186-4	-	-	X	X	KE-01645	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
White mineral oil, petroleum	8042-47-5	X	ACTIVE	X	-	X	X	X
Ammonium chloride	12125-02-9	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
White mineral oil, petroleum	8042-47-5	-	-	-
Ammonium chloride	12125-02-9	-	Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 65. (see link for restriction details)	-

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
White mineral oil, petroleum	8042-47-5	Not applicable	Not applicable
Ammonium chloride	12125-02-9	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
White mineral oil, petroleum	WGK1	
Ammonium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
White mineral oil, petroleum	Tableaux des maladies professionnelles (TMP) - RG 36bis

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Ammonium chloride 12125-02-9 ( 0.15 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## Section 16: Other information

## Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H302 - Harmful if swallowed

# SAFETY DATA SHEET

Chlorine in Heavy mineral Oil, standard solution, Specpure®, 1000 µg/g (0.10%)

Revision Date 30-Nov-2024

H319 - Causes serious eye irritation

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 30-Nov-2024

**Revision Summary** Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**