

Creation Date 11-Jun-2009

Revision Date 13-Oct-2023

Revision Number 7

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|----------------------------------|---|
| Product Description: | Trichloroacetic Acid |
| Cat No. : | BP555-1; BP555-250; BP555-500 |
| Synonyms | TCA |
| Index No | 607-004-00-7 |
| CAS No | 76-03-9 |
| EC No | 200-927-2 |
| Molecular Formula | C ₂ H Cl ₃ O ₂ |
| REACH registration number | - |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------|--------------------------|
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name
Thermo Fisher Scientific
Janssen Pharmaceuticaaan 3a, 2440 Geel,
Belgium

UK entity/business name
Fisher Scientific UK
Bishop Meadow Road,
Loughborough, Leicestershire LE11 5RG,
United Kingdom

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (single exposure)

Category 1 A (H314)
Category 1 (H318)
Category 3 (H335)

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity

Category 1 (H400)
Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

Toxicity to Soil Dwelling Organisms
Toxic to terrestrial vertebrates
This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|----------------------|---------|-------------------|----------|---|
| Trichloroacetic acid | 76-03-9 | EEC No. 200-927-2 | >95 | Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|----------------------|---------------------------------------|----------|-----------------|
| Trichloroacetic acid | STOT SE 3 (H335) :: C>=1% | 1 | - |

| | |
|---------------------------|---|
| REACH registration number | - |
|---------------------------|---|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately. |
| Ingestion | Do NOT induce vomiting. Immediate medical attention is required. Never give anything by mouth to an unconscious person. Drink plenty of water. |
| Inhalation | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. If not breathing, give artificial respiration. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|--------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|--------------------|------------------------|

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Chloroform, Carbon dioxide (CO₂), Phosgene, Thermal decomposition can lead to release of irritating gases and vapors, Hydrogen chloride gas.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 8A

Switzerland - Storage of hazardous substances

Storage class - SC 8 (Acid)
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|----------------------|----------------|--------------------|--|--|--|
| Trichloroacetic acid | | | TWA / VME: 1 ppm (8 heures). TWA / VME: 5 mg/m ³ (8 heures). | TWA: 1 ppm 8 uren TWA: 6.8 mg/m ³ 8 uren | TWA / VLA-ED: 1 ppm (8 horas) TWA / VLA-ED: 6.8 mg/m ³ (8 horas) |

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|----------------------|-------|--|----------------------|-----------------|---------|
| Trichloroacetic acid | | TWA: 0.2 ppm (8 Stunden). AGW - exposure factor 1 TWA: 1.4 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 0.2 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 1.4 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 0.2 ppm Höhepunkt: 1.4 mg/m ³ | TWA: 0.5 ppm 8 horas | | |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|----------------------|--|---|--|---|---|
| Trichloroacetic acid | MAK-TMW: 1 ppm 8 Stunden MAK-TMW: 5 mg/m ³ 8 Stunden | TWA: 1 mg/m ³ 8 timer STEL: 2 mg/m ³ 15 minutter | TWA: 1 ppm 8 Stunden TWA: 7 mg/m ³ 8 Stunden | STEL: 4 mg/m ³ 15 minutach TWA: 2 mg/m ³ 8 godzinach | TWA: 0.75 ppm 8 timer TWA: 5 mg/m ³ 8 timer STEL: 2.25 ppm 15 minutter. value calculated STEL: 10 mg/m ³ 15 minutter. value calculated |

| Component | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|----------------------|----------------------------|---------|--|--------|----------------|
| Trichloroacetic acid | TWA: 7.0 mg/m ³ | | TWA: 0.5 ppm 8 hr. STEL: 1.5 ppm 15 min | | |

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|----------------------|---------|-----------|--------|---------|---|
| Trichloroacetic acid | | | | | TWA: 1 mg/m ³ 8 klukkustundum. Ceiling: 2 mg/m ³ |

| Component | Latvia | Lithuania | Luxembourg | Malta | Romania |
|----------------------|--------------------------|-----------|------------|-------|---------|
| Trichloroacetic acid | TWA: 5 mg/m ³ | | | | |

| Component | Russia | Slovak Republic | Slovenia | Sweden | Turkey |
|----------------------|---|-----------------|--|--------|--------|
| Trichloroacetic acid | Skin notation MAC: 5 mg/m ³ | | TWA: 1.4 mg/m ³ 8 urah TWA: 0.2 ppm 8 urah STEL: 0.2 ppm 15 minutah STEL: 1.4 mg/m ³ 15 minutah | | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See values below; Workers

| Component | Acute effects local (Oral) | Acute effects systemic (Oral) | Chronic effects local (Oral) | Chronic effects systemic (Oral) |
|---------------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------------|
| Trichloroacetic acid 76-03-9 (>95) | | | | 0.7 mg/kg/d |

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------|-------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Trichloroacetic acid 76-03-9 (>95) | DMEL = 5% in mixture (weight basis) | DNEL = 1.41mg/kg bw/day | | DNEL = 1.41mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Trichloroacetic acid 76-03-9 (>95) | | DNEL = 124.3mg/m ³ | | DNEL = 124.3mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|---------------------------------------|-----------------|-------------------------------|--------------------|------------------------------------|-------------------------|
| Trichloroacetic acid 76-03-9 (>95) | PNEC = 0.17µg/L | PNEC = 0.143µg/kg sediment dw | PNEC = 2.7µg/L | PNEC = 100mg/L | PNEC = 4.6µg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water Intermittent | Food chain | Air |
|----------------------|------------------|-----------------------|---------------------------|------------------|-----|
| Trichloroacetic acid | PNEC = 0.017µg/L | PNEC = | | PNEC = 23.5mg/kg | |

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

| | | | | | |
|-----------------|--|----------------------------|--|------|--|
| 76-03-9 (>95) | | 0.0143µg/kg sediment dw | | food | |
|-----------------|--|----------------------------|--|------|--|

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|---------------------------------|-------------------|------------------------|-------------|-----------------------|
| Butyl rubber | > 480 minutes | 0.7 mm | EN 374 | (minimum requirement) |
| Skin and body protection | | Long sleeved clothing. | | |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|---------------------------------|-------------------------------|--|
| Physical State | Solid | |
| Appearance | White | |
| Odor | of vinegar | |
| Odor Threshold | No data available | |
| Melting Point/Range | 52 - 58 °C / 125.6 - 136.4 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 196 °C / 384.8 °F | @ 760 mmHg |
| Flammability (liquid) | Not applicable | Solid |
| Flammability (solid,gas) | No information available | |
| Explosion Limits | No data available | |
| Flash Point | No information available | Method - No information available |

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

| | | |
|---|---------------------------------|--------|
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| pH | 1.2 | (0.1M) |
| Viscosity | Not applicable | Solid |
| Water Solubility | 120 g/100 mL (20°C) | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| Trichloroacetic acid | 1,44 | |
| Vapor Pressure | 1.2 mbar @ 50°C, 0.08 mbar @25C | |
| Density / Specific Gravity | 1.620 | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |

9.2. Other information

| | |
|-------------------|------------------------|
| Molecular Formula | C2 H Cl3 O2 |
| Molecular Weight | 163.39 |
| Evaporation Rate | Not applicable - Solid |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

| | |
|--------------------------|--|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents. Bases. Metals.

10.6. Hazardous decomposition products

Chloroform. Carbon dioxide (CO₂). Phosgene. Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

| | |
|------------|--|
| Oral | Based on available data, the classification criteria are not met |
| Dermal | No data available |
| Inhalation | No data available |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|-----------|-------------|-----------------|
|-----------|-----------|-------------|-----------------|

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

| | | | |
|----------------------|----------------|---------------------------|---|
| Trichloroacetic acid | 3320 mg/kg rat | LD50 > 2000 mg/kg (Rat) | - |
|----------------------|----------------|---------------------------|---|

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;
Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU | UK | Germany | IARC |
|----------------------|----|----|---------|----------|
| Trichloroacetic acid | | | | Group 2B |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Test method Chronic Toxicity
Test species / Duration dog / 90 days
Study result NOEL = 26 mg/kg/d
Route of exposure Oral
Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-----------|-----------------|------------|------------------|
|-----------|-----------------|------------|------------------|

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

| | | | |
|----------------------|-----------|----------|-----------|
| Trichloroacetic acid | >277 mg/l | 110 mg/l | 0.27 mg/l |
|----------------------|-----------|----------|-----------|

| Component | Microtox | M-Factor |
|----------------------|----------|----------|
| Trichloroacetic acid | | 1 |

12.2. Persistence and degradability Not readily biodegradable
Persistence Soluble in water, Persistence is unlikely, based on information available.
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Product has a low potential to bioconcentrate; Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| Trichloroacetic acid | 1,44 | 0.4-1.7 Cyprinus caprio |

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

IMDG/IMO

14.1. UN number UN1839
14.2. UN proper shipping name Trichloroacetic acid, solid
14.3. Transport hazard class(es) 8
14.4. Packing group II

ADR

14.1. UN number UN1839
14.2. UN proper shipping name Trichloroacetic acid, solid
14.3. Transport hazard class(es) 8
14.4. Packing group II

IATA

14.1. UN number UN1839
14.2. UN proper shipping name Trichloroacetic acid
14.3. Transport hazard class(es) 8
14.4. Packing group II

14.5. Environmental hazards Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|----------------------|---------|-----------|--------|-----|-------|------|----------|------|------|
| Trichloroacetic acid | 76-03-9 | 200-927-2 | - | - | X | X | KE-34058 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------------|---------|------|---|-----|------|------|-------|-------|
| Trichloroacetic acid | 76-03-9 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------------|---------|---|---|---|
| Trichloroacetic acid | 76-03-9 | - | Use restricted. See item 75. (see link for restriction details) | - |

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------------|---------|---|--|
| Trichloroacetic acid | 76-03-9 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|----------------------|---------------------------------------|--|
| Trichloroacetic acid | WGK2 | Class I : 20 mg/m ³ (Massenkonzentration) |

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

SAFETY DATA SHEET

Trichloroacetic Acid

Revision Date 13-Oct-2023

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/MDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Training Advice

Chemical incident response training.

Creation Date 11-Jun-2009

Revision Date 13-Oct-2023

Revision Summary Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet