

### Section 1 - Identification

Product Name Selenium, Oil based standard solution, Specpure®, Se 1000ug/g

Product Code 45305

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as not hazardous according to criteria of Safe Work Australia.

Physical hazards

No hazards identified

**Health hazards** 

No hazards identified

**Environmental hazards** 

No hazards identified

<u>Label Elements</u> None required

Other information

# Section 3 - Composition and Information on Ingredients

ALFAA45305 Version 2 19-Nov-2022 Page 1/9

Component	CAS No	Weight %
White mineral oil	8042-47-5	99.9
Selenium	7782-49-2	0.10

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Self-Protection of the First Aider** No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required.

### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal.

### Clean-up methods - large spillage

Not applicable, packaged goods.

ALFAA45305 Version 2 19-Nov-2022 Page 2 / 9

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

### Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
White mineral oil					TWA: 5 mg/m³ (8
					Stunden). AGW -
					exposure factor 4
					TWA: 5 mg/m³ (8
					Stunden). MAK
					Höhepunkt: 20 mg/m <sup>3</sup>
Selenium	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> 15 min	TWA: 0.05 mg/m <sup>3</sup> (8
				TWA: 0.1 mg/m <sup>3</sup> 8 hr	Stunden). AGW -
					exposure factor 1
					TWA: 0.02 mg/m <sup>3</sup> (8
					Stunden). MAK
					Höhepunkt: 0.16 mg/m <sup>3</sup>
					Haut

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Selenium					Selenium: 150 µg/L
					serum (no restriction )

### Exposure Controls Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

ALFAA45305 Version 2 19-Nov-2022 Page 3/9

Γ	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
1	Nitrile rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
L		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Liquid

and maintenance of repiratory protective devices

**Recommended Filter type:** Particle filter (or AUS/NZ equivalent)

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

**Appearance** 

Physical State Liquid

Odor Petroleum distillates
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range> 315 °C / 599 °FFlash Point> 232 °C / > 449.6 °F

Flash Point > 232 °C / > 449.6 °F Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure
No data available

Vapor DensityNo data available(Air = 1.0)Specific Gravity / Density0.75 g/cm3@ 20 °CBulk DensityNot applicableLiquidWater SolubilityImmiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow White mineral oil 6

Autoignition Temperature 338 °C / 640.4 °F

Decomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

### Other information

ALFAA45305 Version 2 19-Nov-2022 Page 4/9

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization** No information available.

### Section 11 - Toxicological Information

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	
Selenium	LD50 = 6700 mg/kg (Rat)		>5.67 mg/l (Rat) 4hr

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; No data available

ALFAA45305 Version 2 19-Nov-2022 Page 5/9

Symptoms / effects,both acute and No information available delayed

### Section 12 - Ecological Information

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
White mineral oil	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)			
Selenium	LC50: > 100 mg/L, 96h semi-static (Oncorhynchus mykiss)			

Persistence and Degradability

**Persistence** 

May persist.

**Bioaccumulative Potential** 

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)			
White mineral oil	6	No data available			
Mobility	Spillage unlikely to penetrate soil. The product is insoluble and floats on water. Is not likely				
	mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles.				
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors				
Persistent Organic Pollutant	This product does not contain any known or suspected substance				
Ozone Depletion Potential	This product does not contain any known or se	uspected substance			

# Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Other Information

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

Chemical wastes should be disposed through a licensed commercial waste collection service.

### Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

<u>IATA</u> Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

ALFAA45305 Version 2 19-Nov-2022 Page 6 / 9

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Selenium - 7782-49-2	Schedule 2 listed
	Schedule 4 listed - for human oral use with a recommended daily dose of >300 µg, or for the treatment
	of animals except: [i] when included in Schedule 6 or 7, [ii] in solid, slow release bolus preparations
	containing <=300 mg of Selenium per dosage unit, [iii] in other divided preparations containing <=30
	μg of Selenium per dosage unit, [iv] as elemental selenium in pellets containing <=100 g/kg of
	Selenium, [v] or in feeds containing <=1 g/tonne of Selenium
	Schedule 6 listed - in preparations when packed and labelled: for the blueing of gun barrels;for
	photographic purposes, or for the colouring of Lead or Lead alloys
	Schedule 6 listed - in coated granules for application to pasture except in fertilisers containing <=200 g/tonne of Selenium
	Schedule 6 listed - for the treatment of animals: in controlled release bolus preparations with a release rate <=0.25 mg/day
	Schedule 6 listed - for the treatment of animals: in animal feed premixes for the preparation of feeds
	containing <=1 g/tonne of Selenium
	Schedule 6 listed - for the treatment of animals: in a drench, injection, paste, stocklick, vaccine or
	horse feed supplement
	Schedule 6 listed - for the treatment of animals: as Barium selenate in preparations for injection
	Schedule 7 listed

### Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
White mineral oil - 8042-47-5	Present	-
Selenium - 7782-49-2	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

### National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Selenium - 7782-49-2	10 tonne/yr. Threshold category 1

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

ALFAA45305 Version 2 19-Nov-2022 Page 7/9

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
White mineral oil	Х	Х	232-455-8	-	X	Х	-	Х	Х	Х	Х	KE-35412
Selenium	Х	Х	231-957-4	-	X	Х	-	Х	Х		Х	KE-30924

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

#### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Selenium - 7782-49-2	Annex I - Y25	Y25

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
White mineral oil	8042-47-5	Listed	Not applicable	Not applicable	Not applicable
Selenium	7782-49-2	Not applicable	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Selenium	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

# **Section 16 - Other Information**

### <u>Legend</u>

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

ALFAA45305 Version 2 19-Nov-2022 Page 8/9

\_\_\_\_\_

**MARPOL** - International Convention for the Prevention of Pollution from

Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Calculation method

Environmental hazards

On basis of test data

Calculation method

Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 19-Nov-2022 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

ALFAA45305 Version 2 19-Nov-2022 Page 9/9