

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Acid reagent powder pillow for silica

Product Code HAC1055-99, HAC1073-99, HAC14545-99, HAC14554-00, HAC1480-02, HAC20633-00,

HAC20762-66, HAC21074-69, HAC2227-02, HAC2254-01, HAC22723-00, HAC22725-00, HAC24444-00, HAC24598-00, HAC24711-00, HAC26870-00, HAC26872-00, TIN414350,

TIN147480, TIN503500, TIN515

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179. Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

Health hazards

Acute Oral Toxicity
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Category 2

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Category 3
Category 3

Label Elements

AUS-002469A Version 2 14-Jul-2023 Page 1/10





Signal Word Warning

Hazard Statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H402 - Harmful to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P330 - Rinse mouth

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Sulfamic acid	5329-14-6	85
Sodium chloride	7647-14-5	25

Section 4 - First Aid Measures

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

AUS-002469A Version 2 14-Jul-2023 Page 2/10

Acid reagent powder pillow for silica

SAFETY DATA SHEET

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

None reasonably foreseeable.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Ensure adequate ventilation.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AUS-002469A Version 2 14-Jul-2023 Page 3/10

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains.

Section 9 - Physical and Chemical Properties

AUS-002469A Version 2 14-Jul-2023 Page 4/10

Information on basic physical and chemical properties

Appearance Varies

Physical State For complete information see the

following SDS's

Odor No information available

Odor Threshold No data available

pH 0.8

Melting Point/Range 205 °C / 401 °F
Softening Point No data available
Boiling Point/Range Not applicable

Flash Point Not applicable Method - No information available

(Air = 1.0)

Evaporation RateNo data availableFlammability (solid,gas)No information availableExplosion LimitsNo data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / DensityNo data availableBulk DensityNo data availableWater SolubilitySoluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Sulfamic acid 0.1

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

No data available

Explosive PropertiesOxidizing Properties
No information available
No information available

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

AUS-002469A Version 2 14-Jul-2023 Page 5 / 10

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfamic acid	3160 mg/kg (Rat)	>2000 mg/kg (Rat)	
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available delayed

Section 12 - Ecological Information

Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic

organisms, may cause long-term adverse effects in the aquatic environment.

Component Freshwater Fish Water Flea Freshwater Algae Micr.
Sulfamic acid LC50: 70.3 mg/l /96b FC50: 71.6 mg/l /48b FC50: 48 mg/l /72b FC50: >20

- [Component	Freshwater Fish	water Flea	Freshwater Algae	WIICTOTOX
Ī	Sulfamic acid	LC50: 70.3 mg/L/96h EC50: 71.6 mg/L/48h		EC50: 48 mg/L/72h	EC50: >200 mg/L/3h
		(Pimephales promelas) OECD 203	(Daphnia magna) OECD 202	(Scenedesmus subspicatus) OECD 201	(Activated sludge)
	Sodium chloride	Pimephals prome:	EC50: 1000 mg/L/48h		
Į		LC50: 7650 mg/L/96h			

Persistence and Degradability

Ecotoxicity effects

Persistence Persistence is unlikely.

Degradation in sewage treatment plant

Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulation is unlikely

 Component
 log Pow
 Bioconcentration factor (BCF)

 Sulfamic acid
 0.1
 No data available

 Mobility
 The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

AUS-002469A Version 2 14-Jul-2023 Page 6 / 10

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging**

Chemical wastes should be disposed through a licensed commercial waste collection Other Information

> service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with low pH-value must be neutralized before discharge. Do not let this chemical enter the

environment.

Section 14 - Transport Information

IMDG/IMO

UN2967 **UN-No**

Proper Shipping Name SULPHAMIC ACID

Hypochlorite Test Kit High Range Digital Titrator **Technical Shipping Name**

Hazard Class Packing Group Ш

ADG

UN2967 **UN-No**

Proper Shipping Name SULPHAMIC ACID

Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator

Hazard Class Packing Group Ш

Component	Hazchem Code		
Sulfamic acid	2X		
5329-14-6 (85)			

IATA

UN-No UN2967

Proper Shipping Name SULPHAMIC ACID

Hypochlorite Test Kit High Range Digital Titrator **Technical Shipping Name**

Hazard Class Ш **Packing Group**

No hazards identified **Environmental hazards**

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

AUS-002469A Version 2 14-Jul-2023 Page 7/10

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Sulfamic acid - 5329-14-6	Schedule 5 listed - except its salts and derivatives;in preparations containing <=10% of Sulfamic acid
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sulfamic acid - 5329-14-6	Present	-
Sodium chloride - 7647-14-5	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Sulfamic acid	Х	Х	226-218-8	-	X	Х	-	Х	Х	Х	Х	KE-32336
Sodium chloride	Х	X	231-598-3	-	X	X	-	X	X	X	X	KE-31387

Legend: X - Listed. '-' - Not Listed. XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B). KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

AUS-002469A Version 2 14-Jul-2023 Page 8/10

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Sulfamic acid	5329-14-6	Listed	Not applicable	Not applicable	Not applicable
Sodium chloride	7647-14-5	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Sulfamic acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

14-Jul-2023 **Revision Date**

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

AUS-002469A Version 2 14-Jul-2023 Page 9/10

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-002469A Version 2 14-Jul-2023 Page 10 / 10