

**Australian statement of hazardous nature :** Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** ZincoVer 5 zinc reagent powder pillow

<b>Product Code</b>	HAC46700-09, HAC58700-09, HAC24293-00, HAC22448-00, HAC21066-69, HAC14032-68
<b>Address</b>	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
<b>Emergency Tel.</b>	<b>CHEMTREC®</b> <b>03 9757 4559 or +613 9757 4559</b>
<b>Telephone / Fax Numbers</b>	Tel: 1300 735 292 Fax: 1800 067 639
<b>E-mail address</b>	ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Substances/mixtures corrosive to metal	Category 1
--	------------

#### Health hazards

Acute Oral Toxicity	Category 2
Acute Dermal Toxicity	Category 2
Acute Inhalation Toxicity - Dusts and Mists	Category 3
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (single exposure)	Category 1
Specific target organ toxicity - (repeated exposure)	Category 2

#### Environmental hazards

Chronic aquatic toxicity	Category 2
--------------------------	------------

#### Label Elements



Skull and Crossbones



Health Hazard



Corrosion



Environment

**Signal Word**

**Danger**

**Hazard Statements**

H290 - May be corrosive to metals  
H331 - Toxic if inhaled  
H360 - May damage fertility or the unborn child  
H370 - Causes damage to organs  
H373 - May cause damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects  
H300 + H310 - Fatal if swallowed or in contact with skin  
AUH032 - Contact with acids liberates very toxic gas

**Precautionary Statements**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P234 - Keep only in original packaging  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P262 - Do not get in eyes, on skin, or on clothing  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P390 - Absorb spillage to prevent material damage  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor  
P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse  
P402 - Store in a dry place  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P406 - Store in corrosion resistant polypropylene container with a resistant inliner  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

No information available  
This product does not contain any known or suspected endocrine disruptors

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Boron potassium oxide (B4K2O7)	1332-77-0	50-60
Boron oxide	1303-86-2	10-20
Potassium cyanide	151-50-8	1-5

## Section 4 - First Aid Measures

<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Eye Contact</b>	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>First Aid Facilities</b>	Eyewash, safety shower and washroom.
<b>Most important symptoms and effects</b>	None reasonably foreseeable.
<b>Notes to Physician</b>	Treat symptomatically.

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

### Environmental Precautions

Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or

contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

**Conditions for Safe Storage, Including any Incompatibilities**

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

**Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Boron potassium oxide (B4K2O7)			TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>		
Boron oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr	
Potassium cyanide	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> Skin	Ceiling: 5 mg/m <sup>3</sup> Skin	STEL: 5 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr Skin	TWA: 1 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 5 TWA: 5.0 mg/m <sup>3</sup> (8 Stunden). MAK TWA: 2 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 5.0 mg/m <sup>3</sup> Höhepunkt: 2 mg/m <sup>3</sup> Haut

**Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Exposure Controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection**

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Long sleeved clothing

**Respiratory Protection**

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

Appearance	Purple	
Physical State	Solid	
Odor	No information available	
Odor Threshold	No data available	
pH	8.7	
Melting Point/Range	155 °C / 311 °F	
Softening Point	No data available	
Boiling Point/Range	Not applicable	
Flash Point	Not applicable	
Evaporation Rate	Not applicable	<b>Method -</b> No information available
Flammability (solid,gas)	No information available	Solid
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	No data available	
Bulk Density	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other information**Section 10 - Stability and Reactivity**

<b>Reactivity</b>	Yes Contact with acids liberates very toxic gas
<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Heat, flames and sparks.
<b>Incompatible Materials</b>	None known.
<b>Hazardous Decomposition Products</b>	None under normal use conditions.
<b>Hazardous Polymerization</b>	No information available.

**Section 11 - Toxicological Information**

## Information on Toxicological Effects

## Product Information

<b>(a) acute toxicity;</b>	
<b>Oral</b>	Category 2
<b>Dermal</b>	Category 2
<b>Inhalation</b>	Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Boron potassium oxide (B4K2O7)		LD50 > 2000 mg/kg ( Rabbit )	LC50 > 2.04 mg/L ( Rat ) 4 h
Potassium cyanide	LD50 = 7.49 mg/kg ( Rat )	LD50 = 22.3 mg/kg ( Rabbit )	LC50 = 0.16 mg/L ( Rat ) 1 h

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** No data available

**(d) respiratory or skin sensitization;**  
    **Respiratory** No data available  
    **Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** Category 1B

**(h) STOT-single exposure;** Category 2

**(i) STOT-repeated exposure;** Category 2  
**Target Organs** No information available.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed No information available

## Section 12 - Ecological Information

### Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Boron oxide	LC50: 570 mg/L/72h (Carassius auratus)	EC50: 370 - 490 mg/L, 48h (Daphnia magna)		
Potassium cyanide	LC50: 0.31 - 0.37 mg/L, 96h static (Pimephales promelas) LC50: = 0.0588 mg/L, 96h flow-through (Poecilia reticulata) LC50: 0.45 - 0.57 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 0.45 mg/L, 96h (Lepomis macrochirus) LC50: 0.01 - 0.08 mg/L, 96h static (Lepomis macrochirus) LC50: 0.044 - 0.084 mg/L, 96h static (Oncorhynchus mykiss) LC50: 0.04 - 0.046 mg/L, 96h flow-through (Oncorhynchus mykiss)			

### Persistence and Degradability

No information available

#### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### Bioaccumulative Potential

No information available

### Mobility

No information available.

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

### Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## Section 14 - Transport Information

IMDG/IMO

UN-No UN1588  
Proper Shipping Name Cyanides, inorganic, solid, n.o.s.  
Technical Shipping Name Potassium cyanide mixture  
Hazard Class 6.1  
Packing Group III

Component	IMDG Marine Pollutant
Potassium cyanide 151-50-8 ( 1-5 )	IMDG regulated marine pollutant (UN1680, listed under Potassium cyanide, solid); IMDG regulated marine pollutant (UN3413, listed under Potassium cyanide, solution) IMDG regulated marine pollutant (UN1588)

ADG

UN-No UN1588  
Proper Shipping Name Cyanides, inorganic, solid, n.o.s.  
Technical Shipping Name Potassium cyanide mixture  
Hazard Class 6.1  
Packing Group III

Component	Hazchem Code
Potassium cyanide 151-50-8 ( 1-5 )	2X

IATA

UN-No UN1588  
Proper Shipping Name Cyanides, inorganic, solid, n.o.s.  
Technical Shipping Name Potassium cyanide mixture  
Hazard Class 6.1  
Packing Group III

Environmental hazards Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixtureNational Regulations Australia

See section 8 for national exposure control parameters.

Component	Health Surveillance
Potassium cyanide 151-50-8 ( 1-5 )	Scheduled S7

**Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Boron potassium oxide (B4K2O7) - 1332-77-0	Schedule 4 listed - for human therapeutic use except: in preparations for internal use containing $\leq 6$ mg Boron per recommended daily dose, in preparations for dermal use containing $\leq 0.35\%$ of Boron, which are not for paediatric or antifungal use, or when present as an excipient Schedule 5 listed - except: a) when included in Schedule 4, or b) in cosmetic hand cleaning preparations when labelled with a warning to the following effect: NOT TO BE USED FOR CHILDREN



	UNDER 3 YEARS OF AGE, and if the concentration of free soluble Borates >1.5% (as Boric acid), with the words: NOT TO BE USED ON PEELING OR IRRITATED SKIN, or c) in cosmetic Talc preparations containing <=5% calculated as Boric acid when labelled with a warning to the following effect: NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE, and if the concentration of free soluble Borates >1.5% (as Boric acid), with the words: NOT TO BE USED ON PEELING OR IRRITATED SKIN, or d) in cosmetic oral hygiene preparations containing <=0.1% calculated as Boric acid when labelled with a warning to the following effect: NOT TO BE SWALLOWED. NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE, or e) in other cosmetic preparations containing <=3% calculated as Boric acid when labelled with a warning to the following effect: NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE, and if the concentration of free soluble Borates >1.5% (as Boric acid), with the words: NOT TO BE USED ON PEELING OR IRRITATED SKIN, or f) in preparations, other than insect baits, containing <=6%, calculated as Boric acid
Potassium cyanide - 151-50-8	Schedule 7- listed

**Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Boron potassium oxide (B4K2O7) - 1332-77-0	Present	-
Boron oxide - 1303-86-2	Present	-
Potassium cyanide - 151-50-8	Present	-

**Australian - Illicit Drug Precursors/Reagents Substance List**

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

**Chemicals of Security Concern**

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Potassium cyanide - 151-50-8	Category 3	Listed in Appendix A Toxic chemicals - concentration >=0%

**Legend**

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

**Chemicals of Security Concern** - for further information see <http://www.chemicalsecurity.gov.au/securityconcerns>

**National pollutant inventory** Not applicable

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

**International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Boron potassium oxide (B4K2O7)	X	X	215-575-5	-	X	X	-	X	-		X	KE-12187
Boron oxide	X	X	215-125-8	-	X	X	-	X	X	X	X	KE-09919
Potassium cyanide	X	X	205-792-3	-	X	X	-	X	X	X	X	KE-29092

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**International Regulations****Ozone Depletion Potential** This product does not contain any known or suspected substance**Persistent Organic Pollutant** This product does not contain any known or suspected substance**Rotterdam Convention (PIC)** Not applicable**MARPOL** - International Convention for the Prevention of Pollution from Ships

Component	IMDG Marine Pollutant
Potassium cyanide - 151-50-8	IMDG regulated marine pollutant (UN1680, listed under Potassium cyanide, solid); IMDG regulated marine pollutant (UN3413, listed under Potassium cyanide, solution) IMDG regulated marine pollutant (UN1588)

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Potassium cyanide - 151-50-8	Annex I - Y33	Y33

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Boron potassium oxide (B4K2O7)	1332-77-0	Not applicable	Not applicable	Not applicable	Not applicable
Boron oxide	1303-86-2	Listed	Not applicable	Not applicable	Not applicable
Potassium cyanide	151-50-8	Listed	Not applicable	Not applicable	Not applicable

**Authorisation/Restrictions according to EU REACH**

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Boron potassium oxide (B4K2O7)	-	Use restricted. See item 75. (see link for restriction details)	-
Boron oxide	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)
Potassium cyanide	-	Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/candidate-list-table>

<https://echa.europa.eu/substances-restricted-under-reach>

**Section 16 - Other Information****Legend**

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**NZS 5433:2020** - Transport of Dangerous Goods on Land  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**WEL** - Workplace Exposure Limit  
**DNEL** - Derived No Effect Level  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative  
**VOC** - (Volatile Organic Compound)

**NZIoC** - New Zealand Inventory of Chemicals  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development  
**LC50** - Lethal Concentration 50%  
**ATE** - Acute Toxicity Estimate  
**RPE** - Respiratory Protective Equipment  
**NOEC** - No Observed Effect Concentration  
**BCF** - Bioconcentration factor  
**PBT** - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Revision Date** 14-Jul-2023  
**Revision Summary** Update to GHS format.

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**