

# SAFETY DATA SHEET

Creation Date 04-Nov-2014 Revision Date 04-Nov-2014 **Revision Number 1** 

# 1. Identification

**Product Name Shandon TBD-1 Decalcifier** 

Cat No.: 6764001, 6764002

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Emergency Telephone Number** Chemtrec US: (800) 424-9300

Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific

4481 Campus Drive

Kalamazoo, MI 49008 Tel: (800) 522-7270

# 2. Hazard(s) identification

Chemtrec EU: 001 (202) 483-7616

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Category 1 Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, spleen.

# Label Elements

# Signal Word

Danger

#### **Hazard Statements**

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



Revision Date 04-Nov-2014

#### **Shandon TBD-1 Decalcifier**

#### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Spills

Absorb spillage to prevent material damage

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

### **Unknown Acute Toxicity**

.? % of the mixture consists of ingredients of unknown toxicity.

# 3. Composition / information on ingredients

Component	CAS-No	Weight %
Water	7732-18-5	50 - 60
Hydrochloric acid	7647-01-0	35 - 40
Polyvinyl pyrrolidone	9003-39-8	5 - 10
Fluorad	33454-82-9	< 1

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing. If symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required. Call a physician immediately. SPEEDY ACTION IS CRITICAL, GET MEDICAL AID IMMEDIATELY. If symptoms persist, call a physician. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required. Artificial respiration and/or oxygen may be necessary. Consult a physician, Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist,

call a physician.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately. Clean

mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a

physician.

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric Most important symptoms/effects

> lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

# 5. Fire-fighting measures

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. **Suitable Extinguishing Media** 

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper No data available Lower Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

# **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO2) Hydrocarbons Chlorine

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards N/A

# Accidental release measures

**Personal Precautions** 

**Environmental Precautions** 

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak.

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

# 7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Do not breathe vapors/dust. Do not ingest. Pay attention to flashback. No information available. Do not take internally.

Revision Date 04-Nov-2014

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Hydrochloric acid	Ceiling: 5 ppm	Ceiling: 5 ppm	CEV: 2 ppm
	Ceiling: 7.5 mg/m <sup>3</sup>	Ceiling: 7 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Hygiene Measures** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tightly fitting safety goggles. Face-shield.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure. Long sleeved

clothing. Apron. Impervious gloves.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

exposure limits are exceeded of it initiation of other symptoms are experienced.

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

# 9. Physical and chemical properties

Physical State Liquid

Appearance Clear, Light yellow

**Odor** pungent

Odor Threshold No information available

< 1

Melting Point/RangeNo data availableBoiling Point/Range110 °C / 230 °FFlash PointNo information available

Evaporation Rate < 1

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure13.2 mmHg @ 20 °C

Vapor Density > 1

#### **Shandon TBD-1 Decalcifier**

Relative Density 1.07 - 1.08

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Similar to water

Molecular Formula Solution

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrocarbons, Chlorine

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information**No acute toxicity information is available for this product

Oral LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Dermal LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Vapor LC50Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	238 - 277 mg/kg (Rat)	5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h
Polyvinyl pyrrolidone	100 g/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Hydrochloric acid	7647-01-0	Not listed				
Polyvinyl pyrrolidone	9003-39-8	Not listed				
Fluorad	33454-82-9	Not listed				

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

**Developmental Effects**Developmental effects have occurred in experimental animals.

Revision Date 04-Nov-2014

#### **Shandon TBD-1 Decalcifier**

**Teratogenicity** Teratogenic effects have occurred in experimental animals.

**STOT - single exposure**STOT - repeated exposure
Respiratory system
Kidney spleen

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

# 12. Ecological information

### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrochloric acid	-	282 mg/L LC50 96 h	-	-
Polyvinyl pyrrolidone	EC50: >1000 mg/L/72 H	LC50 : >1000 mg/L/96 H	Not listed	Not listed
	(Marine Algae)	(Juvenile Turbot)		

Persistence and Degradability Bioaccumulation/ Accumulation

No information available No information available.

Mobility .

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

<u>TDG</u>

**UN-No** UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

IATA

UN-No UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

IMDG/IMO

**UN-No** UN1789

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

# 15. Regulatory information

### **International Inventories**

Component T	TSCA DSL	NDSL EINEC	S ELINCS NLP	PICCS	ENCS	AICS	IECSC	KECL
-------------	----------	------------	--------------	-------	------	------	-------	------

Water	Х	Х	-	231-791-2	-	Χ	-	Х	Χ	Х
Hydrochloric acid	Х	Х	-	231-595-7	1	Χ	Χ	Χ	Χ	Χ
Polyvinyl pyrrolidone	Х	Х	-	-	-	Χ	Х	Χ	Х	Х
Fluorad	Х	Х	-	251-528-5	-	-	Х	-	Χ	Χ

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

#### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	35 - 40	1.0

# SARA 311/312 Hazardous Categorization

**Acute Health Hazard** Yes **Chronic Health Hazard** Yes Fire Hazard Nο Sudden Release of Pressure Hazard No Reactive Hazard No

### Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Hydrochloric acid	X	5000 lb	-	-

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrochloric acid	X		-

# **OSHA** Occupational Safety and Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrochloric acid	-	TQ: 5000 lb

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrochloric acid	5000 lb	5000 lb

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

State Right-to-Know

otato riigini to riiion					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-

Hydrochloric acid	X	X	X	X	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### **U.S. Department of Homeland Security**

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard	
Hydrochloric acid	0 lb STQ (anhydrous); 11250 lb STQ (37% concentration or	
	greater)	

### **Other International Regulations**


Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material

D2B Toxic materials



### 16. Other information

Prepared By Regulatory Affairs

Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

 Creation Date
 04-Nov-2014

 Revision Date
 04-Nov-2014

 Print Date
 04-Nov-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

#### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**