

Creation Date 22-Mar-2012 Revision Date 10-Dec-2021 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>STAPHYTECT PLUS CONTROL LATEX</u>

Cat No.: DR0852

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use In vitro diagnostic.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Remel Europe Ltd., Thermo Fisher Scientific

Clipper Boulevard West, Crossways, Dartford 20 Dalgleish Street

Kent. DA2 6PT Thebarton UK Adelaide

Tel: (+44) 1322 295600 South Australia 5031

Fax: (+44) 1322 225413 AUSTRALIA

mbd-sds@thermofisher.com Tel: 61 8 8238 9050 or 1800 33 11 63 (Toll

Free)

EU entity/business name Fax: 61 8 8238 9060 or 1800 00 70 54 (Toll

Thermo Fisher Diagnostics B.V., Free).

Scheepbouwersweg 1 B,

1121 PC Landsmeer, The Netherlands

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

1800 331 163

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

STAPHYTECT PLUS CONTROL LATEX

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

Signal Word None

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Sodium azide	26628-22-8	247-852-1	0.1	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium azide	-	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

OXDAUDR0852

STAPHYTECT PLUS CONTROL LATEX

Revision Date 10-Dec-2021

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid ingestion and inhalation. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

STAPHYTECT PLUS CONTROL LATEX

Revision Date 10-Dec-2021

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Sodium azide	Skin	Skin	TWA / VME: 0.1 mg/m ³	Skin	STEL / VLA-EC: 0.3
	TWA 0.1 mg/m ³	TWA 0.1 mg/m ³	(8 heures). restrictive	TWA 0.1 mg/m ³	mg/m³ (15 minutos).
	STEL 0.3 mg/m ³	STEL 0.3 mg/m ³	limit	STEL 0.3 mg/m ³	TWA / VLA-ED: 0.1
			STEL / VLCT: 0.3		mg/m³ (8 horas)
			mg/m ³ . restrictive limit		Piel
			Peau		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sodium azide	TWA: 0.1 mg/m ³ 8 ore.	MAK 0.2 mg/m ³	STEL: 0.3 mg/m ³ 15	huid	TWA: 0.1 mg/m ³ 8
	Media Ponderata nel	(inhalable)	minutos	STEL: 0.3 mg/m ³ 15	tunteina
	Tempo		Ceiling: 0.29 mg/m ³	minuten	STEL: 0.3 mg/m ³ 15
	STEL: 0.3 mg/m ³ 15		Ceiling: 0.11 ppm	TWA: 0.1 mg/m ³ 8 uren	minuutteina
	minuti. Breve termine		TWA: 0.1 mg/m ³ 8 horas		lho
	Pelle		Pele		

	Component	Austria	Denmark	Switzerland	Poland	Norway
Ī	Sodium azide	Haut	TWA: 0.1 mg/m ³ 8 timer	STEL: 0.4 mg/m ³ 15	STEL: 0.3 mg/m ³ 15	TWA: 0.1 mg/m ³ 8 timer
		MAK-KZGW: 0.3 mg/m ³	Hud	Minuten	minutach	STEL: 0.3 mg/m ³ 15
		15 Minuten		TWA: 0.2 mg/m ³ 8	TWA: 0.1 mg/m ³ 8	minutter. value from the
		MAK-TMW: 0.1 mg/m ³ 8		Stunden	godzinach	regulation
		Stunden				-

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sodium azide	TWA: 0.1 mg/m ³	kože	TWA: 0.1 mg/m ³ 8 hr.	Skin-potential for	TWA: 0.1 mg/m ³ 8
	STEL: 0.3 mg/m ³	TWA-GVI: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15 min	cutaneous absorption	hodinách.
	Skin notation	satima.	Skin	STEL: 0.3 mg/m ³	Potential for cutaneous
		STEL-KGVI: 0.3 mg/m ³		TWA: 0.1 mg/m ³	absorption
		15 minutama.			Ceiling: 0.3 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sodium azide	Nahk	Skin notation	STEL: 0.1 ppm	STEL: 0.3 mg/m ³ 15	STEL: 0.3 mg/m ³
	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 hr	STEL: 0.3 mg/m ³	percekben. CK	TWA: 0.1 mg/m ³ 8
	tundides.	STEL: 0.3 mg/m ³ 15 min	TWA: 0.1 ppm	TWA: 0.1 mg/m ³ 8	klukkustundum.
	STEL: 0.3 mg/m ³ 15		TWA: 0.3 mg/m ³	órában. AK	Skin notation
	minutites.		_		

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium azide	skin - potential for	TWA: 0.1 mg/m ³ IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	Oda	uptake through the skin	uptake through the skin	TWA: 0.1 mg/m ³ 8 ore

STAPHYTECT PLUS CONTROL LATEX

STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m³ 8 Stunden	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ 15	STEL: 0.3 mg/m ³ 15 minute
		STEL: 0.3 mg/m ³ 15 Minuten	minuti	

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium azide		Ceiling: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8 urah	Binding STEL: 0.3	Deri
		Potential for cutaneous	Koža	mg/m ³ 15 minuter	TWA: 0.1 mg/m ³ 8 saat
		absorption	STEL: 0.3 mg/m ³ 15	TLV: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15
		TWA: 0.1 mg/m ³	minutah	timmar. NGV	dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium azide 26628-22-8 (0.1)				DNEL = 46.7µg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium azide 26628-22-8 (0.1)				DNEL = 0.164mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Sodium azide	PNEC = $0.35\mu g/L$	$PNEC = 16.7 \mu g/kg$	PNEC = $3.5\mu g/L$	PNEC = 30µg/L	
26628-22-8 (0.1)		sediment dw			

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Sodium azide 26628-22-8 (0.1)	PNEC = 15ng/L	PNEC = 0.72µg/kg sediment dw	PNEC = 150ng/L		

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

STAPHYTECT PLUS CONTROL LATEX

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments

Disposable gloves See manufacturers - EN 374 (minimum requirement)

recommendations

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Liquid

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Blue

Odor
Odor No information available
No data available
No data available
Not applicable
Softening Point
Boiling Point/Range
Flammability (liquid)
Flammability (solid,gas)
No information available
No data available
No data available
Not applicable

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablePHNot applicableViscosityNo data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure

Density / Specific Gravity

Bulk Density

No data available
No data available
Not applicable

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

STAPHYTECT PLUS CONTROL LATEX

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Acids. copper.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information Product does not present an acute toxicity hazard based on known or supplied information

(a) acute toxicity;

Oral Based on ATE data, the classification criteria are not met
Dermal Based on ATE data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium azide	LD50 = 27 mg/kg (Rat)	-	LC50 0.054 - 0.52 mg/L (Rat)
			4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

OXDAUDR0852

STAPHYTECT PLUS CONTROL LATEX

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity
Ecotoxicity effects

 Component
 Freshwater Fish
 Water Flea
 Freshwater Algae

 Sodium azide
 LC50: = 0.7 mg/L, 96h (Lepomis macrochirus)
 LC50: = 0.8 mg/L, 96h (Oncorhynchus mykiss)

 LC50: = 5.46 mg/L, 96h flow-through (Pimephales promelas)
 How-through (Pimephales promelas)

Component	Microtox	M-Factor
Sodium azide		1

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

OXDAUDR0852

STAPHYTECT PLUS CONTROL LATEX

Revision Date 10-Dec-2021

Page 9/11

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging Dispose of in accordance with local regulations.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

STAPHYTECT PLUS CONTROL LATEX

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Sodium azide	26628-22-8	247-852-1	-	-	X	X	KE-31357	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Sodium azide	26628-22-8	Х	ACTIVE	X	-	Х	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major	Qualifying Quantities for Safety
		Accident Notification	Report Requirements
Sodium azide	26628-22-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sodium azide	WGK2	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

STAPHYTECT PLUS CONTROL LATEX

EUH032 - Contact with acids liberates very toxic gas

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Revision Date 10-Dec-2021

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Shins

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By Regulatory Affairs on behalf of Thermo Fisher Scientific Australia

Creation Date 22-Mar-2012 10-Dec-2021 **Revision Date**

Update to GHS format. **Revision Summary**

This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

OXDAUDR0852