

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name AQUAfast LR manganese set for 100 testVario Alkaline-Cyanide Reagent Solution

Product Code TSPAC4P54

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of

Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

Health hazards

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Specific target organ toxicity - (repeated exposure)

Category 1

Specific target organ toxicity - (repeated exposure)

Category 1

Category 1

Environmental hazards

Chronic aquatic toxicity Category 2

Label Elements

AUS-000344A Version 2 14-Jul-2023 Page 1/11









Skull and Crossbones

Health Hazard

Corrosion

Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled

AUH032 - Contact with acids liberates very toxic gas

Precautionary Statements

P234 - Keep only in original packaging

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	90-100
Sodium cyanide	143-33-9	5-10
Sodium hydroxide	1310-73-2	1-5

Section 4 - First Aid Measures

AUS-000344A Version 2 14-Jul-2023 Page 2/11

Inhalation	If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or
	inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with
	a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate
	medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

AUS-000344A Version 2 14-Jul-2023 Page 3 / 11

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August. 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Sodium cyanide		TWA: 5 mg/m ³	Ceiling: 5 mg/m ³	STEL: 5 mg/m ³ 15 min	TWA: 1 mg/m ³ (8
		Skin	Skin	TWA: 1 mg/m ³ 8 hr	Stunden). AGW -
				Skin	exposure factor 5
					TWA: 3.8 mg/m ³ (8
					Stunden). MAK TWA: 2
					mg/m³ (8 Stunden).
					MAK
					Höhepunkt: 3.8 mg/m ³
					Höhepunkt: 2 mg/m ³
					Haut
Sodium hydroxide	2 mg/m³ TWA	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	2 mg/m³ STEL	2 mg/m ³ TWA (inhalable
					fraction)

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to

AUS-000344A Version 2 14-Jul-2023 Page 4/11

control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness AUS/NZ Standard Glove comments

Disposable gloves See manufacturers - AS/NZS 2161 (minimum requirement)

recommendations

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Liquid

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor No information available

Odor Threshold No data available

pH 13.7

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range100 °C / 212 °F

Flash Point Not applicable Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density No data available

Bulk Density Not applicable Liquid

Water Solubility
Soluble in water
No information avoid

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)
Component log Pow
Sodium cyanide -0.44

Autoignition Temperature No data available Decomposition Temperature No data available

AUS-000344A Version 2 14-Jul-2023 Page 5/11

AQUAfast LR manganese set for 100 testVario Alkaline-Cyanide Reagent Solution

SAFETY DATA SHEET

Viscosity No data available

Explosive PropertiesNo information available
Oxidizing Properties
No information available

Other information

Section 10 - Stability and Reactivity

Reactivity Yes

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity:

Oral Category 1
Dermal Category 2
Inhalation Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	LD50 > 90 mL/kg (Rat)				
Sodium cyanide	LD50 = 5.733 mg/kg (Rat)	LD50 = 14.602 mg/kg (Rabbit)	LC50 = 0.16 mg/L (Rat) 1 h		
Sodium hydroxide	LD50 = 325 mg/kg (Rat)	LD50 = 1350 mg/kg (Rabbit)			
·					

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratoryNo data availableSkinNo data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

AUS-000344A Version 2 14-Jul-2023 Page 6/11

(h) STOT-single exposure: Category 1

(i) STOT-repeated exposure; Category 1

Target Organs No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium cyanide	LC50: 0.0558 - 0.0586 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0391 - 0.0548 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.15 mg/L, 96h static (Lepomis macrochirus) LC50: 0.0712 - 0.0936 mg/L, 96h flow-through (Pimephales promelas) LC50: = 0.17 mg/L, 96h static (Pimephales promelas) LC50: 0.066 - 0.0852 mg/L, 96h flow-through (Lepomis macrochirus)			
Sodium hydroxide	LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)	-	-	-

Persistence and Degradability

Persistence

Degradation in sewage treatment plant

Bioaccumulative Potential

Soluble in water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)					
Sodium cyanide	-0.44	No data available					
Mobility	The product is water soluble, and may spread	in water systems. Will likely be mobile in the					
	environment due to its water solubility Highly mobile in soils						
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors						
Persistent Organic Pollutant	This product does not contain any known or s	uspected substance					
Ozone Depletion Potential	This product does not contain any known or s	uspected substance					

Section 13 - Disposal Considerations

Waste from Residues/Unused **Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

AUS-000344A Version 2 14-Jul-2023 Page 7/11 AQUAfast LR manganese set for 100 testVario Alkaline-Cyanide Reagent Solution

SAFETY DATA SHEET

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge. Do not let this charged enter the applications.

before discharge. Do not let this chemical enter the environment.

Section 14 - Transport Information

IMDG/IMO

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Sodium Hydroxide, Sodium Cyanide

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

· · · · · · · · · · · · · · · · · · ·	
Component	IMDG Marine Pollutant
Sodium cyanide	IMDG regulated marine pollutant (UN1689, listed under Sodium
143-33-9 (5-10)	cyanide, solid); IMDG regulated marine pollutant (UN3414, listed
, , ,	under Sodium cyanide, solution) IMDG regulated marine pollutant
	(UN1588)

ADG

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Sodium Hydroxide, Sodium Cyanide

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

Component	Hazchem Code
Sodium cyanide	2X
143-33-9 (5-10)	
Sodium hydroxide	2W
1310-73-2 (1-5)	2R

IATA

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Sodium Hydroxide, Sodium Cyanide

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

AUS-000344A Version 2 14-Jul-2023 Page 8/11

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons					
Sodium cyanide - 143-33-9	Scheduled S7					
Sodium hydroxide - 1310-73-2	Schedule 5 listed - except its salts and derivatives;in preparations being: solid preparations the pH of					
	which in a 10 g/L aqueous solution is >11.5; liquid or semi-solid preparations the pH of which is >11.5					
	except in food additive preparations for domestic use					
	Schedule 6 listed - except its salts and derivatives; except: [a] when included in Schedule 5 or					
	Schedule 10, [b] in preparations containing <=5% of Sodium hydroxide being: [i] solid preparations, the					
	pH of which in a 10 g/L aqueous solution is <=11.5, or [ii] liquid or semi-solid preparations the pH of					
	which is <=11.5					
	Schedule 10 listed					

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Sodium cyanide - 143-33-9	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Sodium hydroxide - 1310-73-2	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug	Chemicals of Security Concern
	Precursors/Reagents Substance List	
Sodium cyanide - 143-33-9	Category 3	Listed in Appendix A
	- 1	Toxic chemicals - concentration >=0%
Sodium hydroxide - 1310-73-2	Category 3	

egend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

AUS-000344A Version 2 14-Jul-2023 Page 9/11

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	X	Х	-	Х	Χ		Х	KE-35400
Sodium cyanide	Х	Х	205-599-4	-	Х	Х	-	Х	Х	Х	Х	KE-31401
Sodium hydroxide	Х	X	215-185-5	-	X	X	-	X	X	X	X	KE-31487

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Trottordam Convention (170)

MARPOL - International Convention for the Prevention of Pollution from Ships

Component	IMDG Marine Pollutant	
Sodium cyanide - 143-33-9	IMDG regulated marine pollutant (UN1689, listed under Sodium cyanide, solid); IMDG regulated	
	marine pollutant (UN3414, listed under Sodium cyanide, solution) IMDG regulated marine pollutant	
	(UN1588)	

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Sodium cyanide - 143-33-9	Annex I - Y33	Y33
Sodium hydroxide - 1310-73-2	Annex I - Y35	Y35 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Sodium cyanide	143-33-9	Listed	Not applicable	Not applicable	Not applicable
Sodium hydroxide	1310-73-2	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Sodium cyanide	-	Use restricted. See item 75. (see link for restriction details)	-
Sodium hydroxide	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

AUS-000344A Version 2 14-Jul-2023 Page 10 / 11

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-000344A Version 2 14-Jul-2023 Page 11 / 11