

Page 1/9 Creation Date 14-Jun-2010 Revision Date 23-Mar-2025

Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: N-Methylmorpholine Product Description: N-Methylmorpholine

**Cat No.**: 476090000

Synonyms 4-Methyl-1-oxa-4-azacyclohexane; 4-Methylmorpholine

CAS No 109-02-4 Molecular Formula C5 H11 N O

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

| Flammable liquids                 | Category 2 (H225)   |
|-----------------------------------|---------------------|
| Acute oral toxicity               | Category 4 (H302)   |
| Skin Corrosion/Irritation         | Category 1 B (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318)   |

#### Label Elements



Signal Word Danger

N-Methylmorpholine Revision Date 23-Mar-2025

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H302 - Harmful if swallowed

## **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                    | CAS No   | Weight % |
|------------------------------|----------|----------|
| 1,2-Bis(dimethylamino)ethane | 110-18-9 | <0.35    |
| Methylmorpholine             | 109-02-4 | <=100    |

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

#### N-Methylmorpholine Revision Date 23-Mar-2025

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx).

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

## **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Reference to Other Sections

N-Methylmorpholine Revision Date 23-Mar-2025

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Corrosives area.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

# **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure

# Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**N-Methylmorpholine** Revision Date 23-Mar-2025

Environmental exposure controls No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

**Appearance** Colorless **Physical State** Liquid

Amine compounds Odor No data available **Odor Threshold** 

10.6 50 g/l aq.sol pН

**Melting Point/Range** -65 °C / -85 °F

**Softening Point** No data available

115 - 116 °C / 239 - 240.8 °F 14 °C / 57.2 °F **Boiling Point/Range** @ 750 mmHg

**Flash Point** Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 2.2 Vol% Upper 11.8 Vol%

**Vapor Pressure** 22.5 mmHg @ 20 °C

**Vapor Density** 3.5 (Air = 1.0)(Air = 1.0)

Specific Gravity / Density 0.920 **Bulk Density** Not applicable Liquid

Water Solubility >500 a/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component 1,2-Bis(dimethylamino)ethane 0.3 Methylmorpholine -0.32

**Autoignition Temperature** 165 °C / 329 °F

**Decomposition Temperature** 200 °C

**Viscosity** 0.91 mPa.s at 20 °C

**Explosive Properties** 

**Oxidizing Properties** No information available

C5 H11 N O **Molecular Formula Molecular Weight** 101.15

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

**ACR47609** 

Vapors may form explosive mixtures with air

N-Methylmorpholine Revision Date 23-Mar-2025

Stable under normal conditions.

## Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials

Strong oxidizing agents. Acids. Acid chlorides. Acid anhydrides. Carbon dioxide (CO2).

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Category 4

DermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

| Component                    | omponent LD50 Oral                               |                              | LC50 Inhalation           |  |  |
|------------------------------|--|------------------------------|---------------------------|--|--|
| 1,2-Bis(dimethylamino)ethane | LD50 = 891 mg/kg (Rat)<br>LD50 = 406 mg/kg (Rat) | LD50 = 1230 mg/kg ( Rabbit ) | LC50 > 1180 ppm (Rat) 4 h |  |  |
| Methylmorpholine             | 1442 mg/kg (Rat)                                 | >3000 mg/kg (Rabbit)         | -                         |  |  |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

N-Methylmorpholine Revision Date 23-Mar-2025

(g) reproductive toxicity: Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

delayed

tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. .

| Component |                  | Freshwater Fish   | Water Flea         | Freshwater Algae | Microtox |
|-----------|------------------|---|--------------------|------------------|----------|
|           | Methylmorpholine | 320 <lc50<460< td=""><td>EC50 &gt;100 mg/L/48H</td><td></td><td></td></lc50<460<> | EC50 >100 mg/L/48H |                  |          |
|           |                  | mg/L/96H (Leuciscus   | _                  |                  |          |
|           |                  | idus)   |                    |                  |          |

Persistence and degradability
Persistence

Readily biodegradable
Persistence is unlikely.

Bioaccumulative potential Bioaccumulation is unlikely

| <u> Dioaccamatativo potomiai</u> | 2.04.004 |                               |
|----------------------------------|----------|-------------------------------|
| Component                        | log Pow  | Bioconcentration factor (BCF) |
| 1,2-Bis(dimethylamino)ethane     | 0.3      | No data available             |
| Methylmorpholine                 | -0.32    | No data available             |

Mobility in soil The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

N-Methylmorpholine Revision Date 23-Mar-2025

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic

organisms

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2535 Hazard Class 3

Subsidiary Hazard Class 8
Packing Group ||

Proper Shipping Name N-METHYLMORPHOLINE

Road and Rail Transport

UN-No UN2535 Hazard Class 3

Subsidiary Hazard Class 8
Packing Group ||

Proper Shipping Name N-METHYLMORPHOLINE

<u>IATA</u>

UN-No UN2535 Hazard Class 3

Hazard Class 3
Subsidiary Hazard Class 8
Packing Group ||

Proper Shipping Name N-METHYLMORPHOLINE

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

|   | Component                    | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|---|------------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Ī | 1,2-Bis(dimethylamino)ethane | 203-744-6 | Х    | Х   | Х     | X    | X    | Χ     | Χ    | KE-33586 |
| ſ | Methylmorpholine             | 203-640-0 | Х    | Х   | Х     | Х    | Х    | Х     | Х    | KE-24448 |

#### National Regulations

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Revision Date 23-Mar-2025

# **SECTION 16: OTHER INFORMATION**

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists RPE - Respiratory Protective Equipment

IARC - International Agency for Research on Cancer LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

23-Mar-2025 **Revision Date** Not applicable. **Revision Summary** 

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**