SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Code/Catalogue Number:	984358
SDS Number:	D15944_SDS_Magnesium (Mg) _EN
Product Name	**Magnesium (Mg)**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	**Thermo Fisher Scientific Oy** Ratastie 2, FI-01620 Vantaa, Finland
Telephone number	+358 10 329200
E-mail address	system.support.fi@thermofisher.com

1.4. Emergency telephone number

CHEMTREC INTERNATIONAL +1 703-741-5970

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

2.2. Label elements

Signal Word **Danger**

Hazard Statements
H315 - Causes skin irritation
H318 - Causes serious eye damage
Precautionary Statements
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards
Contact with eyes may cause irritation

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Ethanolamine (CAS #: 141-43-5)	1 - < 5	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314) STOT SE 3 (H335)

Component	Reach Registration Number	
Ethanolamine	01-211948645528-28-XXXX	

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice
For further assistance, contact your local Poison Control Center.

Inhalation
Move to fresh air. Get medical attention if symptoms occur.

Skin Contact
Take off contaminated clothing. Wash off immediately with plenty of water. If skin irritation persists, call a physician.

Eye Contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion
Rinse mouth with water and afterwards drink plenty of water or milk. Do NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed
Causes severe eye damage. Irritating to skin.

4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons
No information available.

5.2. Special hazards arising from the substance or mixture
Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous Combustion Products
None under normal use conditions.

5.3. Advice for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures
Use personal protective equipment as required. Avoid contact with skin and eyes. Ensure adequate ventilation.

6.2. Environmental precautions
Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up
Soak up with inert absorbent material.

6.4. Reference to other sections
Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling
Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities
Keep container closed when not in use. Keep at temperatures between 2° and 8 °C.

7.3. Specific end use(s)
Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters
Component Exposure Limits

Component	Finland	European Union	The United Kingdom	Germany
Ethanolamine	TWA: 1 ppm 8 tunteina TWA: 2.5 mg/m³ 8 tunteina STEL: 3 ppm 15 minuutteina STEL: 7.6 mg/m³ 15 minuutteina Iho	TWA: 1 ppm (8hr) TWA: 2.5 mg/m³ (8hr) STEL: 3 ppm (15min) STEL: 7.6 mg/m³ (15min) Skin	STEL: 3 ppm 15 min STEL: 7.6 mg/m³ 15 min TWA: 1 ppm 8 hr TWA: 2.5 mg/m³ 8 hr Skin	TWA: 0.2 ppm (8 Stunden). AGW - exposure factor 1 TWA: 0.5 mg/m³ (8 Stunden). AGW - exposure factor 1 TWA: 0.2 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 0.51 mg/m³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 0.2 ppm Höhepunkt: 0.51 mg/m³ Haut

Component	Sweden	Norway	Denmark	France
Ethanolamine	Binding STEL: 3 ppm 15 minuter Binding STEL: 7.5 mg/m³ 15 minuter TLV: 1 ppm 8 timmar. NGV TLV: 2.5 mg/m³ 8 timmar. NGV Hud	TWA: 1 ppm 8 timer TWA: 2.5 mg/m³ 8 timer STEL: 2 ppm 15 minutter. value calculated STEL: 5 mg/m³ 15 minutter. value calculated Hud	TWA: 1 ppm 8 timer TWA: 2.5 mg/m³ 8 timer Hud	TWA / VME: 1 ppm (8 heures). restrictive limit TWA / VME: 2.5 mg/m³ (8 heures). restrictive limit STEL / VLCT: 3 ppm. restrictive limit STEL / VLCT: 7.6 mg/m³. restrictive limit

				Peau

8.2. Exposure controls

Engineering Measures
Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye Protection Safety glasses with side-shields (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	EN 374	(minimum requirement)

Inspect gloves before use.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)
Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.
Remove gloves with care avoiding skin contamination.

Skin and body protection
Long sleeved clothing

Respiratory Protection
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Small scale/Laboratory use
Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures
Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls
No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Blue	
Physical State	Liquid	
Odor	Odorless	
Odor Threshold	No data available	
pH	11 @ 25°C	
Melting Point/Range	0 °C	
Softening Point	No data available	
Boiling Point/Range	100 °C	
Flash Point	Not applicable	**Method -** No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	

Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	1.002 g/ml; @ 20°C	
Bulk Density	No data available	
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)

Component	**log Pow**
Ethanolamine	-1.91

Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Excess heat.

10.5. Incompatible materials

Strong acids. copper.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

No acute toxicity information is available for this product

(a) acute toxicity;

Oral	Not classified
Dermal	Not classified
Inhalation	Not classified

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanolamine	LD50 = 1720 mg/kg (Rat)	LD50 = 1000 mg/kg (Rabbit) LD50 = 1 mL/kg (Rabbit)	

(b) skin corrosion/irritation;
Irritating to skin. Category 2.
(c) serious eye damage/irritation;
Category 1.

(d) respiratory or skin sensitization;
Respiratory
Not classified.
Skin
Not classified.

(e) germ cell mutagenicity;
Not classified

(f) carcinogenicity;
Not classified

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;
Not classified.

(h) STOT-single exposure;
Not classified.

(i) STOT-repeated exposure;
Not classified.

Target Organs
No information available.

(j) aspiration hazard;
Not classified.

Symptoms / effects,both acute and delayed
No information available

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethanolamine	Leusiscus idus: LC50: >200 mg/L/48h Salmo gairdneri: LC50: 150 mg/L/96h	EC50: 65 mg/L/48h	EC50: 15 mg/L/72h	Pseudomonas putida: EC50: 110 mg/L/17 h Nitrosomonas: EC50: 12200 mg/L/2 h Photobacterium phosphoreum: EC50: 13.7 mg/L/30 min

12.2. Persistence and degradability
No information available

12.3. Bioaccumulative potential

No information available

Component	log Pow	Bioconcentration factor (BCF)
Ethanolamine	-1.91	No data available

12.4. Mobility in soil
No information available

12.5. Results of PBT and vPvB assessment
No data available for assessment.

12.6. Other adverse effects
None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products
Dispose of in accordance with local regulations.

Contaminated Packaging
Dispose of in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

	IMDG/IMO	ADR	IATA
	Not regulated	Not regulated	Not regulated
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-

14.5. Environmental hazards
No hazards identified

14.6. Special precautions for user
No special precautions required

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Ethanolamine	205-483-3	-		X	X	-	X	X	X	X	KE-20493 2009-3-3632 2009-3-3653

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ethanolamine	WGK1	Class I : 20 mg/m³ (Massenkonzentration)

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H332 - Harmful if inhaled
H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japanese Existing and New Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit
ACGIH - American Conference of Governmental Industrial Hygienists
DNEL - Derived No Effect Level
RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
NOEC - No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
PNEC - Predicted No Effect Concentration
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
OECD - Organisation for Economic Co-operation and Development
BCF - Bioconcentration factor
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
ATE - Acute Toxicity Estimate
VOC (volatile organic compound)

Key literature references and sources for data
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Health Hazards Calculation method

Training Advice
Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Version 2
Revision Date 15-Nov-2019
Reason for revision SDS section(s) updated:, 1, 3, 11.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal

and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text