

SAFETY DATA SHEET

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name <u>Lithium perchlorate</u>

CAS No 7791-03-9

Synonyms Perchloric acid lithium salt

Molecular FormulaCl Li O4Molecular Weight106.39

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code 381220000

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

GHS Classification

Physical hazards

Oxidizing solids Category 1

Health hazards

Acute Oral Toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1 C

Category 1

Category 1

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

ACR38122 Version 3 10-Mar-2023 Page 1/10



Signal Word

Danger

Hazard Statements

H271 - May cause fire or explosion; strong oxidizer

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P283 - Wear fire resistant or flame retardant clothing

Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P306 + P360 - IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P353 - Rinse skin with water or shower

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P371 + P380 + P375 - In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion **Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

No information available

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Perchloric acid, lithium salt	7791-03-9	>95

Section 4 - First Aid Measures

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

ACR38122 Version 3 10-Mar-2023 Page 2/10

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Flooding quantities of water. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Lithium oxide, Hydrogen chloride.

Decomposition Temperature

> 430°C

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

Environmental Precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

ACR38122 Version 3 10-Mar-2023 Page 3/10

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Corrosives area. Store under an inert atmosphere. Protect from moisture.

Incompatible Materials

Strong oxidizing agents. Strong reducing agents. Combustible material.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

The product does not contain any hazardous materials with occupational exposure limits established.

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

ACR38122 Version 3 10-Mar-2023 Page 4/10

	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
١	Natural rubber, Nitrile	See manufacturers	-	AS/NZS 2161	(minimum requirement)
١	rubber, Neoprene, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g., sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

Remove gloves with care avoiding skin contamination.

Wear appropriate protective gloves and clothing to prevent skin exposure Skin and body protection

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Solid

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Particle filtering: EN149:2001 (or AUS/NZ equivalent) Recommended half mask:-

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Solid **Physical State**

Appearance White Odorless Odor

Odor Threshold No data available

No information available 6-7.5 1% aq. solution pН

Melting Point/Range 236 °C / 456.8 °F **Softening Point** No data available

Boiling Point/Range No information available Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

No data available **Explosion Limits**

Flash Point No information available Method - No information available

Autoignition Temperature No data available

Decomposition Temperature > 430°C

Not applicable Solid **Viscosity**

Water Solubility 600 g/L (25°C)

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

No data available **Vapor Pressure**

Density / Specific Gravity 2.43

Bulk Density No data available **Vapor Density** Not applicable

Solid

Particle characteristics No data available

Other information

CI Li O4 **Molecular Formula** 106.39 **Molecular Weight Oxidizing Properties** Oxidizer

Evaporation Rate Not applicable - Solid

ACR38122 Version 3 10-Mar-2023 Page 5/10

Section 10 - Stability and Reactivity

Reactivity Yes

Stability Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Conditions to Avoid Incompatible products, Excess heat, Combustible material, Avoid dust formation, Exposure

to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong reducing agents, Combustible material.

Hazardous Decomposition Products Lithium oxide. Hydrogen chloride.

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

Inhalation Not an expected route of exposure.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness

Skin Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

Ingestion May be harmful if swallowed.

Numerical measures of toxicity

(a) acute toxicity;

Oral Category 4
Dermal No data available
Inhalation No data available

(b) skin corrosion/irritation; Category 1 C

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

ACR38122 Version 3 10-Mar-2023 Page 6 / 10

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

None known. **Target Organs**

(i) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity Do not empty into drains. May cause long-term adverse effects in the environment. Do not

allow material to contaminate ground water system.

Terrestrial ecotoxicity There is no data for this product

Product contains heavy metals. Discharge into the environment must be avoided. Special Persistence and Degradability

pre-treatment is necessary

Persistence based on information available, May persist.

Degradability Not relevant for inorganic substances.

Degradation in sewage treatment

Contains substances known to be hazardous to the environment or not degradable in waste plant water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate

Mobility The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors **Persistent Organic Pollutant** This product does not contain any known or suspected substance This product does not contain any known or suspected substance **Ozone Depletion Potential**

Section 13 - Disposal Considerations

Waste treatment methods

ACR38122 Version 3 10-Mar-2023 Page 7/10

SAFETY DATA SHEET

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to

sewer. Large amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

NZS 5433:2020

UN-No UN3085

Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.

Technical Shipping Name Lithium perchlorate

Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group II

IATA

UN-No UN3085

Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.

Technical Shipping Name Lithium perchlorate

Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group II

IMDG/IMO

UN-No UN3085

Proper Shipping Name OXIDIZING SOLID, CORROSIVE, N.O.S.

Technical Shipping Name Lithium perchlorate

Hazard Class 5.1 Subsidiary Hazard Class 8 Packing Group II

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Not applicable, packaged goods

Special Precautions No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

ACR38122 Version 3 10-Mar-2023 Page 8/10

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Japan (ISHL), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Perchloric acid, lithium salt	Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
	Perchloric acid, lithium salt	7791-03-9	X	Χ		-	-	KE-22585	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Perchloric acid, lithium salt	7791-03-9	X	ACTIVE	X	-	-	X	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

LC50 - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

ACR38122 Version 3 10-Mar-2023 Page 9/10

SAFETY DATA SHEET

WEL - Workplace Exposure Limit RPE - Respiratory Protective Equipment

DNEL - Workplace Exposure Limit

ONEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative **VOC** - (Volatile Organic Compound)

PBT - Persistent, Bioaccumulative, Toxic

NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID). https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS
EPA Guide to classifying hazardous substances in New Zealand
EPA - Assigning a product to an existing HSNO approval guide

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 10-Mar-2023

Revision Summary SDS sections updated

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ACR38122 Version 3 10-Mar-2023 Page 10 / 10