

SAFETY DATA SHEET

Revision Date 02-Apr-2024 Revision Number 2

1. Identification

Product Name Mattibraze 35 wire

Cat No.: 77542

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Dusts and Mists

Germ Cell Mutagenicity

Carcinogenicity

Category 2

Caregory 1

Reproductive Toxicity

Specific target organ toxicity - (repeated exposure)

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if inhaled

Suspected of causing genetic defects

May cause cancer

Suspected of damaging fertility. Suspected of damaging the unborn child Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Silver	7440-22-4	35
Copper	7440-50-8	26
Zinc metal	7440-66-6	21
Cadmium	7440-43-9	18

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a

pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media approved class D extinguishers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point Not applicable

Method -No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Silver oxides. Copper oxides. Zinc oxide. Cadmium oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
4	0	0	N/A

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

areas. No special precautions required.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Pick up Up

and transfer to properly labelled containers.

7. Handling and storage

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling

> clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Keep in a dry place. Keep away from acids. Storage.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Silver	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.01 mg/m³ TWA: 0.01 mg/m³	IDLH: 10 mg/m³ TWA: 0.01 mg/m³ TWA: 0.9 μg/m³	TWA: 0.1 mg/m ³ TWA: 0.01 mg/m ³
Copper	TWA: 0.2 mg/m ³	(Vacated) TWA: 0.1 mg/m³ TWA: 0.1 mg/m³ TWA: 1 mg/m³	IDLH: 100 mg/m³ TWA: 1 mg/m³ TWA: 0.1 mg/m³	TWA: 0.2 mg/m³ TWA: 1 mg/m³
Cadmium	TWA: 0.01 mg/m³ TWA: 0.002 mg/m³	Ceiling: 0.3 mg/m³ Ceiling: 0.6 mg/m³ (Vacated) STEL: 0.3 ppm TWA: 5 µg/m³	IDLH: 9 mg/m³	TWA: 0.01 mg/m³ TWA: 0.002 mg/m³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No special protective equipment required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid

AppearanceNo information availableOdorNo information availableOdor ThresholdNo information available

pH Not applicable

Melting Point/Range No data available

Boiling Point/Range No information available

Flash Point Not applicable Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific GravityNo information availableSolubilityNo information available

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information available

Decomposition Temperature No information available

Viscosity Not applicable

10. Stability and reactivity

Mattibraze 35 wire

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Silver oxides, Copper oxides, Zinc oxide, Cadmium oxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50 Category 2. ATE = 0.05 - 0.5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silver	LD50 > 5000 mg/kg (Rat)	LD50 > 2000 mg/kg (rat)	LC50 > 5.16 mg/L (Rat) 4 h
Copper	Not listed	Not listed	LC50 > 5.11 mg/L (Rat) 4 h
Zinc metal	LD50 = 630 mg/kg (Rat)	Not listed	Not listed
Cadmium	LD50 = 2330 mg/kg (Rat)	Not listed	$LC50 = 25 \text{ mg/m}^3 \text{ (Rat) } 30 \text{ min}$

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silver	7440-22-4	Not listed				
Copper	7440-50-8	Not listed				
Zinc metal	7440-66-6	Not listed				
Cadmium	7440-43-9	Group 1	Known	A2	X	A2

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive EffectsNo information available.Developmental EffectsNo information available.TeratogenicityNo information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazardNo information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Silver	Not listed	0.064 mg/L LC50 96 h 0.0062 mg/L LC50 96 h 0.00155 - 0.00293 mg/L LC50 96 h	Not listed	0.00024 mg/L EC50 = 48 h
Copper	EC50: 0.031 - 0.054 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)	LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas)	Not listed	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)
Zinc metal	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L,	Not listed	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)

		96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)		
Cadmium	Not listed	LC50: 0.0004 - 0.003 mg/L, 96h (Pimephales promelas) LC50: = 0.016 mg/L, 96h (Oryzias latipes) LC50: = 21.1 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 0.24 mg/L, 96h static (Cyprinus carpio) LC50: = 4.26 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.002 mg/L, 96h (Cyprinus carpio) LC50: = 0.006 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.003 mg/L, 96h flow-through (Oncorhynchus mykiss)	Not listed	EC50: = 0.0244 mg/L, 48h Static (Daphnia magna)

Persistence and Degradability May persist

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

10 D'-----

Waste Disposal Methods

13. Disposal considerations
Chemical waste generators must determine whet

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

4	4	_							_						
11.	4		rs	าก	SK	\mathbf{c}	rt.	ır	ነተረ	٦rr	ns	aΤ	10	٦r	ñ
	т.	_			\sim κ	$\boldsymbol{\mathcal{J}}$				<i>7</i> I I	110	a L			

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Silver	7440-22-4	X	ACTIVE	-
Copper	7440-50-8	X	ACTIVE	-
Zinc metal	7440-66-6	X	ACTIVE	-
Cadmium	7440-43-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

Component	CAS No	TSCA 12(b) - Notices of Export
Zinc metal	7440-66-6	Section 5
		Section 6

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silver	7440-22-4	Х	-	231-131-3	Х	Χ		Х	Х	KE-31261
Copper	7440-50-8	Х	-	231-159-6	Х	Χ		Х	Х	KE-08896
Zinc metal	7440-66-6	Х	-	231-175-3	Х	Х		Х	Х	KE-35518
Cadmium	7440-43-9	Х	-	231-152-8	Х	Х		Х	Х	KE-04397

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Silver	7440-22-4	35	1.0 %	-
Copper	7440-50-8	26	1.0 %	-
Zinc metal	7440-66-6	21	1.0 %	-
Cadmium	7440-43-9	18	0.1 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

ottiti (otomit trator ttot)				
Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Silver	-	-	X	X
Copper	-	-	X	X
Zinc metal	-	-	X	X
Cadmium	-	-	X	X

Clean Air Act

OSHA - Occupational Safety and

Not applicable

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Cadmium	5 μg/m³ TWA	-
	2.5 µg/m³ Action Level	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Silver	-	-	1000 lb 454 kg
Copper	5000 lb	-	5000 lb 2270 kg
Zinc metal	1000 lb	-	454 kg 1000 lb
Cadmium	10 lb	-	10 lb 4.54 kg

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Cadmium	7440-43-9	Carcinogen	0.05 μg/day	Developmental
		Developmental		Carcinogen
		Male Reproductive		_

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silver	X	X	X	-	X
Copper	X	X	X	X	X
Zinc metal	X	X	X	-	X
Cadmium	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant Y

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Silver	7440-22-4	-	Use restricted. See item 75. (see link for restriction details)	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-
Zinc metal	7440-66-6	-	Use restricted. See item 75. (see link for restriction	-

			details)	
Cadmium	7440-43-9	-	Use restricted. See item	SVHC Candidate list -
			72.	231-152-8 - Carcinogenic,
			(see link for restriction	Article 57a;Specific target
			details)	organ toxicity after
			Use restricted. See item	repeated exposure, Article
			23.	57(f) - human health
			(see link for restriction	
			details)	
			Use restricted. See item	
			28.	
			(see link for restriction	
			details)	
			Use restricted. See item	
			75.	
			(see link for restriction	
			details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Silver	7440-22-4	Listed	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
Zinc metal	7440-66-6	Listed	Not applicable	Not applicable	Not applicable
Cadmium	7440-43-9	Listed	Not applicable	Not applicable	0.01% (Max. Conc.)

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Silver	7440-22-4	Not applicable	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable	Not applicable	Not applicable
Zinc metal	7440-66-6	Not applicable	Not applicable	Not applicable	Not applicable
Cadmium	7440-43-9	Not applicable	Not applicable	Not applicable	Annex I - Y26

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS