# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/7
Revision Date 09-May-2024
Version 3

ALFAA43867

# Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 硅, 油基标准溶液, Specpure®, Si 5000μg/g

Product Description: Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

Cat No.: 43867

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidAmberPetroleum distillates

**Emergency Overview** 

The product contains no substances which at their given concentration are considered to be hazardous to health.

# Classification of the substance or mixture

Based on available data, the classification criteria are not met

#### **Label Elements**

None required

#### **Physical and Chemical Hazards**

None identified.

## **Health Hazards**

The product contains no substances which at their given concentration are considered to be hazardous to health.

## **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil. The product is insoluble and floats on water.

This product does not contain any known or suspected endocrine disruptors.

Page 2/7 Revision Date 09-May-2024

Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %		
White mineral oil	8042-47-5	99.5		
Silicon	7440-21-3	0.50		

# **SECTION 4. FIRST AID MEASURES**

## **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

## Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Most important symptoms and effects

None reasonably foreseeable.

#### Self-Protection of the First Aider

No special precautions required.

# **Notes to Physician**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Extinguishing media which must not be used for safety reasons

No information available.

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required.

## **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

## Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal.

Page 3/7 Revision Date 09-May-2024

Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

### **Storage**

Keep container tightly closed in a dry and well-ventilated place.

### Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union	
Silicon		(Vacated) TWA: 10	TWA: 10 mg/m <sup>3</sup>	STEL: 30 ppm 15 min		
		mg/m³	TWA: 5 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup> 15		
		(Vacated) TWA: 5		min		
		mg/m³		TWA: 10 mg/m <sup>3</sup> 8 hr		
		TWA: 15 mg/m³ TWA: 4 n		TWA: 4 mg/m <sup>3</sup> 8 hr		
		TWA: 5 mg/m <sup>3</sup>				

#### Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

## **Exposure Controls**

# **Engineering Measures**

None under normal use conditions. .

## Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

-	Glove material Breakthrough time		Glove thickness	EU standard	Glove comments
	Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Page 4/7 Revision Date 09-May-2024

Method - No information available

Liquid

(Air = 1.0)

@ 20 °C

Liquid

Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

AppearanceAmberPhysical StateLiquid

Odor
Odor Petroleum distillates
Odor Threshold No data available
PH No information available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range > 315 °C / 599 °F

Flash Point > 232 °C / > 449.6 °F
Evaporation Rate No data available
Flammability (solid,gas) Not applicable

Explosion Limits

No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density 0.75 g/cm3

Bulk Density Not applicable

Water Solubility Immiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

White mineral oil 6

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties

338 °C / 640.4 °F
No data available
No data available
No information available
No information available

## **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

Hazardous ReactionsNone under normal processing.Hazardous PolymerizationNo information available.

Conditions to Avoid None known.

Materials to avoid No information available.

Hazardous Decomposition Products None under normal use conditions.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Information** 

Page 5 / 7 Revision Date 09-May-2024

Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LC50 Inhalation	
White mineral oil	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	
Silicon	LD50 = 3160 mg/kg (Rat)		

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
White mineral oil	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)			

Persistence and Degradability

Persistence May persist.

**Bioaccumulative Potential** Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil	6	No data available

Page 6 / 7 Revision Date 09-May-2024

## Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

\_\_\_\_\_

**Mobility in soil** Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely

mobile in the environment due its low water solubility. Is not likely mobile in the environment

due its low water solubility and propensity to bind to soil particles

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

## **SECTION 14. TRANSPORT INFORMATION**

Road and Rail Transport Not Regulated

IMDG/IMO Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

# **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	_	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
White mineral oil	-	-	X	X	232-455-8	Х	Х	Х	Х	Х	Χ	KE-35412
Silicon	Х	Х	Х	Х	231-130-8	Х	X	Х	Х	_	Х	KE-31029

#### **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Page 7/7 Revision Date 09-May-2024

Silicon, Oil based standard solution, Specpure®, Si 5000µg/g

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 09-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

Substances List

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Physical hazards** On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**