

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product Identifier**

Perihalan Produk:

Product Description:

Cat No. :

CAS No

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

47155

8042-47-5

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Uses advised against

Laboratory chemicals.

No Information available

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
Selangor Darul Ehsan, Malaysia.  
Main line: +60 3-5525 7888

**Supplier**

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Label Elements**

**Hazard Statements**

**Other Hazards**

This product does not contain any known or suspected endocrine disruptors

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

Component	CAS No	Weight %
White mineral oil	8042-47-5	<=100

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

#### Self-Protection of the First Aider

No special precautions required.

### Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### Environmental precautions

Should not be released into the environment.

### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	European Union	The United Kingdom	Germany
White mineral oil			TWA: 5 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 4 TWA: 5 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 20 mg/m <sup>3</sup>

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

## Recommended Filter type:

Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

#### Physical State

Viscous liquid Liquid

#### Odor

No information available

#### Odor Threshold

No data available

#### pH

Not applicable

#### Melting Point/Range

No data available

#### Softening Point

No data available

#### Boiling Point/Range

No information available

#### Flash Point

No information available

Method - No information available

#### Evaporation Rate

No data available

#### Flammability (solid,gas)

Not applicable

Liquid

#### Explosion Limits

No data available

#### Vapor Pressure

No data available

#### Vapor Density

No data available

(Air = 1.0)

#### Specific Gravity / Density

No data available

#### Bulk Density

Not applicable

Liquid

#### Water Solubility

No information available

#### Solubility in other solvents

No information available

### Partition Coefficient (n-octanol/water)

#### Component

#### log Pow

White mineral oil

>6

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

### Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

**(d) respiratory or skin sensitization;**

Respiratory No data available  
Skin No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** No data available

Results / Target organs Central nervous system (CNS).

**(i) STOT-repeated exposure;** No data available

Target Organs None known.

**(j) aspiration hazard;** Category 1

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
White mineral oil	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)			

**Persistence and degradability**

Persistence No information available  
Degradation in sewage treatment plant May persist.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative potential** Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
White mineral oil	>6	No data available

**Mobility in soil**

No information available. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles.

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Other adverse effects** No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### **Waste treatment methods**

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

#### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Large amounts will affect pH and harm aquatic organisms Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

**Road and Rail Transport** Not regulated

**IATA** Not regulated

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **International Inventories**

China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
White mineral oil	232-455-8	X	X	X	X	X	X	X	KE-35412

### **National Regulations**

#### **Persistent Organic Pollutant Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

# SAFETY DATA SHEET

Viscosity standard, Specpure® nominally 500cSt @40°C and 52cSt @ 100°C

Revision Date 31-Mar-2025

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

31-Mar-2025

SDS sections updated.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**