

# Classified as hazardous in accordance with the criteria of EPA New Zealand

# **Section 1 - Identification**

**Product Identifier** 

Product Name <u>Tetramethyl orthosilicate</u>

**CAS No** 681-84-5

**Synonyms** Tetramethoxysilane; Methyl silicate

Molecular Formula C4 H12 O4 Si Molecular Weight 152.22

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code U00467

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address <u>ANZinfo@thermofisher.com</u>

# **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002500

**GHS Classification** 

Physical hazards

Flammable liquids Category 2

**Health hazards** 

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 2

Category 1

Category 1

**Environmental hazards** 

Based on available data, the classification criteria are not met

Label Elements

ALFAAU00467 Version 3 22-Mar-2023 Page 1/10



Signal Word

**Danger** 

#### **Hazard Statements**

- H315 Causes skin irritation
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H225 Highly flammable liquid and vapor

### **Precautionary Statements**

#### Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting equipment
- P242 Use non-sparking tools
- P243 Take action to prevent static discharges
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P284 Wear respiratory protection

### Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

# Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up

# **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

# **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
Methyl silicate	681-84-5	<100

# **Section 4 - First Aid Measures**

#### Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

ALFAAU00467 Version 3 22-Mar-2023 Page 2/10

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Causes severe eye damage. Symptoms of overexposure

may be headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically.

# **Section 5 - Fire Fighting Measures**

# **Suitable Extinguishing Media**

Carbon dioxide (CO2). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

# **Specific Hazards Arising from the Chemical**

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide, Methanol.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **Section 6 - Accidental Release Measures**

# Personal Precautions, Protective Equipment and Emergency Procedures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

# **Environmental Precautions**

Should not be released into the environment.

# Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

ALFAAU00467 Version 3 22-Mar-2023 Page 3/10

# Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# **Section 7 - Handling and Storage**

# **Precautions for Safe Handling**

# Advice on safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### Conditions for Safe Storage, Including any Incompatibilities

### **Storage Conditions**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

### **Incompatible Materials**

Acids. Bases.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

# **Section 8 - Exposure Controls and Personal Protection**

### Control parameters

# **Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August. 2005. Safe Work Australia

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Methyl silicate	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm	
	TWA: 6 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>		

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# Appropriate engineering controls

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

ALFAAU00467 Version 3 22-Mar-2023 Page 4 / 10

### Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber, Neoprene,	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Natural rubber, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# **Section 9 - Physical and Chemical Properties**

# Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Odor aromatic

Odor Threshold No data available PH No information available

Melting Point/Range -2 °C / 28.4 °F
Softening Point No data available

Boiling Point/Range 121 - 122 °C / 249.8 - 251.6 °F @ 760 mmHg
Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 26 °C / 78.8 °F Method - No information available

Autoignition Temperature240 °C / 464 °FDecomposition TemperatureNo data availableViscosity0.7 mPa.s at 20 °C

Water Solubility hydrolyses

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure 18 hPa @ 20 °C

Density / Specific Gravity 1.030

Bulk DensityNot applicableLiquidVapor Density5.3(Air = 1.0)

ALFAAU00467 Version 3 22-Mar-2023 Page 5/10

Particle characteristics Not applicable (liquid)

Other information

Molecular Formula C4 H12 O4 Si Molecular Weight 152.22

**Explosive Properties** explosive air/vapour mixtures possible

# **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

**Stability** Stable. Moisture sensitive.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition, Incompatible products,

Exposure to moist air or water.

Incompatible Materials Acids, Bases.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Silicon dioxide. Methanol.

# Section 11 - Toxicological Information

# **Acute Effects**

### Information on likely routes of exposure

### **Product Information**

**Inhalation** Not an expected route of exposure.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness. May cause irritation.

**Skin** Avoid contact with skin. Skin Corrosion/Irritation. May cause irritation.

**Ingestion** May be harmful if swallowed.

### Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not met

Inhalation Category 1

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Methyl silicate		LD50 = 17 g/kg ( Rabbit )	0.4 mg/L (rat, 4hr)		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

ALFAAU00467 Version 3 22-Mar-2023 Page 6/10

(d) respiratory or skin sensitization;

Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

# **Section 12 - Ecological Information**

**Ecotoxicity** 

Aquatic ecotoxicity Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Do not empty into drains. Reacts with water so no

ecotoxicity data for the substance is available.

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

**Persistence** Persistence is unlikely, based on information available, hydrolyses.

Degradability

Degradation in sewage treatment

plant

Decomposes in contact with water. Decomposes in contact with water.

Bioaccumulative Potential Bioaccumulation is unlikely Product does not bioaccumulate due to reaction with water

**Mobility** Hydrolyses. Is not likely mobile in the environment.

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

ALFAAU00467 Version 3 22-Mar-2023 Page 7/10

# **Section 13 - Disposal Considerations**

# Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains.

# **Section 14 - Transport Information**

Component	Hazchem Code
Methyl silicate	3WE
681-84-5 ( <100 )	

### NZS 5433:2020

UN-No UN2606

Proper Shipping Name METHYL ORTHOSILICATE

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group

IATA FORBIDDEN FOR IATA TRANSPORT

UN-No UN2606

Proper Shipping Name METHYL ORTHOSILICATE, FORBIDDEN FOR IATA TRANSPORT

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group

IMDG/IMO

UN-No UN2606

Proper Shipping Name METHYL ORTHOSILICATE

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable, packaged goods

**Special Precautions**No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

# **Section 15 - Regulatory Information**

ALFAAU00467 Version 3 22-Mar-2023 Page 8 / 10

### Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002500
----------------------	-----------

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

# Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

# Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

# International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

_									
Methyl silicate	681-84-5	Χ	X	-	-	-	KE-31016	Χ	Х
Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Γ	Methyl silicate	681-84-5	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Section 16 - Other Information

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

# Legend

NZIoC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

ALFAAU00467 Version 3 22-Mar-2023 Page 9/10

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Transport Association

 $\ensuremath{\mathsf{MARPOL}}$  - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 22-Mar-2023 Revision Summary Initial Release

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAU00467 Version 3 22-Mar-2023 Page 10 / 10