

# **SAFETY DATA SHEET**

Creation Date 07-December-2016 Revision Date 30-March-2024 Revision Number 3

1. Identification

Product Name Nickel powder

Cat No.: 44739

**CAS-No** 7440-02-0

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

### Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Skin SensitizationCategory 1CarcinogenicityCategory 1BSpecific target organ toxicity - (repeated exposure)Category 1

Target Organs - Lungs.

Label Elements

### Signal Word

Danger

### **Hazard Statements**

May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure

Nickel powder Revision Date 30-March-2024



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

#### Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

#### Storage

Store locked up

### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Nickel	7440-02-0	>95

### 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects None reasonably foreseeable. . May cause allergic skin reaction. Symptoms of allergic

reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and

feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Nickel powder Revision Date 30-March-2024

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None known.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards200N/A

#### Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

**Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed

containers for disposal.

### 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Nickel	TWA: 1.5 mg/m <sup>3</sup>	TWA: 0.05	TWA: 1 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	(Vacated) TWA:	IDLH: 10 mg/m <sup>3</sup>
		mg/m³		, and the second	_	1 mg/m <sup>3</sup>	TWA: 0.015
		•				TWA: 1 mg/m <sup>3</sup>	mg/m³

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Revision Date 30-March-2024 Nickel powder

#### Personal protective equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection** 

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Solid **Physical State** Silver Grey **Appearance** Odorless Odor

**Odor Threshold** No information available No information available рΗ

**Melting Point/Range** 1455 - 2651

**Boiling Point/Range** 2730 °C / 4946 °F @ 760 mmHa

Flash Point No information available

**Evaporation Rate** Not applicable

No information available Flammability (solid,gas)

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** 1 mmHg @ 1810°C Not applicable **Vapor Density** 

**Specific Gravity** No information available Solubility Insoluble in water Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available

**Decomposition Temperature** Not applicable

**Viscosity** 

No information available

Revision Date 30-March-2024 Nickel powder

Molecular Formula Ni **Molecular Weight** 58.7

## 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

**Stability** Stable under normal conditions.

**Conditions to Avoid** Incompatible products. Excess heat. acids.

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat) 1 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel	7440-02-0	Group 2B	Reasonably	Not listed	X	Not listed
			Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen No information available **Mutagenic Effects** 

**Reproductive Effects** No information available. No information available. **Developmental Effects Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure Lungs

No information available **Aspiration hazard** 

Revision Date 30-March-2024 Nickel powder

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

delayed

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50: 0.174 - 0.311 mg/L,	LC50: > 100 mg/L, 96h	Not listed	EC50: = 1 mg/L, 48h Static
	96h static	(Brachydanio rerio)		(Daphnia magna)
	(Pseudokirchneriella	LC50: = 1.3 mg/L, 96h		EC50: > 100 mg/L, 48h
	subcapitata)	semi-static (Cyprinus carpio)		(Daphnia magna)
	EC50: = 0.18 mg/L, 72h	LC50: = 10.4 mg/L, 96h		
	(Pseudokirchneriella	static (Cyprinus carpio)		
	subcapitata)	' '		
	, ,			

**Persistence and Degradability** 

Insoluble in water

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
DOT TDG	Not regulated
<u>IATA</u>	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

#### International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Ī	Nickel	7440-02-0	Х	-	X	ACTIVE	231-111-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Nickel	7440-02-0	Х	KE-25818	Х	-	Х	Х	Х	Х

### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Nickel powder Revision Date 30-March-2024

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Nickel	Part 1, Group A Substance		

#### Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	· · · · · · · · · · · · · · · · · · ·
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

## 16. Other information

Not applicable

Not applicable

Not applicable

Prepared By Product Safety Department

7440-02-0

Email: chem.techinfo@thermofisher.com

Not applicable

www.thermofisher.com

Creation Date07-December-2016Revision Date30-March-2024Print Date30-March-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

Nickel

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**