

Page 1/8 Creation Date 29-Aug-2014 Revision Date 24-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Graphite flake, natural Product Description: Graphite flake, natural

Cat No.: 43319

Synonyms mineral carbon; crystallized carbon; Black lead

**CAS No** 7782-42-5

Molecular Formula C

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

| Classification of the substance or mixture |  |
|--|--|
|  |  |
|  |  |

# Label Elements

#### **Hazard Statements**

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

Graphite flake, natural Revision Date 24-Mar-2025

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Component | CAS No    | Weight % |
|-----------|-----------|----------|
| Graphite  | 7782-42-5 | <=100    |

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

## Extinguishing media

## Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

# Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, Protective Equipment and Emergency Procedures

ALFAA43319

Graphite flake, natural Revision Date 24-Mar-2025

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

#### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

# Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

| Component | Malaysia | ACGIH TLV                | OSHA PEL                             |  |  |
|-----------|----------|--------------------------|--------------------------------------|--|--|
| Graphite  |          | TWA: 2 mg/m <sup>3</sup> | (Vacated) TWA: 2.5 mg/m <sup>3</sup> |  |  |
|           |          |                          | (Vacated) TWA: 10 mg/m <sup>3</sup>  |  |  |
|           |          |                          | (Vacated) TWA: 5 mg/m <sup>3</sup>   |  |  |
|           |          |                          | TWA: 15 mg/m <sup>3</sup>            |  |  |
|           |          |                          | TWA: 5 mg/m <sup>3</sup>             |  |  |
|           |          |                          | TWA: 15 mppcf                        |  |  |

| Component | European Union | The United Kingdom                | Germany                     |  |
|-----------|----------------|-----------------------------------|-----------------------------|--|
| Graphite  |                | STEL: 30 mg/m <sup>3</sup> 15 min | TWA: 1.5 mg/m³ (8 Stunden)  |  |
|           |                | STEL: 12 mg/m <sup>3</sup> 15 min | MAKTWA: 4 mg/m³ (8Stunden). |  |
|           |                | TWA: 10 mg/m <sup>3</sup> 8 hr    | MAK                         |  |
|           |                | TWA: 4 mg/m <sup>3</sup> 8 hr     |                             |  |

## **Exposure Controls**

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

\_\_\_\_\_

Graphite flake, natural Revision Date 24-Mar-2025

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Greenish-blue Physical State Solid

Odor Odorless

Odor Threshold No data available PH No information available

Melting Point/Range 3652.2 - 3697.2 °C / 6606 - 6687

°F

Softening Point No data available
Boiling Point/Range 4200 °C / 7592 °F

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits No data available

Vapor Pressure negligible

Vapor Density
Specific Gravity / Density
Bulk Density
Not applicable
2.09 - 2.25
No data available

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** 730 - °C / 1346 - °F **Decomposition Temperature** No data available

Viscosity No data available

No data available

No data available

Explosive Properties No information available Oxidizing Properties No information available

Molecular Formula C Molecular Weight 12

ALFAA43319

Solid

Solid

Graphite flake, natural Revision Date 24-Mar-2025

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

Conditions to Avoid

Avoid dust formation. Excess heat.

Incompatible Materials

No information available.

<u>Hazardous Decomposition Products</u>

Carbon monoxide (CO). Carbon dioxide (CO2).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

**Product Information**No acute toxicity information is available for this product

(a) acute toxicity;

Oral No data available
Dermal No data available
Inhalation No data available

|   | Component | LD50 Oral | LD50 Dermal | LC50 Inhalation                         |  |  |
|---|-----------|-----------|-------------|---|--|--|
| ſ | Graphite  | -         | -           | LC50 > 2000 mg/m <sup>3</sup> (Rat) 4 h |  |  |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; No data available

Graphite flake, natural Revision Date 24-Mar-2025

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

Not applicable (j) aspiration hazard;

Solid

Symptoms / effects,both acute and No information available.

delayed

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

| Component | Freshwater Fish           | Water Flea | Freshwater Algae | Microtox |
|-----------|---------------------------|------------|------------------|----------|
| Graphite  | LC50: > 100 mg/L, 96h     |            |                  |          |
|           | semi-static (Danio rerio) |            |                  |          |
|           |                           |            |                  |          |

Persistence and degradability No information available

No information available Bioaccumulative potential

No information available. Mobility in soil

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Dispose of in accordance with local regulations

**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal

Revision Date 24-Mar-2025 Graphite flake, natural

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Not regulated **Road and Rail Transport** 

Not regulated IATA

No special precautions required **Special Precautions for User** 

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

|   | Component | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL |
|---|-----------|-----------|------|-----|-------|------|------|-------|------|------|
| ſ | Graphite  | 231-955-3 | Х    | Х   | Х     | -    |      | Х     | Х    | Х    |

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average **ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

IARC - International Agency for Research on Cancer LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code **OECD** - Organisation for Economic Co-operation and Development ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

Graphite flake, natural Revision Date 24-Mar-2025

**BCF** - Bioconcentration factor

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 24-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

ALFAA43319