

# **SAFETY DATA SHEET**

Revision Date 02-Apr-2024 Revision Number 3

# 1. Identification

Product Name Soldering flux, liquid

Cat No.: 45581

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

# Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

# **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 3

Category 3

Target Organs - Respiratory system.

### Label Elements

# Signal Word

Danger

### **Hazard Statements**

Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# Ingestion

Rinse mouth

Do NOT induce vomiting

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	70
Zinc chloride	7646-85-7	30

# 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration

with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically **Notes to Physician** 

# Fire-fighting measures

Suitable Extinguishing Media Not combustible, CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

No information available

**Unsuitable Extinguishing Media** No information available

No information available **Flash Point** Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Hydrogen chloride. Zinc oxide.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	-

# Accidental release measures

# **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental Precautions** 

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains, Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 7. Handling and Storage Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Soldering flux, liquid Revision Date 02-Apr-2024

Storage.

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong bases. Water. Oxidizing agent.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Zinc chloride	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
	STEL: 2 mg/m <sup>3</sup>	(Vacated) STEL: 2 mg/m <sup>3</sup>	$REL = 1 \text{ mg/m}^3 \text{ (TWA)}$	STEL: 2 mg/m <sup>3</sup>
	_	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	_

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Multi-purpose/ABEK. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid Appearance Red

Odor No information available Odor Threshold No information available

**pH** 4

Melting Point/Range No data available

Boiling Point/RangeNo information availableFlash PointNo information availableEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure23 hPa @ 20 °C

Vapor Density No information available

Specific Gravity 1.26 g/cm3

Solubility No information available

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity No information available

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

Incompatible products. **Conditions to Avoid** 

**Incompatible Materials** Strong bases, Water, Oxidizing agent

Hazardous Decomposition Products Hydrogen chloride, Zinc oxide

**Hazardous Polymerization** Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions** 

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Category 4. ATE = 300 - 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Vapor LC50

**Component Information** 

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water -		-	-			
	Zinc chloride 350 mg/kg (Rat)		Not listed	LC50 <= 1975 mg/m³ (Rat) 10 min		

**Toxicologically Synergistic** 

**Products** 

No information available Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Zinc chloride	7646-85-7	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. No information available. **Developmental Effects Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard** 

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes delayed

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Soldering flux, liquid Revision Date 02-Apr-2024

#### Other Adverse Effects

The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Zinc chloride	EC50: 0.027-0.105 mg/L/72h	LC50: 0.4-2.2 mg/L/96h	Not listed	EC50: 0.2 mg/L/48h
		(Cyprinus carpio)		_

Persistence and Degradability Immiscible with water May persist

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN1840

Proper Shipping Name ZINC CHLORIDE SOLUTION

Hazard Class 8
Packing Group III

TDG

**UN-No** UN1840

Proper Shipping Name ZINC CHLORIDE SOLUTION

Hazard Class 8
Packing Group III

<u>IATA</u>

**UN-No** UN1840

Proper Shipping Name ZINC CHLORIDE SOLUTION

Hazard Class 8
Packing Group III

IMDG/IMO

**UN-No** UN1840

Proper Shipping Name ZINC CHLORIDE SOLUTION

Hazard Class 8
Packing Group |||

# 15. Regulatory Information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Χ	ACTIVE	-
Zinc chloride	7646-85-7	X	ACTIVE	-

## Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable

### Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Zinc chloride	7646-85-7	Х	-	231-592-0	Х	Х	Χ	Х	Х	KE-35535

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No Weight %		SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds	
Zinc chloride	7646-85-7	30	1.0 %	-	

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Zinc chloride	X	1000 lb	X	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Zinc chloride	1000 lb	-	1000 lb 454 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Zinc chloride	X	X	X	-	X

# **U.S. Department of Transportation**

# Soldering flux, liquid

Reportable Quantity (RQ): Y
DOT Marine Pollutant Y
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Zinc chloride	7646-85-7	-	Use restricted. See entry 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Zinc chloride	7646-85-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities Qualifying Quantities			,
		for Major Accident	for Safety Report		
		Notification	Requirements		
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Zinc chloride	7646-85-7	Not applicable	Not applicable	Not applicable	Annex I - Y23

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**