

# SAFETY DATA SHEET

Revision Date 25-December-2021 **Revision Number 4** 

1. Identification

**Product Name** Bromine-1,4-dioxane complex, 0.25M solution in 1,4-dioxane

AC388410000; AC388411000; AC388418000 Cat No.:

**Synonyms** Dioxane dibromide

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road, One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6. Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 1 **Acute Inhalation Toxicity** Category 3 Skin Corrosion/Irritation Category 1 A Category 1 Serious Eye Damage/Eye Irritation Carcinogenicity Category 1B Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Physical Hazards Not Otherwise Classified Category 1

May form explosive peroxides

Health Hazards Not Otherwise Classified Category 1 Prolonged or repeated contact may dry skin and cause irritation or cracking

Label Elements

Signal Word

Danger

#### **Hazard Statements**

Extremely flammable liquid and vapor Toxic if inhaled Causes severe skin burns and eye damage May cause respiratory irritation May cause cancer

May form explosive peroxides

Prolonged or repeated contact may dry skin and cause irritation or cracking



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Keep container tightly closed

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

## Other Hazards

Contains a known or suspected endocrine disruptor

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1,4-Dioxane	123-91-1	93.8
Bromine - 1,4-dioxane complex	15481-39-7	6.2

## 4. First-aid measures

**Eye Contact** Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Ingestion Call a physician immediately. Clean mouth with water.

Most important symptoms/effects Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Water mist may be used

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

17 °C / 62.6 °F **Flash Point** 

Method -No information available

180 °C / 356 °F **Autoignition Temperature** 

**Explosion Limits** 

22.0% Upper Lower 2.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen halides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 3 N/A

## Accidental release measures

**Personal Precautions Environmental Precautions** 

Remove all sources of ignition. Take precautionary measures against static discharges.

Do not flush into surface water or sanitary sewer system.

## Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, Up

sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

## 7. Handling and storage

#### Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong acids.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
		Columbia					
1,4-Dioxane	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	(Vacated) TWA:	IDLH: 500 ppm
	TWA: 72 mg/m <sup>3</sup>	Skin	Skin	TWA: 72 mg/m <sup>3</sup>	Skin	25 ppm	Ceiling: 1 ppm
	Skin			Skin		(Vacated) TWA:	Ceiling: 3.6
						90 mg/m <sup>3</sup>	mg/m³
						Skin	_
						TWA: 100 ppm	
						TWA: 360	
						mg/m³	

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

## **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eve Protection** Goaales Hand Protection Protective gloves

Г	Glove material	Breakthrough time	Glove thickness	Glove comments
	Nitrile rubber	See manufacturers	-	Splash protection only
	Neoprene	recommendations		
	Natural rubber			
	PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

#### <u>Hygiene Measures</u>

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical State Liquid
Appearance Light yellow

Odor

Odor Threshold

Ph

No information available

No information available

No information available

No information available

No data available

No data available

Boiling Point/RangeNo information availableFlash Point17 °C / 62.6 °FEvaporation RateNo information availableFlammability (solid,gas)Not applicable

Flammability or explosive limits

 Upper
 22.0%

 Lower
 2.0%

 Vapor Pressure
 29 mmHg @ 20 °C

 Vapor Density
 3 (Air = 1.0)

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature180 °C / 356 °F

Decomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC4 H8 Br2 O2Molecular Weight247.91

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions. Hygroscopic.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen halides

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Vapor LC50 Category 3. ATE = 2 - 10 mg/l.

**Component Information** 

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation		
1,4-Dioxane 5170 mg/kg ( Rat )		LD50 = 7600 mg/kg (Rabbit)	48.5 mg/L (Rat) 4 h			
		4200 mg/kg ( Rat )				

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1,4-Dioxane	123-91-1	Group 2B	Reasonably	A3	X	A3
			Anticipated			
Bromine - 1,4-dioxane complex	15481-39-7	Not listed	Not listed	Not listed	Not listed	Not listed

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** 

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and

danger of perforation

**Endocrine Disruptor Information** 

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,4-Dioxane	Not listed	LC50: = 9850 mg/L, 96h	EC50 = 610 mg/L 5 min	EC50 = 163 mg/L 48h
		(Pimephales promelas)	EC50 = 668 mg/L 15 min	_
		LC50: 10306 - 14742 mg/L,	EC50 = 733 mg/L 30 min	
		96h static (Pimephales		
		promelas)		
		LC50: = 9850 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: > 10000 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: > 10000 mg/L, 96h		
		semi-static (Lepomis		
		macrochirus)		

Persistence and Degradability

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow	
1,4-Dioxane	-0.42	

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
1,4-Dioxane - 123-91-1	U108	-

## 14. Transport information

DOT

UN-No UN1992
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

TDG

UN-No UN1992
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

<u>IATA</u>

**UN-No** UN1992

Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.\*

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

IMDG/IMO

**UN-No** UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s.

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

## 15. Regulatory information

## **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
1,4-Dioxane	123-91-1	X	-	X	ACTIVE	204-661-8	-	-
Bromine - 1,4-dioxane complex	15481-39-7	-	-	-	=	-	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
1,4-Dioxane	123-91-1	Х	KE-10463	Х	Х	Х	Х	Х	Х
Bromine - 1,4-dioxane complex	15481-39-7	-	-	-	-	X	-	-	-

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
1,4-Dioxane	Part 1, Group A Substance Part 4		Subject to Monitoring and
	Substance		Surveillance Activities

## Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1,4-Dioxane	<del>-</del>	Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 204-661-8 - Carcinogenic (Article 57a)  Equivalent level of concern having probable serious effects to the environment (Article 57f - environment)
			Equivalent level of concern having probable serious effects to human health (Article 57f - human health)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component CAS-No CECD HPV Persistent Organic Ozone Depletion Restriction of	Component	CAS-No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
---	-----------	--------	----------	--------------------	-----------------	----------------

			Pollutant	Potential	Hazardous Substances (RoHS)
1,4-Dioxane	123-91-1	Listed	Not applicable	Not applicable	Not applicable
Bromine - 1,4-dioxane complex	15481-39-7	Not applicable	Not applicable	Not applicable	Not applicable

	Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ī	1,4-Dioxane	123-91-1	Not applicable	Not applicable	Not applicable	Not applicable
Ī	Bromine - 1,4-dioxane complex	15481-39-7	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 25-December-2021 Print Date 25-December-2021

Revision Summary This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**