# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 11-Jul-2014 Revision Date 27-Apr-2024 Version 3

ALFAA10810

# Mercury(II) oxide, Puratronic®

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 氧化汞(II), Puratronic®

Product Description: Mercury(II) oxide, Puratronic®

Cat No.: 10810

Synonyms Mercuric oxide
CAS No 21908-53-2
Molecular Formula Hg O

**Supplier** Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorPowder SolidYellow-orangeOdorless

### **Emergency Overview**

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child. Causes damage to organs. May cause respiratory irritation. Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled. Sensitivity to light.

### Classification of the substance or mixture

Acute Oral Toxicity	Category 2
Acute Dermal Toxicity	Category 1
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (single exposure)	Category 1 Category 3
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

### **Label Elements**

Page 2/9 Revision Date 27-Apr-2024

# Mercury(II) oxide, Puratronic®



Signal Word

Danger

### **Hazard Statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

H370 - Causes damage to organs

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled

### **Precautionary Statements**

#### Prevention

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

### Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

# **Physical and Chemical Hazards**

None identified.

# **Health Hazards**

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the unborn child. Causes damage to organs. May cause respiratory irritation. Very toxic if swallowed. Fatal in contact with skin. Fatal if inhaled.

### **Environmental hazards**

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Mercuric oxide	21908-53-2	100

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

### **SECTION 4. FIRST AID MEASURES**

Page 3/9 Revision Date 27-Apr-2024

### Mercury(II) oxide, Puratronic®

\_\_\_\_\_\_

# **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

# Most important symptoms and effects

No information available.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

# Extinguishing media which must not be used for safety reasons

No information available.

# **Specific Hazards Arising from the Chemical**

Very toxic. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

# **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

# Methods for Containment and Clean Up

Wear self-contained breathing apparatus and protective suit. Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

Page 4/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

# **SECTION 7. HANDLING AND STORAGE**

### Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Avoid dust formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific Use(s)

Use in laboratories

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

	Component	China	Taiwan	Thailand	Hong Kong
ſ	Mercuric oxide	-	TWA: 0.05 mg/m <sup>3</sup>		-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Mercuric oxide	TWA: 0.025 mg/m <sup>3</sup>	(Vacated) Ceiling: 0.1	IDLH: 10 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> 8 hr	TWA: 0.02 mg/m <sup>3</sup> (8h)
	Skin	mg/m³	TWA: 0.05 mg/m <sup>3</sup>	_	
		_	Ceiling: 0.1 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

# **Exposure Controls**

### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

# Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC  Breakthrough time See manufacturers recommendations recommendations	EU standard Glove comments EN 374 (minimum requirement)
--	---

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Page 5/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Solid

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Yellow-orange **Appearance** Powder Solid **Physical State** 

Odorless Odor

**Odor Threshold** No data available

рΗ No information available

500 °C / 932 °F **Melting Point/Range Softening Point** No data available **Boiling Point/Range** No information available

Flash Point No information available Method - No information available

**Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

**Explosion Limits** No data available

No information available **Vapor Pressure** 

**Vapor Density** Not applicable Solid

Specific Gravity / Density No data available No data available **Bulk Density** No information available Water Solubility No information available

Solubility in other solvents

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** Not applicable

No information available **Explosive Properties** 

**Oxidizing Properties** No information available

**Molecular Formula** Hg O 216.59 **Molecular Weight** 

# **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under recommended storage conditions. Light sensitive.

**Hazardous Reactions** No information available.

Page 6/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

**Hazardous Polymerization** No information available.

Conditions to Avoid Avoid dust formation. Exposure to light. Incompatible products.

Materials to avoid Chlorine. Peroxides. Metals. Reducing Agent. Finely powdered metals.

Hazardous Decomposition Products Oxygen.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mercuric oxide	LD50 = 18 mg/kg (Rat)		

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2

Target Organs Urinary Tract.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects**Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Page 7/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

Persistence and Degradability

Degradability

Degradation in sewage treatment plant

No information available

Not relevant for inorganic substances.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential No information available

Mobility in soil No information available

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

# **SECTION 14. TRANSPORT INFORMATION**

### Road and Rail Transport

UN-No UN1641

Proper Shipping Name MERCURY OXIDE

Hazard Class 6.1 Packing Group II

IMDG/IMO

**UN-No** UN1641

Proper Shipping Name MERCURY OXIDE

Hazard Class 6.1
Packing Group

<u>IATA</u>

UN-No UN1641

Proper Shipping Name MERCURY OXIDE

Hazard Class 6.1 Packing Group II

Special Precautions for User No special precautions required

### **SECTION 15. REGULATORY INFORMATION**

### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Page 8/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

Component	The Inventory of Hazardous Chemicals (2015 Edition)	goods GB	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Mercuric oxide	X	X	X	X	244-654-7	Х	X	Х	Х	Х	Х	KE-23130

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

### **National Regulations**

### **SECTION 16. OTHER INFORMATION**

Health, Safety and Environmental Department **Prepared By** 

**Creation Date** 11-Jul-2014 **Revision Date** 27-Apr-2024

**Revision Summary** New emergency telephone response service provider.

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ALFAA10810

# **SAFETY DATA SHEET**

Page 9/9 Revision Date 27-Apr-2024

Mercury(II) oxide, Puratronic®

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**