

# SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

# Section 1 - Identification

**Product Name** 2-Ethoxyethanol

**Product Code AJA211, TOKE0047** 

Address ThermoFisher Scientific Australia Pty Ltd

> 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. **CHEMTREC®** 

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

# Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 3

**Health hazards** 

**Acute Oral Toxicity** Category 4 Acute Inhalation Toxicity - Vapors Category 3 Acute Inhalation Toxicity - Dusts and Mists Category 4 Germ Cell Mutagenicity Category 2 Reproductive Toxicity Category 1B

**Environmental hazards** 

No hazards identified

**Label Elements** 

AUS-001182 Version 4 12-Mar-2025 Page 1/10







Signal Word

Danger

### **Hazard Statements**

H341 - Suspected of causing genetic defects if inhaled

H226 - Flammable liquid and vapor

H331 - Toxic if inhaled

H360 - May damage fertility or the unborn child

H302 + H332 - Harmful if swallowed or if inhaled

## **Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P330 - Rinse mouth

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P311 - Call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
2-Ethoxyethanol	110-80-5	100

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

AUS-001182 Version 4 12-Mar-2025 Page 2 / 10

# SAFETY DATA SHEET

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Eye Contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

# **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons

No information available.

## **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

## Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Section 6 - Accidental Release Measures

### **Emergency procedures**

Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# Section 7 - Handling and Storage

## **Precautions for Safe Handling**

AUS-001182 Version 4 12-Mar-2025 Page 3/10

Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

# Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

# Section 8 - Exposure Controls and Personal Protection

### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
2-Ethoxyethanol	TWA: 5 ppm	TWA: 2 ppm	TWA: 5 ppm	STEL: 6 ppm 15 min	TWA: 2 ppm (8
	TWA: 18 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>	Skin	STEL: 24 mg/m <sup>3</sup> 15 min	Stunden). AGW -
		Skin		TWA: 2 ppm 8 hr	exposure factor 8
				TWA: 8 mg/m <sup>3</sup> 8 hr	TWA: 7.6 mg/m³ (8
				Skin	Stunden). AGW -
					exposure factor 8
					TWA: 2 ppm (8
					Stunden). MAK applies
					for the sum of the
					concentrations of
					EGMEE and its Acetate
					in air
					TWA: 7.5 mg/m³ (8
					Stunden). MAK applies
					for the sum of the
					concentrations of
					EGMEE and its Acetate
					in air
					Höhepunkt: 16 ppm
					Höhepunkt: 60 mg/m <sup>3</sup>
					Haut

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
2-Ethoxyethanol		100 mg/g creatinine			Ethoxyacetic acid: 50
		(urine) end of shift at			mg/L urine (for
		end of work week			long-term exposures: at
		(2-Ethoxyacetic acid)			the end of the shift after
					several shifts)

### **Exposure Controls**

# **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

AUS-001182 Version 4 12-Mar-2025 Page 4/10

Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness AUS/NZ Standard Nitrile rubber See manufacturers - AS/NZS 2161 (minimum requirement)
Neoprene recommendations
Natural rubber
PVC

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

**Recommended Filter type:** Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

**Recommended half mask:-** Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

# Section 9 - Physical and Chemical Properties

# Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor No information available
Odor Threshold No data available
pH Not applicable

Melting Point/Range -70 - °C / -94 - 345.2 °F

Softening Point No data available

Boiling Point/Range Not applicable 133 - 135 °C / 271.4

275 °F

Flash Point Not applicable 43 °C / 109.4 °F Method - No information available

Evaporation Rate Not applicable Solid Flammability (solid.gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density Not applicable Solid

Specific Gravity / Density

No data available

Bulk Density Not applicable Liquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog Pow2-Ethoxyethanol0.32

AUS-001182 Version 4 12-Mar-2025 Page 5 / 10

# **SAFETY DATA SHEET**

**Autoignition Temperature Decomposition Temperature** 

**Viscosity** 

No data available No data available

Not applicable

**Explosive Properties Oxidizing Properties** 

No information available

Solid

explosive air/vapour mixtures possible

Other information

Molecular Formula

C2H5OCH2CH2OH

**Molecular Weight** 90.12

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials** None known.

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization** No information available.

# Section 11 - Toxicological Information

## Information on Toxicological Effects

# **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
2-Ethoxyethanol	LD50 = 2800 mg/kg (Rat)	LD50 = 3300 mg/kg (Rabbit)	LC50 = 4267 ppm (Rat) 4 h		
	LD50 = 1400 mg/kg (Guinea pig)				

Based on available data, the classification criteria are not met (b) skin corrosion/irritation;

Based on available data, the classification criteria are not met (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; Based on available data, the classification criteria are not met

AUS-001182 Version 4 12-Mar-2025 Page 6/10

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

Not applicable (j) aspiration hazard;

Solid

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting delayed

# Section 12 - Ecological Information

**Ecotoxicity effects** Contains a substance which is:. Very toxic to aquatic organisms. The product contains

following substances which are hazardous for the environment.

Tollowing ododanoco willon dro nazaracko ler tric chivilentilaria								
Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox				
2-Ethoxyethanol	LC50: > 10000 mg/L,	EC50: > 10000 mg/L,	EC50: > 1000 mg/L, 72h	EC50 = 430  mg/L  30				
-	96h static (Lepomis	48h (Daphnia magna)	(Desmodesmus	min				
	macrochirus)		subspicatus)					
			·					

Persistence and Degradability

**Persistence** 

No information available Persistence is unlikely.

Degradation in sewage

treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)				
2-Ethoxyethanol	0.32	No data available				
Mobility	No information available.					
Endocrine Disruptor Information	This product does not contain any known or so	uspected endocrine disruptors				
Persistent Organic Pollutant	This product does not contain any known or suspected substance					
Ozone Depletion Potential	This product does not contain any known or suspected substance					

# Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

> service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in

compliance with local regulations.

# Section 14 - Transport Information

IMDG/IMO

UN1171 **UN-No** 

**Proper Shipping Name** ETHYLENE GLYCOL MONOETHYL ETHER

**Technical Shipping Name** 2- Ethoxyethanol

**Hazard Class** 

AUS-001182 Page 7/10 Version 4 12-Mar-2025

Packing Group III

<u>ADG</u>

**UN-No** UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

**Technical Shipping Name** 2- Ethoxyethanol

Hazard Class 3
Packing Group III

Component	Hazchem Code
2-Ethoxyethanol	2Y
110-80-5 ( 100 )	

# IATA

UN-No UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

**Technical Shipping Name** 2- Ethoxyethanol

Hazard Class 3 Packing Group III

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

# Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
2-Ethoxyethanol - 110-80-5	Schedule 6 listed - except when separately specified in these Schedules, or in preparations containing
	<=10% of such substances
	Schedule 7 listed

# **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
2-Ethoxyethanol - 110-80-5	Present	-

## Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

AUS-001182 Version 4 12-Mar-2025 Page 8 / 10

Component	National pollutant inventory
2-Ethoxyethanol - 110-80-5	10 tonne/yr. Threshold category 1

# Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

## **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
2-Ethoxyethanol	X	X	203-804-1	-	X	Χ	-	Х	Х	Х	Х	KE-13667

Legend: X - Listed. '-' - Not Listed. S - Indicates a substance that is identified in a proposed or final Significant New Use Rule. **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

## Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

	Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
I	2-Ethoxyethanol - 110-80-5	Annex I - Y42	Y42 except Halogenated solvents

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
2-Ethoxyethanol	110-80-5	Listed	Not applicable	Not applicable	Not applicable

# Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	,
2-Ethoxyethanol	-	Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	SVHC Candidate list - 203-804-1 - Toxic for reproduction, Article 57c

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

AUS-001182 Version 4 12-Mar-2025 Page 9/10

https://echa.europa.eu/authorisation-list https://echa.europa.eu/candidate-list-table

https://echa.europa.eu/substances-restricted-under-reach

# Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

 $\mathbf{A}\mathbf{D}\widetilde{\mathbf{G}}$  - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

**LC50** - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment **NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 12-Mar-2025

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

AUS-001182 Version 4 12-Mar-2025 Page 10 / 10