

# **SAFETY DATA SHEET**

Creation Date 10-Sep-2009 Revision Date 31-Dec-2024 Revision Number 1

### 1. Identification

Product Name Chlorobenzene, AR

Cat No.: W00023

**CAS No** 108-90-7

**Synonyms** Monochlorobenzene; Benzene chloride

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Category 2

Category 2

### Label Elements

### **Signal Word**

Warning

### **Hazard Statements**

Flammable liquid and vapor Causes skin irritation Harmful if inhaled



# **Precautionary Statements**

### Prevention

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

### Response

Get medical attention/advice if you feel unwell

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store in a well-ventilated place. Keep cool

# Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/information on Ingredients

Component	CAS No	Weight %
Chlorobenzene	108-90-7	>95

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Notes to Physician

None reasonably foreseeable. Causes central nervous system depression: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media Water may be ineffective

**Flash Point** 23 °C / 73.4 °F

Method - No information available

Autoignition Temperature 590 °C / 1094 °F

**Explosion Limits** 

**Upper** 9.6 vol % **Lower** 1.8 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

### Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

	7. Handling and Storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

**Storage.**Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Bases. Strong

reducing agents. Metals.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

Revision Date 31-Dec-2024 Chlorobenzene, AR

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Chlorobenzene	TWA: 10 ppm	(Vacated) TWA: 75 ppm	IDLH: 1000 ppm	TWA: 5 ppm
		(Vacated) TWA: 350 mg/m <sup>3</sup>		STEL: 15 ppm
		TWA: 75 ppm		
		TWA: 350 mg/m <sup>3</sup>		

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting

equipment. Ensure that eyewash stations and safety showers are close to the workstation

location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Organic gases and vapours filter. Type A. Brown. conforming to EN14387. Recommended Filter type:

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Liquid **Physical State** Clear **Appearance** 

bitter almonds Odor

**Odor Threshold** No information available pН No information available

-45 °C / -49 °F Melting Point/Range **Boiling Point/Range** 131 °C / 267.8 °F Flash Point 23 °C / 73.4 °F 1 (Butyl Acetate = 1.0)

**Evaporation Rate** 

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 9.6 vol % Lower 1.8 vol % 12 mbar @ 20°C **Vapor Pressure** 

**Vapor Density** 3.9

**Specific Gravity** 1.108 Solubility

Moderately soluble Partition coefficient; n-octanol/water No data available 590 °C / 1094 °F **Autoignition Temperature** 

> 132°C **Decomposition Temperature** 

**Viscosity** 0.8 mPa.s @ 20°C

Molecular Formula C6 H5 CI **Molecular Weight** 112.56

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Revision Date 31-Dec-2024 Chlorobenzene, AR

Stability Stable under recommended storage conditions.

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Strong oxidizing agents, Bases, Strong reducing agents, Metals **Incompatible Materials** 

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	onent LD50 Oral LD50 Dermal		LC50 Inhalation		
Chlorobenzene	LD50 2000 - 4000 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	LC50 = 13.5  mg/L  (Rat) 7  h		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to skin

Sensitization No information available

Carcinogenicity

	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
	Chlorobenzene	108-90-7	Not listed	Not listed	A3	Not listed	A3
_							

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

**Mutagenic Effects** No information available

No information available. **Reproductive Effects Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known None known STOT - repeated exposure

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Causes central nervous system depression: Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

#### Other Adverse Effects

Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chlorobenzene	EC50: = 12.5 mg/L, 96h	LC50: = 91 mg/L, 96h static	EC50 = 11.26 mg/L 30 min	EC50: = 0.59 mg/L, 48h
	static (Pseudokirchneriella	(Brachydanio rerio)	EC50 = 11.3 mg/L 30 min	(Daphnia magna)
	subcapitata)	LC50: 4.1 - 5.3 mg/L, 96h	EC50 = 11.5 mg/L 15 min	
	EC50: 2.55 - 420 mg/L, 96h	flow-through (Oncorhynchus	EC50 = 20 mg/L 10 min	
	(Pseudokirchneriella	mykiss)	EC50 = 9.36 mg/L 5 min	
	subcapitata)	LC50: 4.1 - 4.9 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: 6.9 - 7.9 mg/L, 96h		
		flow-through (Lepomis		
		macrochirus)		
		LC50: 36.35 - 58.19 mg/L,		
		96h static (Poecilia		
		reticulata)		
		LC50: = 4.5 mg/L, 96h static		
		(Pimephales promelas)		
		LC50: 7 - 8.5 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		

**Persistence and Degradability** 

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Chlorobenzene	3.79

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes	
Chlorobenzene - 108-90-7	U037	-	

# 14. Transport information

DOT

**UN-No** UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3 Packing Group III

TDG

**UN-No** UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3 Packing Group III

<u>IATA</u>

UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3 Packing Group III

# 15. Regulatory Information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Chlorobenzene	108-90-7	Χ	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chlorobenzene	108-90-7	Х	-	203-628-5	Χ	Χ	Х	Х	Х	KE-25489

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Chlorobenzene	108-90-7	>95	1.0 %	-

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	Component CWA - Hazardous Substances		CWA - Toxic Pollutants	CWA - Priority Pollutants
Chlorobenzene	X	100 lb	-	X

### Clean Air Act

Component		HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
	Chlorobenzene	X		-

**OSHA** - Occupational Safety and

Not applicable

Health Administration

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Chlorobenzene	100 lb	-	100 lb 45.4 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chlorobenzene	X	X	X	X	X

**U.S. Department of Transportation** 

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Subject to Authorization	Annex XVII - Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate List of
		Subject to Authorization	J	
			Substances	Substances of Very High
				Concern (SVHC)
Chlorobenzene	108-90-7	-	Use restricted. See entry	-
			75.	
			(see link for restriction	
			details)	

### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chlorobenzene	108-90-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

# Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
•					

		(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	(Hazardous Waste)
Chlorobenzene	108-90-7	Not applicable	Not applicable	Not applicable	Annex I - Y45

# 16. Other Information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date10-Sep-2009Revision Date31-Dec-2024Print Date31-Dec-2024Revision SummaryInitial Release.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**