

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name Zinc chloride, anhydrous, 98+%

**CAS No** 7646-85-7

Synonyms Zinc (II) Chloride; Zinc dichloride; Zinc butter;

Product Code S16281

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

### Physical hazards

No hazards identified

### **Health hazards**

Acute Oral ToxicityCategory 4Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1Specific target organ toxicity - (single exposure)Category 3

### **Environmental hazards**

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

### **Label Elements**

ALFAAS16281 Version 2 20-Nov-2022 Page 1/10







**Exclamation Mark** 

Corrosion

#### Signal Word **Danger**

#### **Hazard Statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

Toxic to terrestrial vertebrates

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %		
Zinc chloride	7646-85-7	>95		

# Section 4 - First Aid Measures

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center

immediately. If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Immediate medical attention is required. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact** 

clothes and shoes. Call a physician immediately.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Eye Contact** 

**ALFAAS16281** Version 2 20-Nov-2022 Page 2/10

Immediate medical attention is required.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### **Hazardous Decomposition Products**

Zinc, Hydrogen chloride gas.

#### Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# Section 6 - Accidental Release Measures

#### **Emergency procedures**

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

ALFAAS16281 Version 2 20-Nov-2022 Page 3/10

# Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011 **AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Zinc chloride	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> 15 min	TWA: 0.1 mg/m <sup>3</sup> (8
	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 hr	Stunden). MAK
	_	_	_		TWA: 2 mg/m³ (8
					Stunden). MAK
					Höhepunkt: 2 mg/m <sup>3</sup>
					Höhepunkt: 0.4 mg/m <sup>3</sup>
					Höhepunkt: 4 mg/m <sup>3</sup>

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Exposure Controls**

### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Butyl rubber	> 480 minutes	0.5 mm	AS/NZS 2161	As tested under EN374-3 Determination of
Nitrile rubber	> 480 minutes	0.35 mm		Resistance to Permeation by Chemicals
Natural rubber	> 480 minutes	0.5 mm		
Neoprene	> 480 minutes	0.5 mm		
PVC	> 480 minutes	0.5 mm		
Viton (R)	> 480 minutes	0.4 mm		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

ALFAAS16281 Version 2 20-Nov-2022 Page 4/10

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or **Repiratory Protection** 

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

**Recommended Filter type:** Particulates filter conforming to EN 143; Type P; White (or AUS/NZ equivalent)

Recommended half mask:-Particle filtering: EN149:2001 or Half mask: EN140 plus filter, EN 143; White (or AUS/NZ

equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

100 g/L aq.sol

Solid

# Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Appearance** White **Physical State** Solid

Odor Odorless

**Odor Threshold** No data available

рΗ

Melting Point/Range 293 °C / 559.4 °F

**Softening Point** No data available

**Boiling Point/Range** 732 °C / 1349.6 °F

**Flash Point** No information available Method - No information available

**Evaporation Rate** Not applicable Solid

No information available Flammability (solid,gas)

No data available **Explosion Limits** 

1.3 mbar @ 428 °C **Vapor Pressure** 

**Vapor Density** Not applicable Solid

Specific Gravity / Density No data available

**Bulk Density** 1,400 - 1,800 kg/m3 (20 °C) 432 g/100ml (25°C) **Water Solubility** No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity** Not applicable

**Explosive Properties** No information available

**Oxidizing Properties** No information available

Other information

Molecular Formula CI2 Zn **Molecular Weight** 136.29

# Section 10 - Stability and Reactivity

None known, based on information available Reactivity

Stability Stable under normal conditions.

**ALFAAS16281** Version 2 20-Nov-2022 Page 5/10

**Conditions to Avoid** Incompatible products, Excess heat.

**Incompatible Materials** Strong bases, Strong acids, Cyanides, Sulfides.

Hazardous Decomposition Products Zinc. Hydrogen chloride gas.

**Hazardous Polymerization** Hazardous polymerization does not occur.

# Section 11 - Toxicological Information

### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc chloride	350 mg/kg (Rat)		LC50 <= 1975 mg/m <sup>3</sup> ( Rat ) 10 min

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure: Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

# Section 12 - Ecological Information

**ALFAAS16281** Version 2 20-Nov-2022 Page 6/10

**Ecotoxicity effects**Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

 Component
 Freshwater Fish
 Water Flea
 Freshwater Algae
 Microtox

 Zinc chloride
 LC50: 0.4-2.2 mg/L/96h (Cyprinus carpio)
 EC50: 0.2 mg/L/48h (Cyprinus carpio)
 EC50: 0.027-0.105 mg/L/72h

Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Degradability** Not relevant for inorganic substances.

Degradation in sewage treatment plant
Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Componentlog PowBioconcentration factor (BCF)Zinc chloride16000 dimensionless

**Mobility** The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be

disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

# Section 14 - Transport Information

#### IMDG/IMO

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group |||

Component	IMDG Marine Pollutant
Zinc chloride 7646-85-7 ( >95 )	IMDG regulated marine pollutant (UN1840)

### <u>ADG</u>

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group III

Component	Hazchem Code		
Zinc chloride	2X		
7646-85-7 (>95)			

### IATA

ALFAAS16281 Version 2 20-Nov-2022 Page 7/10

UN-No UN2331

Proper Shipping Name ZINC CHLORIDE, ANHYDROUS

Hazard Class 8
Packing Group

**Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Zinc chloride - 7646-85-7	Schedule 2 listed
	Schedule 4 listed - for human internal use except in preparations with a recommended daily dose of
	<=25 mg of Zinc, or in preparations with a recommended daily dose of between 25-50 mg of Zinc when
	compliant with the requirements of the Required Advisory Statements for Medicine Labels
	Schedule 6 listed - except when included in Schedule 2, or in preparations containing <=5% of Zinc
	chloride

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

	Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Ì	Zinc chloride - 7646-85-7	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

ALFAAS16281 Version 2 20-Nov-2022 Page 8/10

Component AICS NZIGC FINECS FLINCS TSCA DSI NIDSI DICCS FNCS ISUI IECSCI KECI

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
 Zinc chloride	Χ	Χ	231-592-0	-	X	Х	-	Χ	Χ	Х	Х	KE-35535

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

**International Regulations** 

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

MARPOL - International Convention for the

Prevention of Pollution from Ships

· · · · · · · · · · · · · · · · · · ·	
Component	IMDG Marine Pollutant
Zinc chloride - 7646-85-7	IMDG regulated marine pollutant (UN1840)

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled		
Zinc chloride - 7646-85-7	Annex I - Y23	Y23		

	Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
ł	Zinc chloride	Zinc chloride 7646-85-7		Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

Component	,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	• • • • • • • • • • • • • • • • • • • •
Zinc chloride	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

# Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

ALFAAS16281 Version 2 20-Nov-2022 Page 9/10

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

**LC50** - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Training Advice**

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 20-Nov-2022 Revision Summary Initial Release.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAS16281 Version 2 20-Nov-2022 Page 10 / 10