

# **SAFETY DATA SHEET**

Creation Date 24-April-2009 Revision Date 02-April-2024 Revision Number 2

1. Identification

Product Name Ethanol

Cat No.: T03818-1000

**CAS-No** 64-17-5

**Synonyms** Ethyl alcohol; Absolute ethanol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

#### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 2
Serious Eye Damage/Eye Irritation Category 2

Label Elements

#### Signal Word

Danger

## **Hazard Statements**

Highly flammable liquid and vapor Causes serious eye irritation



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF exposed or concerned: Get medical advice/attention

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	99-100

## 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

**Unsuitable Extinguishing Media** Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire

12 °C / 53.6 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 363 °C / 685.4 °F

**Explosion Limits** 

Upper 19 vol % 3.3 vol % Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	1	N/A

#### Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** 

Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Up

## 7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

Ethanol

Component	Alberta		Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Ethyl alcohol	TWA: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	(Vacated) TWA:	IDLH: 3300 ppm
	TWA: 1880					1000 ppm	TWA: 1000 ppm
	mg/m³					(Vacated) TWA:	TWA: 1900
						1900 mg/m <sup>3</sup>	mg/m³
						TWA: 1000 ppm	_
						TWA: 1900	
						mg/m³	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	> 480 minutes	0.38 mm - 0.56 mm	As tested under EN374-3
Neoprene	> 480 minutes	0.45 mm	Determination of Resistance to
-			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Liauid

Clear, Colorless

Physical State
Appearance
Odor

or Alcohol

Odor Threshold No information available

7 @ 20°C 10g/l aq.sol -114 °C / -173.2 °F pН Melting Point/Range 78 °C / 172.4 °F **Boiling Point/Range** 12 °C / 53.6 °F **Flash Point Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 19 vol % Lower 3.3 vol % **Vapor Pressure** 59 kPa @ 20°C **Vapor Density** No information available **Specific Gravity** 0.785 g/cm3 @20°C Solubility

miscible Partition coefficient; n-octanol/water No data available **Autoignition Temperature** 363 °C / 685.4 °F

**Decomposition Temperature** No information available **Viscosity** No information available

**Molecular Formula** C2 H6 O

**Molecular Weight** 46.07

100% (Organic Carbon (by mass) = 52.1 %) (EC/1999/13) VOC Content(%)

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Hygroscopic.

**Conditions to Avoid** Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides **Incompatible Materials** 

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 10470 mg/kg	Not listed	LC50 = 117-125 mg/l (4h)
	OECD 401 (Rat)		OECD 403 (rat)
	3450 mg/kg ( Mouse )		20000 ppm/10H (rat)

No information available **Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed and

abused as an alcoholic beverage.

Component CAS-No IARC NTP **ACGIH OSHA** Mexico

Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3			
IARC (Internation	al Agency for Resea	arch on Cancer)		IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans					
			Group 2A - Group 2B -						
NTP: (National To	xicity Program)		Known - Kn	nal Toxicity Program own Carcinogen	,				
			•	Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen					
ACGIH: (America Hygienists)	n Conference of Go	overnmental Industria		A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen					
,				A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)					
OSHA: (Occupati	onal Safety & Health	n Administration)		OSHA: (Occupational Safety & Health Administration) X - Present					
Mexico - Occupat	ional Exposure Lim	its - Carcinogens	Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen						
			A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen						
			A4 - Not Cla	assifiable as a Huma	an Carcinogen				
			A5 - Not Su	A5 - Not Suspected as a Human Carcinogen					

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

## **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l	Fathead minnow	Photobacterium	EC50 = 9268 mg/L/48h
	(Chlorella vulgaris)	(Pimephales promelas)	phosphoreum:EC50 = 34634	EC50 = 10800  mg/L/24h
		LC50 = 14200 mg/l/96h	mg/L/30 min	
			Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow
Ethyl alcohol	-0.32

#### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN1170 **UN-No ETHANOL Proper Shipping Name Hazard Class** 3 Ш

**Packing Group** 

TDG

UN1170 **UN-No Proper Shipping Name ETHANOL** 

**Hazard Class** 

**Packing Group** 

**IATA** 

UN1170 **UN-No ETHANOL Proper Shipping Name** 

**Hazard Class Packing Group** 

IMDG/IMO

**UN-No Proper Shipping Name Hazard Class** 

UN1170 **ETHANOL** 

3 Ш

Ш

Ш

## 15. Regulatory information

#### **International Inventories**

**Packing Group** 

Component	CAS-No	DSL	NDSL	TSCA	TSCA In notific Active-	ation -	EINECS	ELINCS	NLP
Ethyl alcohol	64-17-5	X	-	Х	ACTIVE		200-578-6	-	-
Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS

KE-13217

## Legend:

X - Listed '-' - Not Listed

Ethyl alcohol

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

64-17-5

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Ethyl alcohol	Part 5, Individual Substances Part 4 Substance		

### **Other International Regulations**

#### Authorisation/Restrictions according to EU REACH

Not applicable

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethyl alcohol	64-17-5	Not applicable	Not applicable	Not applicable	Annex I - Y42

4 /	$\sim$ 1.1		1.1
16	Other	intorm	nation
10.		11 11 ( )1 1 1	исти

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 24-April-2009

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**