

# SAFETY DATA SHEET

Creation Date 16-June-2009 Revision Date 07-September-2023 **Revision Number** 8

1. Identification

**Product Name** Sodium hydroxide

AC206060000; AC206060010; AC206060025; AC206060250; Cat No.:

Acros Organics

One Reagent Lane

Fair Lawn, NJ 07410

AC206060100

CAS-No 1310-73-2 **Synonyms** Caustic soda

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road. Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Manufacturer

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410

Tel: (201) 796-7100

# **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Corrosive to metals Category 1 Skin Corrosion/Irritation Category 1 A Category 1 Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

**Label Elements** 

Signal Word

Danger

**Hazard Statements** 

## Sodium hydroxide

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



## **Precautionary Statements**

## Prevention

Keep only in original container

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

# **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium hydroxide	1310-73-2	100

# 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call

a physician or poison control center immediately.

Ingestion Do NOT induce vomiting. Immediate medical attention is required. Never give anything by

mouth to an unconscious person. Drink plenty of water.

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric Most important symptoms/effects

> lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically Notes to Physician

# Fire-fighting measures

**Suitable Extinguishing Media** Not combustible. Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire

**Flash Point** No information available Method -No information available No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper Lower

No data available No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.

#### **Hazardous Combustion Products**

Hydrogen. Sodium oxides.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

# 6. Accidental release measures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid **Personal Precautions** 

contact with skin, eyes or clothing.

**Environmental Precautions** Do not allow material to contaminate ground water system. Should not be released into the

environment. Do not flush into surface water or sanitary sewer system. See Section 12 for

additional Ecological Information.

Methods for Containment and Clean Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents. Acids. Metals. Water.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	CEV: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
						TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# Personal protective equipment

Eye Protection Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Neoprene	> 480 minutes	0.45 mm	As tested under EN374-3
Butyl rubber	> 480 minutes	0.35 mm	Determination of Resistance to
			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains.

# **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorOdorless

Odor Threshold No information available

**pH** 14 (5 %)

Melting Point/Range 318 °C / 604.4 °F

## Sodium hydroxide

**Boiling Point/Range** 1390 °C / 2534 °F @ 760 mmHg

**Flash Point** No information available

**Evaporation Rate** Not applicable Flammability (solid,gas) Not flammable

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** 1 mbar @ 700 °C **Vapor Density** Not applicable

**Specific Gravity** No information available

**Bulk Density** 2.13 g/cm3 Soluble in water Solubility Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

**Viscosity** Not applicable H Na O

Molecular Formula **Molecular Weight** 40

# 10. Stability and reactivity

Reactive Hazard Yes

Stable under normal conditions. Stability

Incompatible products. Excess heat. **Conditions to Avoid** 

Strong oxidizing agents, Acids, Metals, Water **Incompatible Materials** 

Hazardous Decomposition Products Hydrogen, Sodium oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

#### **Product Information Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Sodium hydroxide	140 - 340 mg/kg (Rat)	1350 mg/kg (Rabbit)	Not listed		

**Toxicologically Synergistic** No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	Not listed				

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

No information available **Endocrine Disruptor Information** 

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hydroxide	Not listed	LC50: = 45.4 mg/L, 96h	Not listed	Not listed
		static (Oncorhynchus		
		mykiss)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility** 

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN1823

**Proper Shipping Name** SODIUM HYDROXIDE, SOLID

**Hazard Class Packing Group** 

TDG

**UN-No** UN1823

**Proper Shipping Name** SODIUM HYDROXIDE, SOLID

**Hazard Class** Packing Group

**IATA** 

**UN-No** UN1823

**Proper Shipping Name** Sodium hydroxide, solid

**Hazard Class** 8 **Packing Group** Ш

IMDG/IMO

UN1823 **UN-No** 

Sodium hydroxide, solid **Proper Shipping Name** 

**Hazard Class Packing Group** Ш

# 15. Regulatory information

## Sodium hydroxide

#### International Inventories

						notification - Active-Inactive			
Sodium hydro	oxide	1310-73-2	Χ	-	Х	ACTIVE	215-185-5	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Sodium hydroxide	1310-73-2	X	KE-31487	Χ	X	X	X	Х	Х

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### Other International Regulations

Sodium hydroxide

Authorisation/Restrictions according to EU REACH

- 4	Authorisation/Nestrictions according to LO REACH							
Ī	Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC				
-	-	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate				
-		Authorization	Substances	List of Substances of Very High				
				Concern (SVHC)				
Ī	Sodium hydroxide	-	Use restricted. See item 75.	-				
١	-		(see link for restriction details)					

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Sodium hydroxide	1310-73-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

Not applicable

Not applicable

Annex I - Y35

16. Other information

Prepared By Regulatory Affairs

1310-73-2

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Not applicable

Creation Date16-June-2009Revision Date07-September-2023

Revision Date 07-September-2023

# Sodium hydroxide

**Print Date** 

07-September-2023

**Revision Summary** 

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**