
SAFETY DATA SHEET



Revision Date 08-Aug-2023 WAI1 - AGHS - OSHA Revision Number 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Silica Reagent 1

Product No 2030RE-1

Kit Reference(s) 8030cX Silica Analyzer Reagent Kit

Pure substance/mixture Mixture

Contains Sulfuric Acid

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier

Emergency Telephone 24 Hour Emergency Phone Number

CHEMTREC®

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

E-mail address info.water@thermo.com

Made in USA

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Contains Sulfuric Acid

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear

Physical State Liquid

Odor None

Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray

Response

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

Unknown Acute Toxicity 35.8 percent of the mixture consists of ingredient(s) of unknown acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	50 - 60%
Sodium Bisulfate Monohydrate	10034-88-5	20 - 30%
Sulfuric Acid	7664-93-9	10 - 20%
Molybdic Acid	7782-91-4	1 - 10%

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms and

effects

Causes burns by all exposure routes

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information. Vapors may accumulate to form explosive concentrations.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Wear personal protective equipment/face protection

Do not get in eyes, on skin, or on clothing Use only under a chemical fume hood Do not breathe mist/vapors/spray

Do not ingest. If swallowed then seek immediate medical assistance

Conditions for Safe Storage, Including any Incompatibilities

Storage Corrosives area

Keep containers tightly closed in a dry, cool and well-ventilated place

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric Acid	TWA: 0.2 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Molybdic Acid 7782-91-4	TWA: 0.5 mg/m ³	(Vacated) TWA: 5 mg/m ³	IDLH: 1000 mg/m ³

Legend

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH - National Institute for Occupational Safety and Health IDLH - Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles and face shield. If splashes are likely to occur:. Face

protection shield.

Skin and Body Protection Wear protective gloves/protective clothing.

Respiratory Protection None under normal use conditions. In case of inadequate ventilation wear respiratory

protection.

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Clear Odor None

Odor Threshold No information available

pH -0.28 PH Range -0.78 - 0.22

Property Values No information available

Melting point/freezing pointNo information avaiBoiling Point/Range100 °C / 212 °F

Flash Point (High in °C) N/A

Evaporation Rate
No information available
Flammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
Water Solubility

No information available
No information available
No information available
No information available
Soluble in water

Solubility in other solvents

No information available

Partition coefficient No information available

Autoignition Temperature -

Decomposition Temperature
Kinematic viscosity
No information available

Product No 2030RE-1 Document No. 229988-001

Remarks • Method

Other Information

Softening Point
Molecular Weight
VOC Content(%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No information available

Eye Contact No information available

Skin Contact No information available

Ingestion No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)	=	-
7732-18-5			
Sulfuric Acid	LD50 = 2140 mg/kg (Rat)	-	LC50 = 0.375 mg/L (Rat) 4 h
7664-93-9			
Molybdic Acid	-	-	LC50 > 5.05 mg/L (Rat) 4 h
7782-91-4			, ,

Information on Toxicological Effects

Symptoms Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available

Mutagenic Effects No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed
Sodium Bisulfate Monohydrate	10034-88-5	Not listed	Not listed	Not listed	Not listed
Sulfuric Acid	7664-93-9	Not listed	Not listed	Not listed	Not listed
Molybdic Acid	7782-91-4	Not listed	Not listed	A3	Not listed

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Reproductive Effects No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

Aspiration hazard No information available

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 35.8 percent of the mixture consists of ingredient(s) of unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10253 mg/kg ATEmix (inhalation-dust/mist) 1.8 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

35.8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Sulfuric Acid	-	LC50: > 500 mg/L, 96h static	-
7664-93-9		(Brachydanio rerio)	

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Component	CAWAST
Sulfuric Acid	Toxic
7664-93-9	Corrosive
Molybdic Acid	Toxic
7782-91-4	

14. TRANSPORT INFORMATION

DOT

UN-No UN2796

Proper Shipping Name SULFURIC ACID

Hazard Class 8
Packing Group

Reportable Quantity (RQ): (Sulfuric Acid: RQ (kg)= 454.00)

Special Provisions A3, A7, B2, B15, IB2, N6, N34, T8, TP2

Shipping Description UN2796, SULFURIC ACID, 8, II

Emergency Response Guide 157

Number

ICAO

UN-No UN2796

Proper Shipping Name SULPHURIC ACID

Hazard Class 8
Packing Group ||

Description UN2796, SULPHURIC ACID, 8, II

IATA

UN-No UN2796

Proper Shipping Name SULPHURIC ACID

Hazard Class 8
Packing Group II
ERG Code 8L

Description UN2796, SULPHURIC ACID, 8, II

IMDG/IMO

UN-No UN2796

Proper Shipping Name SULPHURIC ACID

Hazard Class 8
Packing Group ||

EmS No. F-A, S-B

Description UN2796, SULPHURIC ACID, 8, II

15. REGULATORY INFORMATION

International Inventories

United States of America Inventory
CANINV
Does not Comply
Complies
Complies
Complies
Does not Comply

PICCS Complies AICS Complies

Legend:

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric Acid 7664-93-9	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	RQ
Sulfuric Acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Component	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Sulfuric Acid 7664-93-9	X	X	X

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By Regulatory Affairs

Prepared For Thermo Fisher Scientific Inc.©

Issue Date No information available

Revision Date 08-Aug-2023

Reason for revision SDS sections updated.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet