

Page 1 / 11 Creation Date 15-Apr-2015 Revision Date 10-Jun-2024

Version 6 SDS No. Exempt, SR&D

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description: Allylchlorodimethylsilane

Cat No. : B22237

Synonyms Allylchlorodimethylsilane

CAS No 4028-23-3 Molecular Formula C5 H11 Cl Si

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Importer Supplier

Fisher Scientific Korea Thermo Fisher Scientific Chemicals, Inc.

D5,D6, Incheon Airport Logistics Complex 30 Bond Street

150, Gonghangdong-Ro 296 Beon-Gil Ward Hill, MA 01835-8099

Jung-Gu, Incheon Tel: +82-1661-9555 Fax: +82-2-2023-0603

E-mail address Chem.KR@thermofisher.com

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970

CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887

Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Physical hazards

Flammable liquids Category 2

Health hazards

Skin Corrosion/Irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

Revision Date 10-Jun-2024



Signal Word Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands and face thoroughly after handling

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P321 - Specific treatment (see supplemental first aid instructions on this label)

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors

NFPA

HealthFlammabilityInstabilityPhysical hazards330N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	Common Name	CAS No	Index No	Weight %
Silane, chlorodimethyl-2-propenyl-	Allylchlorodimethylsil	4028-23-3	Not listed	99 - 100
	ane			

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact Immediate medical atter

Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Call a physician immediately. If possible drink milk afterwards.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide, Hydrogen chloride gas.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Allylchlorodimethylsilane

Revision Date 10-Jun-2024

Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Corrosives area. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

<u> </u>								
	Component	CAS No	Korea	ACGIH TLV	OSHA PEL			
	Silane,	4028-23-3	Not listed	Not listed	Not listed			
	chlorodimethyl-2-propenyl-							

Component	CAS No	European Union	The United Kingdom	Germany
Silane,	4028-23-3	Not listed	Not listed	Not listed
chlorodimethyl-2-propenyl-				

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Silane,	4028-23-3	Not listed
chlorodimethyl-2-propenyl-		

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Allylchlorodimethylsilane Revision Date 10-Jun-2024

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Personal protective equipment Use only those certified by the Korea Occupational Safety and Health Administration.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, Light yellow Liquid

etc.)

Odor pungent

Odor Threshold No data available

pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range110 °C / 230 °F

Boiling Point/Range 110 $^{\circ}$ C / 230 $^{\circ}$ F @ 760 mmHg

Flash Point 5 °C / 41 °F Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure

No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.890

Bulk DensityNot applicableLiquidWater Solubilityreacts with water

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow	
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	

Allylchlorodimethylsilane Revision Date 10-Jun-2024

Autoignition Temperature
Decomposition Temperature

Viscosity

No data available No data available No data available

Explosive Properties Oxidizing Properties

No information available

Vapors may form explosive mixtures with air

Molecular Formula C5 H11 Cl Si Molecular Weight 134.68

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available

Chemical Stability

Stable. Moisture sensitive.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

No information available.

Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to moist air or water.

Incompatible Materials

Water. Strong bases.

Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO2). Silicon dioxide. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information No acute toxicity information is available for this product

Information on expected route of exposure

Use only in closed systems permitted

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

Skin Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

Information on Health Hazards

(a) acute toxicity;

. . . .

Oral No data available
Dermal No data available
Inhalation No data available

Allylchlorodimethylsilane

Revision Date 10-Jun-2024

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available	

(b) skin corrosion/irritation; Category 1

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component CAS No		Test method	Test species	Study result	
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available	

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available

There are no known carcinogenic chemicals in this product

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Silane, chlorodimethyl-2-prope	4028-23-3	Not listed				
nyl-						

(g) reproductive toxicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

	Component	CAS No		EU - Endocrine Disruptors - Evaluated	Japan - Endocrine Disruptor Information
- 1			List	Substances	
I	Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

SAFEIT DATA SHEE

Ecotoxicity effects

Allylchlorodimethylsilane

Component	Component CAS No		Water Flea	Freshwater Algae	Microtox
Silane, chlorodimethyl-2-propenyl-	4028-23-3	No data available	No data available	No data available	No data available

Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Bioaccumulative potential Bioaccumulation is unlikely

Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not listed

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act

(폐기물관리법).

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic

organisms.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN2985

Proper Shipping Name CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.

Technical Shipping Name Allylchlorodimethylsilane

Hazard Class 3 Subsidiary Hazard Class 8

Packing Group

IATA

UN-No UN2985

Proper Shipping Name CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.

Technical Shipping Name Allylchlorodimethylsilane

Hazard Class 3
Subsidiary Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN2985

Proper Shipping Name CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.

Technical Shipping Name Allylchlorodimethylsilane

ALFAAB22237

Revision Date 10-Jun-2024

Allylchlorodimethylsilane Revision Date 10-Jun-2024

Hazard Class 3 Subsidiary Hazard Class 8 Packing Group II

Marine Pollutant No hazards identified

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Silane,	4028-23-3	-	Х	223-706-2	Х	-	Х	-	Х	Χ	-
chlorodimethyl-2-propenyl-											l

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities	, ,	,
		for Major Accident	for Safety Report		
		Notification	Requirements		
Silane,	4028-23-3	Not applicable	Not applicable	Not applicable	Not applicable
chlorodimethyl-2-propenyl-					

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Korean National Regulations

Component		Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures)
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Component	CAS No	Waste Control Law	Ministry of Environment -	Ministry of Environment -
-			CMR risk	Critically Controlled
				Substance
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable
Gilario, Gilloroaimetriyi-z-propertyi-	4020-23-3	140t applicable	1 Not applicable	1 Not applicable

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Allylchlorodimethylsilane

Revision Date 10-Jun-2024

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

Component	CAS No	, ,	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
		(minimum quantity)		
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Silane, chlorodimethyl-2-propen yl-	4028-23-3	Not applicable	Not applicable	Not applicable	2. Group 1 Petroleum (Insoluble) 200 L	Not applicable	Not applicable

NFA Dangerous Substances Classification

Class 3.7 (Organometallic compounds) - 50 kg

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices	
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not listed	Not listed	

US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

Component	CAS No	Specifically Regulated	Highly Hazardous Chemicals	
		Chemicals		
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	
OFFICIAL A	N. (P. 1.1			

CERCLA Not applicable

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Silane, chlorodimethyl-2-propenyl-	4028-23-3	Not applicable	Not applicable	Not applicable

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H225 - Highly flammable liquid and vapor. H314 - Causes severe skin burns and eye damage.

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P280 - Wear eye protection/ face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P240 - Ground and bond container and receiving equipment. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 16: OTHER INFORMATION

Legend

Allylchlorodimethylsilane

Revision Date 10-Jun-2024

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of ICAO/IATA - International Civil Aviation Organization/International Air Dangerous Goods by Road **Transport Association**

IMO/IMDG - International Maritime Organization/International Maritime MARPOL - International Convention for the Prevention of Pollution from Ships

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development ATE - Acute Toxicity Estimate **BCF** - Bioconcentration factor VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 15-Apr-2015 **Revision Date** 10-Jun-2024

Revision Number

Revision Summary New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical **Substances and Safety Data Sheets)**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet