# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8 Revision Date 01-May-2024 Version 6

ALFAAS55067

# Ammonium molybdate (para) hydrate, Puratronic®

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Ammonium molybdate (para) hydrate,Puratronic® Product Description: Ammonium molybdate (para) hydrate,Puratronic®

**Cat No.**: **S55067 CAS No** 2127839-79-4

Molecular Formula H24 Mo7 N6 O24. xH2 O

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical State Appearance Odor

Solid No information available No information available

Emergency Overview Harmful if swallowed.

Classification of the substance or mixture

Acute Oral Toxicity Category 4

# **Label Elements**



Signal Word Warning

Hazard Statements
H302 - Harmful if swallowed

# **SAFETY DATA SHEET**

Page 2/8 Revision Date 01-May-2024

# Ammonium molybdate (para) hydrate, Puratronic®

#### **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

#### Response

P330 - Rinse mouth

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

#### **Storage**

P403 - Store in a well-ventilated place

# Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

None identified.

# Health Hazards

Harmful if swallowed.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %		
Ammonium molybdate (para) hydrate	2127839-79-4	<=100		
Ammonium molybdate	13106-76-8	0		

# **SECTION 4. FIRST AID MEASURES**

# **General Advice**

If symptoms persist, call a physician.

### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

# Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

#### Most important symptoms and effects

None reasonably foreseeable.

# Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# **Notes to Physician**

Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

# **Suitable Extinguishing Media**

Not combustible.

# SAFETY DATA SHEET

Page 3/8 Revision Date 01-May-2024

# Ammonium molybdate (para) hydrate, Puratronic®

Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

# Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### Storage

Keep container tightly closed in a dry and well-ventilated place.

#### Specific Use(s)

Use in laboratories

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	Component	Component China		Thailand	Hong Kong		
1	Ammonium molybdate	-	TWA: 5 mg/m <sup>3</sup>		-		

Component	ACGIH TLV	OSHA PEL	NIOSH The United Kingdom		European Union	
Ammonium molybdate	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 5	IDLH: 1000 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> 15		
		mg/m³		min		
		_		TWA: 5 mg/m <sup>3</sup> 8 hr		

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by

# SAFETY DATA SHEET

Page 4 / 8 Revision Date 01-May-2024

# Ammonium molybdate (para) hydrate, Puratronic®

**ICP-AES** 

#### **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

PVC
-----

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

(with decomposition)

Solid

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** 

Physical State Solid

Odor No information available

Odor Threshold No data available pH Not applicable

Melting Point/Range ~ ca 190 °C / 374 °F

Softening Point No data available

Boiling Point/Range 190 °C / 374 °F

Flash Point No information available Method - No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

# SAFETY DATA SHEET

Page 5 / 8 Revision Date 01-May-2024

# Ammonium molybdate (para) hydrate, Puratronic®

Explosion Limits No data available

Vapor Pressure No data available

Vapor DensityNot applicableSolidSpecific Gravity / Density2.498 g/cm3@ 20 °C

Bulk DensityNo data availableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity Not applicable Explosive Properties No information available

**Explosive Properties**No information available **Oxidizing Properties**No information available

Molecular Formula H24 Mo7 N6 O24. xH2 O

Molecular Weight 1163.79(anhy)

# **SECTION 10. STABILITY AND REACTIVITY**

Solid

**Stability** Stable under normal conditions.

**Hazardous Reactions**Hazardous Polymerization
None under normal processing.
No information available.

Conditions to Avoid None known.

Materials to avoid Oxidizing agent.

Hazardous Decomposition Products Nitrogen oxides (NOx). Ammonia. Molybdenum oxides.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Product Information**

(a) acute toxicity;

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium molybdate		LD50 = 333 mg/kg (rat)		

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

Test method OECD 404
Test species rabbit

**Observational endpoint** Erythema/Eschar = 0 No skin irritation

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

Test method OECD 405
Test species rabbit

Observation end point No eye irritation

(d) respiratory or skin sensitization;

**Respiratory** No data available

**Skin** Based on available data, the classification criteria are not met

Patch test on human volunteers did not demonstrate sensitization properties

(e) germ cell mutagenicity; No data available

# SAFETY DATA SHEET

Page 6 / 8 Revision Date 01-May-2024

Ammonium molybdate (para) hydrate, Puratronic®

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects**May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence May persist.

Degradability

Degradation in sewage

treatment plant

Not relevant for inorganic substances.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Product has a high potential to bioconcentrate

Mobility in soil No information available

**Endocrine Disruptor Information Persistent Organic Pollutant** 

Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

#### **SECTION 14. TRANSPORT INFORMATION**

# SAFETY DATA SHEET

Page 7/8 Revision Date 01-May-2024

Ammonium molybdate (para) hydrate, Puratronic®

**Road and Rail Transport** Not Regulated

IMDG/IMO Not regulated

IATA Not regulated

**Special Precautions for User** No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

1	Hazardous Chemicals (2015	-	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Edition)											
Ammonium molybdate	-	-	X	Χ	236-031-3	Х	Χ	Х	Х	Χ	Χ	KE-01707

# **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Health, Safety and Environmental Department **Prepared By** 

**Revision Date** 01-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**AICS** - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

**DNEL** - Derived No Effect Level

PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

TWA - Time Weighted Average

LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

# SAFETY DATA SHEET

Page 8 / 8 Revision Date 01-May-2024

# Ammonium molybdate (para) hydrate,Puratronic®

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**