

# SAFETY DATA SHEET

Page 1/9 Revision Date 29-Mar-2023

Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

**Product Identifier** 

Perihalan Produk: Xpect Flu A/B diluent Xpect Flu A/B diluent **Product Description:** 

Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals. No Information available Uses advised against

Details of the supplier of the safety data sheet

Thermo Scientific Microbiology Sdn Bhd Company

No.6, Jalan TTC 6, Taman Teknologi Cheng,

Cheng, 75250 Melaka, Malaysia

+606 334 0975 .

**Supplier** Remel

12076 Santa Fe Drive Lenexa. KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

**Emergency Telephone Number** 

(603) 5122 8888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Serious Eye Damage/Eye Irritation	Category 1 (H318)
Chronic aquatic toxicity	Category 3

## Label Elements



Signal Word Danger

## **Hazard Statements**

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### Other Hazards

Contains a known or suspected endocrine disruptor Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Water	7732-18-5	89.1
Sodium phosphate, monobasic	7558-80-7	0.35
Casein	9000-71-9	0.1
L-Cysteine, N-acetyl-	616-91-1	0.1
Hydrogen chloride	7647-01-0	<0.1%
Sodium phosphate dibasic	7558-79-4	1.09
Sodium chloride	7647-14-5	3
Sodium hydroxide	1310-73-2	<0.1%
Albumins, blood serum	9048-46-8	3.08
Poly(oxy-1,2-ethanediyl),	9002-93-1	3.08
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-		
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with	55965-84-9	Trace
2-methyl-3(2H)-isothiazolone		

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Self-Protection of the First Aider** Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes severe eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization of susceptible persons. Use of epinephrine may be indicated. Treat

symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

## Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Contact with metals may evolve flammable gas.

### **Hazardous Combustion Products**

None under normal use conditions.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation.

## **Environmental precautions**

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

## Methods and Material for Containment and Cleaning Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

## Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Hydrogen chloride		Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m³
Sodium hydroxide		Ceiling: 2 mg/m <sup>3</sup>	(Vacated) Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Hydrogen chloride	TWA: 5 ppm (8h)	STEL: 5 ppm 15 min	TWA: 2 ppm (8 Stunden). AGW -
	TWA: 8 mg/m³ (8h)	STEL: 8 mg/m <sup>3</sup> 15 min	exposure factor 2
	STEL: 10 ppm (15min)	TWA: 1 ppm 8 hr	TWA: 3 mg/m³ (8 Stunden). AGW -
	STEL: 15 mg/m <sup>3</sup> (15min)	TWA: 2 mg/m <sup>3</sup> 8 hr	exposure factor 2
			TWA: 2 ppm (8 Stunden). MAK
			TWA: 3.0 mg/m³ (8 Stunden). MAK
			Höhepunkt: 4 ppm
			Höhepunkt: 6 mg/m <sup>3</sup>
Sodium hydroxide		2 mg/m³ STEL	2 mg/m³ TWA (inhalable fraction)

## **Exposure Controls**

## **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> When using do not eat, drink or smoke Remove and wash contaminated clothing and

gloves, including the inside, before re-use Provide regular cleaning of equipment, work area

Page 4/9

and clothing

**Environmental exposure controls** Do not allow material to contaminate ground water system Prevent product from entering

drains

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

**Appearance** 

Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

No information available Method - No information available

Liquid

Liquid

Evaporation Rate No data available Flammability (solid, gas) Not applicable

Explosion Limits

No data available

Vapor PressureNo data availableVapor DensityNo data available

Vapor Density No data available (Air = 1.0)
Specific Gravity / Density No data available

Specific Gravity / Density No data available
Bulk Density Not applicable

Water Solubility
Solubility in other solvents
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow L-Cysteine, N-acetyl- -0.6 Poly(oxy-1,2-ethanediyl), 2.7 .alpha.-[4-(1,1,3,3-tetramethylbutyl)phe

nyl]-.omega.-hydroxy-

Mixture, 3(2H)-isothiazolone, >=-0.32 - <=0.7

5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

10000000111304

Possibility of Hazardous Reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

Conditions to Avoid

None known.

**Incompatible Materials** 

None known.

**Hazardous Decomposition Products** 

None under normal use conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

# **Acute Toxicity**

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	Water -		-
Sodium phosphate, monobasic	LD50 = 8290 mg/kg (Rat)	LD50 > 7940 mg/kg ( Rabbit )	LC50 > 0.83 mg/L (Rat) 4 h
L-Cysteine, N-acetyl-	LD50 = 5050 mg/kg (Rat)		
Hydrogen chloride	LD50 238 - 277 mg/kg (Rat)	LD50 > 5010 mg/kg ( Rabbit )	LC50 = 1.68 mg/L (Rat) 1 h
Sodium phosphate dibasic	LD50 = 17 g/kg (Rat)		
Sodium chloride	LD50 = 3 g/kg ( Rat )	LD50 > 10000 mg/kg ( Rabbit )	LC50 > 42 mg/L (Rat) 1 h
Sodium hydroxide	LD50 = 325 mg/kg (Rat)	LD50 = 1350 mg/kg ( Rabbit )	
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl) phenyl]omegahydroxy-	1800 mg/kg (Rat)		
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone	LD50 = 53 mg/kg(Rat)	LD50 = 87.12 mg/kg (Rabbit)	

**Chronic Toxicity** 

Carcinogenicity There are no known carcinogenic chemicals in this product

Legend:

X - Listed '-' - Not Listed XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)

SensitizationNo information availableMutagenic EffectsNo information available

10000000111304

Reproductive Effects Developmental Effects Target Organs No information available No information available No information available.

**Endocrine Disruptor Information** 

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetrameth ylbutyl)phenyl]omegahydr oxy-		-	-

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium chloride	Pimephals prome:	EC50: 1000 mg/L/48h		
	LC50: 7650 mg/L/96h	_		
Sodium hydroxide	LC50: = 45.4 mg/L, 96h	-	=	-
	static (Oncorhynchus			
	mykiss)			
Poly(oxy-1,2-ethanediyl),	LC50 = 8.9  mg/L  96H	EC50 = 26 mg/L 48h	-	-
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]-	LC50 = 4.0  mg/l  96H			
.omegahydroxy-	(Pimephales promelus)			
Mixture, 3(2H)-isothiazolone,				EC50 = 5.7  mg/L  16  h
5-chloro-2-methyl- with				
2-methyl-3(2H)-isothiazolone				

Persistence and degradability No information available

Component	Degradability
Poly(oxy-1,2-ethanediyl),	60% >28 days
.alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]omegahydroxy-	
9002-93-1 ( 3.08 )	

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
L-Cysteine, N-acetyl-	-0.6	No data available
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]- .omegahydroxy-	2.7	No data available
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone	>=-0.32 - <=0.7	54 dimensionless

Mobility in soil No information available. .

Other adverse effects No information available

10000000111304

# SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not flush to sewer Do not empty into drains Do not let this chemical enter the

environment

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	X	Х	Х	Х		Х	Х	KE-35400
Sodium phosphate, monobasic	=	Х	Х	Х	Х	Х	Х	Х	KE-31577
Casein	-	Х	Х	Х	-		Х	Х	KE-04893
L-Cysteine, N-acetyl-	=	Х	Х	Х	Х	Χ	Х	-	KE-00114
Hydrogen chloride	-	X	Х	Х	Х	X	Х	Х	KE-20189
Sodium phosphate dibasic	=	Х	Х	Х	Х	X	Х	Х	KE-12344
Sodium chloride	-	X	Х	Х	X	X	Х	Х	KE-31387
Sodium hydroxide	215-185-5	X	X	Х	X	X	Χ	Χ	KE-31487
Albumins, blood serum	-	X	Х	Х	-		Х	Х	KE-05-0011
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl )phenyl]omegahydroxy-	-	Х	Х	Х	Х	Х	Х	Х	KE-33568
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone	<del>-</del>	-	Х	Х	Х	Х	Х	-	KE-05738

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hydrogen chloride	25 tonne	250 tonne		Annex I - Y34
Sodium hydroxide				Annex I - Y35

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 29-Mar-2023 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**