# **Thermo Fisher**

# SAFETY DATA SHEET

Page 1/9 Creation Date 27-Jul-2007 Revision Date 14-May-2024 Version 5

FSH00539

# Diethylamine

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 二乙胺

**Product Description:** Diethylamine

Cat No.: NC0625471; NC1061605

**Synonyms** N-Ethylethanamine; N,N-Diethylamine

CAS No 109-89-7 **Molecular Formula** C4 H11 N

Fisher Scientific Company **Supplier** 

One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals. Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

**Physical State Appearance** Odor Liquid Colorless Fishy

## **Emergency Overview**

Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful if swallowed. Toxic in contact with skin. Harmful if inhaled.

# Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity - (single exposure)	Category 3

# **Label Elements**



Page 2/9 Revision Date 14-May-2024

# Diethylamine

#### Signal Word

#### **Danger**

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H311 - Toxic in contact with skin

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

# **Health Hazards**

Corrosive. Causes skin and eye burns. Causes serious eye damage. May cause respiratory irritation. Harmful if swallowed. Toxic in contact with skin. Harmful if inhaled.

# **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Toxicity to Soil Dwelling Organisms. Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %	
Diethylamine	109-89-7	>95	

# **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Page 3/9 Revision Date 14-May-2024

# Diethylamine

#### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

# Most important symptoms and effects

Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

#### Self-Protection of the First Aider

Remove all sources of ignition.

#### Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

# **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

# **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8

# **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

Page 4/9 Revision Date 14-May-2024

Diethylamine

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

## Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Flammables area.

#### Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan Thailand		Hong Kong
Diethylamine	-	TWA: 10 ppm		TWA: 5 ppm
		TWA: 30 mg/m <sup>3</sup>		TWA: 15 mg/m <sup>3</sup>
				STEL: 15 ppm
				STEL: 45 mg/m <sup>3</sup>

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Diethylamine	TWA: 5 ppm	(Vacated) TWA: 10	IDLH: 200 ppm	STEL: 10 ppm 15 min	TWA: 5 ppm (8hr)
	STEL: 15 ppm	ppm	TWA: 10 ppm	STEL: 30 mg/m <sup>3</sup> 15	TWA: 15 mg/m³ (8hr)
	Skin	(Vacated) TWA: 30	TWA: 30 mg/m <sup>3</sup>	min	STEL: 10 ppm (15min)
		mg/m³	STEL: 25 ppm	TWA: 5 ppm 8 hr	STEL: 30 mg/m <sup>3</sup>
		(Vacated) STEL: 25	STEL: 75 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> 8 hr	(15min)
		ppm			
		(Vacated) STEL: 75			
		mg/m³			
		TWA: 25 ppm			
		TWA: 75 mg/m <sup>3</sup>			

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

# **Exposure Controls**

## **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

# Personal protective equipment

Page 5/9 Revision Date 14-May-2024

# Diethylamine

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material Breakthrough time Glove thickness **EU** standard Glove comments

Nitrile rubber See manufacturers recommendations Neoprene Natural rubber

EN 374 (minimum requirement)

**PVC** 

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Long sleeved clothing Skin and body protection

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** Prevent product from entering drains.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Colorless **Physical State** Liquid

Odor Fishy

No data available **Odor Threshold** 12.0 Ha -50 °C / -58 °F **Melting Point/Range** No data available **Softening Point** 

**Boiling Point/Range** 55 - °C / 131 - 136.4 °F

Flash Point -23 °C / -9.4 °F Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 1.7 **Upper** 10.1

250 mbar @ 20 °C **Vapor Pressure** 

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.710

Not applicable **Bulk Density** Liquid

**Water Solubility** Soluble

Solubility in other solvents No information available

Page 6 / 9 Revision Date 14-May-2024

# Diethylamine

Partition Coefficient (n-octanol/water)

Componentlog PowDiethylamine0.58

Autoignition Temperature 312 °C / 593.6 °F

Decomposition Temperature No data available

Viscosity No data available

**Explosive Properties** 

Oxidizing Properties No information available

Vapors may form explosive mixtures with air

Molecular Formula C4 H11 N Molecular Weight 73.13 VOC Content(%) 100

# **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under recommended storage conditions.

Hazardous Reactions
Hazardous Polymerization
None under normal processing.
No information available.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Materials to avoid Acids. Strong oxidizing agents.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide (CO). Nitrogen oxides (NOx). Carbon dioxide (CO2).

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

(a) acute toxicity,			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylamine	540 mg/kg ( Rat )	LD50 = 582 mg/kg ( Rabbit )	17.3 mg/L/4h ( Rat )

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; No data available

Not mutagenic in AMES Test

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Page 7/9 Revision Date 14-May-2024

# Diethylamine

(h) STOT-single exposure; No data available

Results / Target organs Respiratory system

(i) STOT-repeated exposure: No data available

Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delayed tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the

tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects**Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Diethylamine	LC50: 100 - 180 mg/L,	EC50: = 100 mg/L, 48h	EC50: = 20 mg/L, 96h	EC50 = 21.8 mg/L 15
	96h semi-static (Poecilia	(Daphnia magna)	(Pseudokirchneriella	min
	reticulata)		subcapitata)	EC50 = 24.8 mg/L 30
	LC50: = 25  mg/L, 96h			min
	(Oncorhynchus mykiss)			EC50 = 27.2 mg/L 15
	LC50: = 855 mg/L, 96h			min
	flow-through			EC50 = 35.0 mg/L 5 min
	(Pimephales promelas)			EC50 = 47 mg/L 17 h
				_

Persistence and Degradability

**Persistence** 

Degradation in sewage treatment plant

Readily biodegradable

Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Diethylamine	0.58	No data available

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces Will likely be mobile in the environment due to its volatility Disperses rapidly in air

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Page 8 / 9 Revision Date 14-May-2024

# Diethylamine

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

# **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

UN-No UN1154

Proper Shipping Name DIETHYLAMINE

Hazard Class 3
Subsidiary Hazard Class 8
Packing Group ||

# IMDG/IMO

UN-No UN1154

Proper Shipping Name DIETHYLAMINE

Hazard Class 3 Subsidiary Hazard Class 8 Packing Group II

# <u>IATA</u>

UN-No UN1154

Proper Shipping Name DIETHYLAMINE

Hazard Class 3 Subsidiary Hazard Class 8 Packing Group II

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

## **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	Hazardous	List of dangerous goods GB	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Chemicals (2015 Edition)	12268 - 2012										
Diethylamine	Х	X	Х	Х	203-716-3	Х	Х	Х	Х	Х	Χ	KE-13688

# **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Creation Date27-Jul-2007Revision Date14-May-2024Revision SummaryNot applicable.

Page 9/9 Revision Date 14-May-2024

# Diethylamine

# **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

#### Legend

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**