

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                      |
|---------------------------|----------------------|
| Product Description:      | <b>Beryllium rod</b> |
| Cat No. :                 | <b>77880</b>         |
| Index No                  | 004-001-00-7         |
| CAS No                    | 7440-41-7            |
| EC No                     | 231-150-7            |
| Molecular Formula         | Be                   |
| REACH registration number | -                    |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                      |                          |
|----------------------|--------------------------|
| Recommended Use      | Laboratory chemicals.    |
| Uses advised against | No Information available |

### 1.3. Details of the supplier of the safety data sheet

|         |  |
|---------|--|
| Company | Avocado Research Chemicals Ltd.<br>(Part of Thermo Fisher Scientific)<br>Shore Road, Heysham<br>Lancashire, LA3 2XY,<br>United Kingdom<br>Office Tel: +44 (0) 1524 850506<br>Office Fax: +44 (0) 1524 850608 |
|---------|--|

|                |                                |
|----------------|--------------------------------|
| E-mail address | begel.sdsdesk@thermofisher.com |
|----------------|--------------------------------|

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

Acute oral toxicity  
Acute Inhalation Toxicity - Dusts and Mists  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Skin Sensitization  
Carcinogenicity  
Specific target organ toxicity - (single exposure)  
Specific target organ toxicity - (repeated exposure)

Category 3 (H301)  
Category 2 (H330)  
Category 2 (H315)  
Category 2 (H319)  
Category 1 (H317)  
Category 1B (H350i)  
Category 3 (H335)  
Category 1 (H372)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

Danger

## **Hazard Statements**

H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H315 - Causes skin irritation  
H335 - May cause respiratory irritation  
H301 - Toxic if swallowed  
H372 - Causes damage to organs through prolonged or repeated exposure  
H317 - May cause an allergic skin reaction  
H350i - May cause cancer by inhalation

## **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P201 - Obtain special instructions before use

## **Additional EU labelling**

Restricted to professional users

## **2.3. Other hazards**

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## 3.1. Substances

| Component | CAS No    | EC No             | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567  |
|-----------|-----------|-------------------|----------|--|
| Beryllium | 7440-41-7 | EEC No. 231-150-7 | > 99     | Acute Tox. 3 (H301)<br>Acute Tox. 2 (H330)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>Skin Sens. 1 (H317)<br>Carc. 1B (H350i)<br>STOT SE 3 (H335)<br>STOT RE 1 (H372) |

|                           |   |
|---------------------------|---|
| REACH registration number | - |
|---------------------------|---|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.  |
| <b>Eye Contact</b>                        | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.  |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Call a physician or poison control center immediately.   |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

### 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|--------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## Suitable Extinguishing Media

Dry chemical.

## Extinguishing media which must not be used for safety reasons

Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

## Hazardous Combustion Products

Beryllium oxide.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

Technical Rules for Hazardous Substances (TRGS) 510

Class 6.1B

Storage Class (LGK) (Germany)

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

| Component | The United Kingdom   | European Union   | Ireland  |
|-----------|--|--|--|
| Beryllium | STEL: 0.006 mg/m <sup>3</sup> 15 min<br>TWA: 0.002 mg/m <sup>3</sup> 8 hr<br>Carc. | TWA: 0.0002 mg/m <sup>3</sup> (8h)<br>TWA: 0.0006 mg/m <sup>3</sup> (8h)<br>Skin | TWA: 0.0002 mg/m <sup>3</sup> 8 hr.<br>STEL: 0.0006 mg/m <sup>3</sup> 15 min<br>Skin |

#### Biological limit values

List source(s):

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

### 8.2. Exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Goggles (European standard - EN 166)

##### Hand Protection

Protective gloves

| Glove material                                      | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|---|-----------------------------------|-----------------|-------------|-----------------------|
| Nitrile rubber<br>Neoprene<br>PVC<br>Natural rubber | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

##### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

ALFAA77880

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particulates filter conforming to EN 143

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |                          |  |
|---|--------------------------|--|
| Physical State                          | Solid                    |  |
| Appearance                              | Dark grey                |  |
| Odor                                    | Odorless                 |  |
| Odor Threshold                          | No data available        |  |
| Melting Point/Range                     | 1278 °C / 2332.4 °F      |  |
| Softening Point                         | No data available        |  |
| Boiling Point/Range                     | 2970 °C / 5378 °F        | @ 5 mmHg                                 |
| Flammability (liquid)                   | Not applicable           | Solid                                    |
| Flammability (solid,gas)                | No information available |  |
| Explosion Limits                        | No data available        |  |
| Flash Point                             | No information available | <b>Method -</b> No information available |
| Autoignition Temperature                | Not applicable           |  |
| Decomposition Temperature               | No data available        |  |
| pH                                      | No information available |  |
| Viscosity                               | Not applicable           | Solid                                    |
| Water Solubility                        | Insoluble                |  |
| Solubility in other solvents            | No information available |  |
| Partition Coefficient (n-octanol/water) |                          |  |
| Vapor Pressure                          | 1.85 mmHg                |  |
| Density / Specific Gravity              | No data available        |  |
| Bulk Density                            | 1.85 @ 20°C              |  |
| Vapor Density                           | Not applicable           | Solid                                    |
| Particle characteristics                | No data available        |  |

### 9.2. Other information

|                   |                        |
|-------------------|------------------------|
| Molecular Formula | Be                     |
| Molecular Weight  | 9.01                   |
| Evaporation Rate  | Not applicable - Solid |

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.  
None under normal processing.

### 10.4. Conditions to avoid

Incompatible products.

### 10.5. Incompatible materials

Acids. Bases. Halogens. Metals.

### 10.6. Hazardous decomposition products

Beryllium oxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Category 3

Dermal

No data available

Inhalation

Category 2

#### (b) skin corrosion/irritation;

Category 2

#### (c) serious eye damage/irritation;

Category 2

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

May cause sensitization by skin contact

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | EU           | UK | Germany | IARC    |
|-----------|--------------|----|---------|---------|
| Beryllium | Carc Cat. 1B |    | Cat. 1  | Group 1 |

#### (g) reproductive toxicity;

No data available

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

(h) STOT-single exposure; Category 3  
Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 1  
Route of exposure Inhalation  
Target Organs Lungs.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

**12.2. Persistence and degradability** Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
Persistence Insoluble in water, May persist.  
Degradability Not relevant for inorganic substances.  
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

**12.4. Mobility in soil** Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

**12.6. Endocrine disrupting properties**  
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance



# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

|  |  |
|--|--|
| <b>Waste from Residues/Unused Products</b> | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
| <b>Contaminated Packaging</b>              | Dispose of this container to hazardous or special waste collection point.  |
| <b>European Waste Catalogue (EWC)</b>      | According to the European Waste Catalog, Waste Codes are not product specific, but application specific.   |
| <b>Other Information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.  |

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**ADR** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**IATA** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

| Component | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Beryllium | 7440-41-7 | 231-150-7 | -      | -   | X     | X    | KE-02829 | X    | -    |

  

| Component | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|-----------|------|---|-----|------|------|-------|-------|
| Beryllium | 7440-41-7 | X    | ACTIVE  | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances  | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----------|---|--|---|
| Beryllium | 7440-41-7 | -   | Use restricted. See entry 28.<br>(see link for restriction details)<br>Use restricted. See entry 75.<br>(see link for restriction details) | -   |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------|-----------|---|--|
| Beryllium | 7440-41-7 | Not applicable  | Not applicable   |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class  |
|-----------|---------------------------------------|--|
| Beryllium |                                       | Krebserzeugende Stoffe - Class I : 0.05 mg/m <sup>3</sup><br>(Massenkonzentration) |

| Component | France - INRS (Tables of occupational diseases)      |
|-----------|--|
| Beryllium | Tableaux des maladies professionnelles (TMP) - RG 33 |

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H335 - May cause respiratory irritation  
H350i - May cause cancer by inhalation  
H372 - Causes damage to organs through prolonged or repeated exposure

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

### Prepared By

Health, Safety and Environmental Department

### Revision Date

10-Sep-2024

### Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as**

# SAFETY DATA SHEET

Beryllium rod

Revision Date 10-Sep-2024

---

amended. .

.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**