

SAFETY DATA SHEET

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name <u>Iron LR TPTZ reagent powder pillow</u>

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code HAC26087-99

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002596

GHS Classification

Physical hazards

Category 1

Health hazards

Acute Oral ToxicityCategory 4Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 1Respiratory SensitizationCategory 1Skin SensitizationCategory 1Specific target organ toxicity - (single exposure)Category 3

Environmental hazards

Chronic aquatic toxicity Category 3

Label Elements

NZ-002404 Version 2 14-Jul-2023 Page 1/10



Signal Word

Danger

Hazard Statements

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H412 Harmful to aquatic life with long lasting effects
- H251 Self-heating: may catch fire
- H317 May cause an allergic skin reaction

Precautionary Statements

Prevention

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P284 In case of inadequate ventilation wear respiratory protection

Response

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor
- P362 + P364 Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|---------------------------------------------------------|-------------|----------|
| Sodium metabisulfite | 7681-57-4 | 20-30 |
| Sodium dithionite | 7775-14-6 | 10-20 |
| 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium | 18996-35-5 | 10-20 |
| salt | | |
| 2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 1:3 Salt with | 103404-99-5 | <1 |
| p-Toluenesulfonic acid | | |

Section 4 - First Aid Measures

Description of first aid measures

NZ-002404 Version 2 14-Jul-2023 Page 2/10

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air.

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes eye burns. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes severe eye damage. Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Avoid release to the environment. Collect spillage.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

NZ-002404 Version 2 14-Jul-2023 Page 3 / 10

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

Incompatible Materials

None known.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

| Component | New Zealand WEL | Australia | ACGIH TLV | The United Kingdom |
|----------------------|--------------------------|--------------------------|--------------------------|-----------------------------------|
| Sodium metabisulfite | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | STEL: 15 mg/m ³ 15 min |
| | - | 1 | _ | TWA: 5 ma/m ³ 8 hr |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|--------------------|-------------------|-----------------|-----------------|-----------------------|
| Disposable gloves. | See manufacturers | - | AS/NZS 2161 | (minimum requirement) |
| | recommendations | | | |

NZ-002404 Version 2 14-Jul-2023 Page 4/10

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory ProtectionUse an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Tablets

Appearance Light yellow

Odor No information available
Odor Threshold No data available

pH 3.5

Melting Point/Range
Softening Point
Boiling Point/Range
Flammability (liquid)
Flammability (solid,gas)
Explosion Limits

No data available
No data available
No information available
No data available

Explosion Ellints

Flash Point Not applicable Method - No information available

Autoignition Temperature
Decomposition Temperature
Viscosity
Water Solubility
Solubility in other solvents

No data available
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Sodium metabisulfite -3.7
Sodium dithionite -4.7

Vapor Pressure
Density / Specific Gravity
Bulk Density
Vapor Density
No data available
No data available
No data available
No data available

Vapor DensityNo data available(Air = 1.0)Particle characteristicsNo data available

Other information

Section 10 - Stability and Reactivity

Reactivity Yes

NZ-002404 Version 2 14-Jul-2023 Page 5/10

Stability Stable under normal conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization No information available.

Hazardous ReactionsNo information available.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

InhalationNot an expected route of exposure.EyesNot an expected route of exposure.

Skin No known effect based on information supplied.

Ingestion Not an expected route of exposure.

Numerical measures of toxicity

(a) acute toxicity;

Oral Category 4

DermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------------------------------------------------|------------------------------------------------------------|-------------------------|----------------------|
| Sodium metabisulfite | LD50 = 1310 mg/kg (Rat) | LD50 > 2000 mg/kg (Rat) | |
| Sodium dithionite | LD50 = 2500 mg/kg (Rat) | >2 g/kg (Rat) | >5.5 mg/L/4h (Rat) |
| 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium salt | 1700 mg/kg (Rat) >5000 mg/kg (Rat) 12000 mg/kg (Rat) | | |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

NZ-002404 Version 2 14-Jul-2023 Page 6/10

SAFETY DATA SHEET

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|--------------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------|
| Sodium metabisulfite | LC50: = 32 mg/L, 96h static (Lepomis macrochirus) | | EC50: = 40 mg/L, 96h (Desmodesmus subspicatus) EC50: = 48 mg/L, 72h (Desmodesmus subspicatus) | EC50 = 56 mg/L 17 h |
| Sodium dithionite | | EC50: = 98 mg/L, 48h (Daphnia magna Straus) | EC50: = 87 mg/L, 96h (Desmodesmus subspicatus) EC50: = 120 mg/L, 72h (Desmodesmus subspicatus) | EC50 = 107 mg/L 17 h |
| 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium salt | LC50: = 1516 mg/L, 96h (Lepomis macrochirus) | | | EC50 = 14 mg/L 15 min |

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability No information available

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential No information available

| Component | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| Sodium metabisulfite | -3.7 | No data available |
| Sodium dithionite | -4.7 | No data available |

Mobility No information available.

Other adverse effects

NZ-002404 Version 2 14-Jul-2023 Page 7/10

SAFETY DATA SHEET

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains

Section 14 - Transport Information

| Component | Hazchem Code |
|---------------------|--------------|
| Sodium dithionite | 1S |
| 7775-14-6 (10-20) | |

NZS 5433:2020 Not regulated

IATA Not regulated

IMDG/IMO Not regulated

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable, packaged goods

Special PrecautionsNo special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

| HSNO Approval Number HSR002596 |
|--------------------------------|
|--------------------------------|

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous

NZ-002404 Version 2 14-Jul-2023 Page 8/10

Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

| Component | | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|----------------------|---|-------------------------------------------------------------------------------------|---|
| Sodium metabisulfite | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | NZIoC | AICS | EINECS | ELINCS | NLP | KECL | IECSC | TCSI |
|--------------------------------------|-------------|-------|------|-----------|--------|-----|----------|-------|------|
| Sodium metabisulfite | 7681-57-4 | X | X | 231-673-0 | - | - | KE-12701 | X | X |
| Sodium dithionite | 7775-14-6 | Х | Х | 231-890-0 | - | - | KE-31508 | X | Х |
| 1,2,3-Propanetricarboxylic acid, | 18996-35-5 | Х | X | 242-734-6 | - | - | KE-31417 | X | Х |
| 2-hydroxy-, monosodium salt | | | | | | | | | |
| 2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine | 103404-99-5 | - | - | - | - | - | - | - | - |
| 1:3 Salt with p-Toluenesulfonic | | | | | | | | | |
| acid | | | | | | | | | |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|---------------------------------------------------------------------------------|-------------|------|-----------------------------------------------------|-----|------|-------|------|------|
| Sodium metabisulfite | 7681-57-4 | Х | ACTIVE | Х | - | Х | X | - |
| Sodium dithionite | 7775-14-6 | Х | ACTIVE | Х | - | Х | Х | Х |
| 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium salt | 18996-35-5 | Х | ACTIVE | Х | - | Х | Х | Х |
| 2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 1:3 Salt with p-Toluenesulfonic acid | 103404-99-5 | - | - | - | - | - | - | - |

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

NZ-002404 Version 2 14-Jul-2023 Page 9/10

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$ - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

Revision Summary Update to GHS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

NZ-002404 Version 2 14-Jul-2023 Page 10 / 10