# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 24-Nov-2010 Revision Date 06-Mar-2024 Version 4

ALFAAJ75820

# **Acrylamide**

#### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Acrylamide Product Description: Acrylamide

Cat No. : J75820

**Synonyms** 2-Propenamide; Ethylenecarboxamide

CAS No 79-06-1 Molecular Formula C3 H5 N O

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorSolidWhiteOdorless

#### **Emergency Overview**

Causes skin irritation. Toxic if swallowed. Causes serious eye irritation. May cause genetic defects. May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful in contact with skin. Harmful if inhaled. Hygroscopic. Sensitivity to light. Air sensitive.

#### Classification of the substance or mixture

Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 1

# **Label Elements**

# **Acrylamide**



# Signal Word

#### Danger

#### **Hazard Statements**

H315 - Causes skin irritation

H301 - Toxic if swallowed

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

H312 + H332 - Harmful in contact with skin or if inhaled

H361 - Suspected of damaging fertility or the unborn child

#### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P362 + P364 - Take off contaminated clothing and wash it before reuse

# Storage

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Hygroscopic.

# **Health Hazards**

Causes skin irritation. Toxic if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful in contact with skin.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. . Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Acrylamide	79-06-1	>95

Page 3/9 Revision Date 06-Mar-2024

**Acrylamide** 

# **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### **Eye Contact**

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# **Notes to Physician**

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

Carbon dioxide (CO<sub>2</sub>).

#### **Specific Hazards Arising from the Chemical**

Decomposes violently at elevated temperatures. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

Page 4/9 Revision Date 06-Mar-2024

#### **Acrylamide**

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### Storage

Keep in a dry place. Keep container tightly closed. Protect from direct sunlight. Store under an inert atmosphere. Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

### Specific Use(s)

Use in laboratories

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

	Component	China	Taiwan	Thailand	Hong Kong
Ī	Acrylamide	TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.03 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>	-
١	•	Skin		_	

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Acrylamide	TWA: 0.03 mg/m <sup>3</sup>	(Vacated) TWA: 0.03	IDLH: 60 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> 15	TWA: 0.1 mg/m <sup>3</sup> (8h)
	Skin	mg/m³	TWA: 0.03 mg/m <sup>3</sup>	min	Skin
		Skin	_	TWA: 0.1 mg/m <sup>3</sup> 8 hr	
		TWA: 0.3 mg/m <sup>3</sup>		Carc.	
				Skin	

# Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

# **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

1	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments	
	Natural rubber	See manufacturers		EN 374	(minimum requirement)	
	Nitrile rubber	recommendations				
L	Neoprene					

Page 5/9 Revision Date 06-Mar-2024

# **Acrylamide**

PVC

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

White **Appearance Physical State** Solid

Odor Odorless

No data available **Odor Threshold** 

pН 6.5-8.0 50% in water

82 - 86 °C / 179.6 - 186.8 °F **Melting Point/Range** 

No data available **Softening Point** 

**Boiling Point/Range** 125 °C / 257 °F @ 25 mmHg

Flash Point 138 °C / 280.4 °F Method - No information available

**Evaporation Rate** Not applicable Solid

No information available Flammability (solid,gas) **Explosion Limits** No data available

**Vapor Pressure** 5.3 hPa @ 100 °C

**Vapor Density** Not applicable Solid

Specific Gravity / Density 1.122 @ 30°C **Bulk Density** No data available **Water Solubility** 2040 g/L (25°C) Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Acrylamide -1.24

**Autoignition Temperature** 424 °C / 795.2 °F

175 °C **Decomposition Temperature** 

Solid **Viscosity** Not applicable

**Explosive Properties** No information available **Oxidizing Properties** No information available

Page 6 / 9 Revision Date 06-Mar-2024

# **Acrylamide**

Molecular FormulaC3 H5 N OMolecular Weight71.08

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions. Hazardous polymerization may occur. Hygroscopic. heat

sensitive. Air sensitive. Light sensitive. Decomposes on exposure to light.

Hazardous ReactionsNone under normal processing.Hazardous PolymerizationHazardous polymerization may occur.

Conditions to Avoid Temperatures above 84°C. Keep away from open flames, hot surfaces and sources of

ignition. Exposure to air. Exposure to light. Incompatible products. Exposure to moist air or

water.

Materials to avoid Acids. Bases. Strong oxidizing agents. Metals. copper. Reducing Agent.

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Ammonia.

Hydrogen.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acrylamide	124 mg/kg ( Rat )	1141 mg/kg (Rabbit)	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met

Skin Category 1

No information available

(e) germ cell mutagenicity; Category 1B

Mutagenic

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Acrylamide	Carc Cat. 1B		Cat. 2	Group 2A

(g) reproductive toxicity; Category 2

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Page 7/9 Revision Date 06-Mar-2024

**Acrylamide** 

(i) STOT-repeated exposure; Category 1

**Target Organs** Eyes, Skin, Central nervous system (CNS), Reproductive System.

(j) aspiration hazard; Not applicable

Solid

**Other Adverse Effects** Neurotoxic effects have occurred in humans.

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms.

The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acrylamide	124 mg/L LC50 96 h	EC50: = 98 mg/L, 48h		
	74-150 mg/L LC50 96 h	Flow through (Daphnia		
	81-150 mg/L LC50 96 h	magna)		
	103-115 mg/L LC50 96	EC50: = 98 mg/L, 48h		
	h	(Daphnia magna)		
	137-191 mg/L LC50 96			
	l h			

Persistence and Degradability

**Persistence** 

Degradation in sewage treatment plant

Readily biodegradable

Persistence is unlikely.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Acrylamide	-1.24	No data available

Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

# **SECTION 14. TRANSPORT INFORMATION**

#### Road and Rail Transport

Page 8 / 9 Revision Date 06-Mar-2024

# **Acrylamide**

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

<u>IATA</u>

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals	_	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	(2015 Edition)	2012										
Acrylamide	X	X	X	Х	201-173-7	Х	Х	Х	Х	Χ	Χ	KE-29374

# **National Regulations**

Component	Toxic Chemical Substances Control Act
Acrylamide	Class II (30 wt%)
79-06-1 ( >95 )	Class III (30 wt%)
, , ,	TRQ = 50  kg

# **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

Creation Date24-Nov-2010Revision Date06-Mar-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Page 9/9 Revision Date 06-Mar-2024

# **Acrylamide**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**