

Page 1/8
Revision Date 31-Mar-2025
Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 μg/g (0.15%)
Product Description: Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 μg/g (0.15%)

Cat No. : 42166

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture	
<u>Label Elements</u>	

Hazard Statements

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

ALFAA42166

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

Component	CAS No	Weight %
White mineral oil	8042-47-5	99.32
Butane, 1,1'-thiobis-	544-40-1	0.68

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required.

Environmental precautions

______ALFAA42166

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	European Union	The United Kingdom	Germany
White mineral oil			TWA: 5 mg/m³ (8 Stunden). AGW -
			exposure factor 4
			TWA: 5 mg/m³ (8 Stunden). MAK
			Höhepunkt: 20 mg/m ³

Exposure Controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

Revision Date 31-Mar-2025

Page 4/8

Method - No information available

Handle in accordance with good industrial hygiene and safety practice Hygiene Measures

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Colorless **Physical State** Liquid Unpleasant Odor No data available **Odor Threshold** No information available Hq

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** > 315 °C / 599 °F Flash Point > 232 °C / > 449.6 °F

Evaporation Rate No data available

Not applicable Liquid Flammability (solid,gas)

Explosion Limits No data available

Vapor Pressure No data available **Vapor Density** No data available

(Air = 1.0)0.75 g/cm3 Specific Gravity / Density @ 20 °C **Bulk Density** Not applicable Liquid **Water Solubility Immiscible**

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component White mineral oil >6

No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
White mineral oil	>5000 mg/kg (Rat)	>3000 mg/kg (Rabbit)	-	
Butane, 1,1'-thiobis-	LD50 = 2220 mg/kg (Rat)	-	-	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

ALFAA42166

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

Target Organs No information available.

No data available (j) aspiration hazard;

Symptoms / effects,both acute and No information available. delayed

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

Revision Date 31-Mar-2025

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox		
White mineral oil	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)					
Butane, 1,1'-thiobis-	-thiobis- LC50: = 3.58 mg/L, 96 flow-through (Pimephales promelas					

Persistence and degradability

Persistence May persist.

Bioaccumulative potential Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)			
White mineral oil	>6	No data available			

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. Is not likely Mobility in soil

mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with local regulations

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

IATA Not regulated

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
White mineral oil	232-455-8	X	X	X	X	X	Χ	Χ	KE-35412
Butane, 1,1'-thiobis-	208-870-5	X	X	Х	X	X	Χ	Χ	-

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ALFAA42166

Sulfur in Light mineral Oil, standard solution, Specpure®, 1500 µg/g (0.15%)

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 31-Mar-2025

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 31-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAA42166