

according to Regulation (EC) No. 1907/2006

Creation Date 26-Sep-2009 Revision Date 10-Feb-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Nitromethane d-(3)</u>

 Cat No.:
 4238

 CAS No
 13031-32-8

 EC No
 235-892-2

 Molecular Formula
 C D3 N O2

REACH registration number -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

**Swiss distributor -** Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

## 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

\_\_\_\_\_

Nitromethane d-(3)

Revision Date 10-Feb-2024

#### CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Flammable liquids Category 3 (H226)

#### **Health hazards**

Acute oral toxicity

Acute Inhalation Toxicity - Vapors

Carcinogenicity

Caregory 4 (H302)

Caregory 4 (H332)

Caregory 2 (H351)

Reproductive Toxicity

Category 2 (H361)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



## Signal Word

Warning

## **Hazard Statements**

H226 - Flammable liquid and vapor

H302 + H332 - Harmful if swallowed or if inhaled

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

#### **Precautionary Statements**

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P312 - Call a POISON CENTER or doctor if you feel unwell

P264 - Wash face, hands and any exposed skin thoroughly after handling

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## 2.3. Other hazards

Risk of explosion if heated under confinement

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No

Nitromethane d-(3)

Revision Date 10-Feb-2024

				1272/2008
Nitro(2H3)methane	13031-32-8	EEC No. 235-892-2	100	Flam. Liq. 3 (H226)
				Acute Tox. 4 (H302)
				Acute Tox. 4 (H332)
				Carc. 2 (H351)
				Repr. 2 (H361)
Nitromethane	75-52-5	EEC No. 200-876-6	-	Flam. Liq. 3 (H226)
				Acute Tox. 4 (H302)
				Acute Tox. 4 (H332)
				Carc. 2 (H351)
				Repr. 2 (H361)

REACH registration number
---------------------------

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting: May cause methemoglobinemia

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons

Dry chemical. Do not use a solid water stream as it may scatter and spread fire.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Nitromethane d-(3)

Revision Date 10-Feb-2024

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep under nitrogen. Protect from moisture. Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3 https://www.kvu.ch/de/themen/stoffe-und-produkte

https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

## 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Nitromethane d-(3)

Revision Date 10-Feb-2024

#### 8.1. Control parameters

## **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Nitromethane		STEL: 150 ppm 15 min	TWA / VME: 100 ppm (8	TWA: 20 ppm 8 uren	TWA / VLA-ED: 20 ppr
		STEL: 381 mg/m <sup>3</sup> 15	heures).	TWA: 51 mg/m <sup>3</sup> 8 uren	(8 horas)
		min	TWA / VME: 250 mg/m <sup>3</sup>		TWA / VLA-ED: 51
		TWA: 100 ppm 8 hr	(8 heures).		mg/m³ (8 horas)
		TWA: 254 mg/m <sup>3</sup> 8 hr			
Component	Italy	Germany	Portugal	The Netherlands	Finland
Nitromethane	1	Haut	TWA: 20 ppm 8 horas		TWA: 20 ppm 8 tuntein
			1,1		TWA: 51 mg/m <sup>3</sup> 8
					tunteina
Component	Austria	Denmark	Switzerland	Poland	Norway
Nitromethane	Austria Haut		Haut/Peau		Norway TWA: 50 ppm 8 timer
Millomethane	MAK-TMW: 100 ppm 8	TWA: 20 ppm 8 timer TWA: 50 mg/m <sup>3</sup> 8 timer	TWA: 100 ppm 8	STEL: 240 mg/m³ 15 minutach	TWA: 125 mg/m <sup>3</sup> 8 time
	Stunden	STEL: 40 ppm 15	Stunden	TWA: 30 mg/m <sup>3</sup> 8	STEL: 75 ppm 15
	MAK-TMW: 250 mg/m <sup>3</sup>	minutter	TWA: 250 mg/m <sup>3</sup> 8	godzinach	minutter. value
	8 Stunden	STEL: 100 mg/m <sup>3</sup> 15	Stunden	gouzinach	calculated
	o Sturideri	minutter	Standen		STEL: 156.25 mg/m <sup>3</sup> 1
		minutei			minutter. value
					calculated
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Nitromethane	TWA: 200.0 mg/m <sup>3</sup>	TWA-GVI: 100 ppm 8	TWA: 20 ppm 8 hr.		
		satima.	TWA: 50 mg/m <sup>3</sup> 8 hr. STEL: 60 ppm 15 min		
		TWA-GVI: 254 mg/m <sup>3</sup> 8			
		satima. STEL-KGVI: 150 ppm	STEL: 150 mg/m <sup>3</sup> 15 min		
		15 minutama.	111111		
		STEL-KGVI: 381 mg/m <sup>3</sup>			
		15 minutama.			
	1		_		
Component Nitromethane	Estonia TWA: 20 ppm 8	Gibraltar	Greece STEL: 150 ppm	Hungary	Iceland TWA: 20 ppm 8
Millomethane	tundides.		STEL: 150 ppm STEL: 375 mg/m <sup>3</sup>		klukkustundum.
	TWA: 50 mg/m <sup>3</sup> 8		TWA: 100 ppm		TWA: 50 mg/m <sup>3</sup> 8
	tundides.		TWA: 100 ppin TWA: 250 mg/m <sup>3</sup>		klukkustundum.
	STEL: 50 ppm 15		1 VVA. 230 Hig/III		Ceiling: 40 ppm
	minutites.				Ceiling: 100 mg/m <sup>3</sup>
	STEL: 130 mg/m <sup>3</sup> 15				Coming. 100 mg/m
	minutites.				
Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Nitromethane	TWA: 30 mg/m <sup>3</sup>	TWA: 20 ppm IPRD	Luxenibourg	IVIAILA	TWA: 40 ppm 8 ore
initioniettane	I WA. 30 HIg/III	TWA: 20 ppm IPRD			TWA: 40 ppm 8 ore
		STEL: 50 ppm			STEL: 60 ppm 15
		STEL: 30 ppin STEL: 130 mg/m <sup>3</sup>			minute
		JILL. 130 IIIg/III			STEL: 150 mg/m <sup>3</sup> 15

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Nitromethane	MAC: 30 mg/m <sup>3</sup>			Indicative STEL: 50 ppm	
	_			15 minuter	
				Indicative STEL: 130	
				mg/m <sup>3</sup> 15 minuter	
				TLV: 20 ppm 8 timmar.	
				NGV	
				TLV: 50 mg/m <sup>3</sup> 8	
				timmar. NGV	

Nitromethane d-(3)

Revision Date 10-Feb-2024

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects (Derma			local Chronic effects systemic (Dermal)
Nitromethane		DNEL = 2500	mg/kg	DNEL = 417mg/kg
75-52-5 ( - )		bw/day		bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Nitromethane 75-52-5 ( - )	DNEL = 79mg/m <sup>3</sup>	DNEL = 39mg/m <sup>3</sup>	DNEL = 39mg/m <sup>3</sup>	DNEL = 20mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Microorganisms in sewage treatment	` ` ' '
Nitromethane 75-52-5 ( - )			PNEC = 4.9mg/L	

#### 8.2. Exposure controls

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
L	Viton (R)	recommendations			

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local

Nitromethane d-(3)

Revision Date 10-Feb-2024

conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless

Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available

Boiling Point/Range 100 - 102 °C / 212 - 215.6 °F @ 760 mmHg
Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 35 °C / 95 °F Method - No information available

Autoignition Temperature
Decomposition Temperature
pH
Viscosity
Water Solubility
Solubility in other solvents
No data available
No information available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow Nitromethane 0.17

Vapor Pressure No data available

Density / Specific Gravity 1.180

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

#### 9.2. Other information

Molecular Formula C D3 N O2 Molecular Weight 64.06

**Explosive Properties**Vapors may form explosive mixtures with air explosive air/vapour mixtures possible

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Hygroscopic. Stable under normal conditions. Risk of explosion by shock, friction, fire or

other sources of ignition.

Nitromethane d-(3)

Revision Date 10-Feb-2024

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Do not subject to grinding/shock/friction. Excess heat. Incompatible products. Exposure to moist air or water.

10.5. Incompatible materials

Acids. Bases. Strong acids. Amines. Aldehydes. Ketones. Organic acids. Lead. Acetone.

Metals. copper. Reducing Agent.

#### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitromethane	940 mg/kg (Rat)	>2000 mg/kg (Rabbit)	LC50 = 11.02 mg/L (Rat) 1 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Nitromethane				Group 2B

(g) reproductive toxicity; Category 2 Reproductive Effects Category 2.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

Revision Date 10-Feb-2024 Nitromethane d-(3)

(i) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

May cause methemoglobinemia.

11.2. Information on other hazards

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Nitromethane	LC50: < 278 mg/L, 96h static		EC50: = 36 mg/L, 72h
	(Pimephales promelas)		(Desmodesmus subspicatus)

#### 12.2. Persistence and degradability No information available

#### 12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Nitromethane	0.17	1.4 dimensionless

No information available 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information** 

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. Empty containers **Contaminated Packaging** 

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Nitromethane d-(3)

Revision Date 10-Feb-2024

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1261

14.2. UN proper shipping name NITROMETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

ADR

**14.1. UN number** UN1261

14.2. UN proper shipping name NITROMETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

IATA

**14.1. UN number** UN1261

14.2. UN proper shipping name NITROMETHANE

14.3. Transport hazard class(es) 3 14.4. Packing group II

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Nitro(2H3)methane	13031-32-8	235-892-2	-	-	-	X	-	-	-
Nitromethane	75-52-5	200-876-6	-	-	X	X	KE-26005	Χ	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Nitro(2H3)methane	13031-32-8	-	•	-	ı	-	X	-
Nitromethane	75-52-5	X	ACTIVE	Х	-	X	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Nitromethane d-(3)

Revision Date 10-Feb-2024

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
	Nitro(2H3)methane	13031-32-8	-	-	-
Ī	Nitromethane	75-52-5	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Nitro(2H3)methane	13031-32-8	Not applicable	Not applicable
Nitromethane	75-52-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class		
Nitromethane	WGK2	Class II: 0.10 g/m³ (Massenkonzentration)		

Component France - INRS (Tables of occ		France - INRS (Tables of occupational diseases)
	Nitromethane	Tableaux des maladies professionnelles (TMP) - RG 84

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H226 - Flammable liquid and vapor

Nitromethane d-(3) Revision Date 10-Feb-2024

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Health, Safety and Environmental Department **Prepared By** 

**Creation Date** 26-Sep-2009 **Revision Date** 10-Feb-2024

New emergency telephone response service provider. **Revision Summary** 

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**